

The background of the image is a night sky filled with stars, with a prominent band of light representing the Milky Way galaxy. In the lower-left corner, there is a dark silhouette of a large tree. The overall color palette is dominated by deep blues and greens from the starry sky, with white text providing high contrast.

# **SAP TCodes**

# **Basis**

# **Components**

[www.SAP-TCodes.org](http://www.SAP-TCodes.org)

**This Book is Based on:**

**SAP ERP 6 EhP 7**

**SAP CRM 7 EhP 3 SR2**

**SAP SRM 7 EhP 3 SR2**

**SAP Solution Manager 7.1 SR1**

**SAP Basis 7.40 SP08**

# **SAP TCodes**

The Best Online SAP Transaction Code Analytics

**Basis Components**

[www.SAP-TCodes.org](http://www.SAP-TCodes.org)

This book is based on [our](#) knowledge of SAP system, and it is constantly reviewed to avoid errors; well we cannot warrant full correctness of all content. Use the information and content on this book at your own risk.

Published by:

book@sap-tcodes.org

www.SAP-TCodes.org

Generated at [Sun, 27 Sep 2020 02:08:20 +0000](#)

Copyright © 2020 www.SAP-TCodes.org

This book is delivered under [MIT License](#), as bellow

Permission is hereby granted, free of charge, to any person obtaining a copy of this book and associated documentation files (the "Book"), to deal in the Book without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Book, and to permit persons to whom the Book is furnished to do so, subject to the following conditions:

The above copyleft notice and this permission notice shall be included in all copies or substantial portions of the Book.

THE BOOK IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPILEFT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE BOOK OR THE USE OR OTHER DEALINGS IN THE BOOK.

SAP and the SAP logo are registered trademarks of [SAP SE](#).

This book is **not** sponsored by, affiliated with, or approved by [SAP SE](#).

[SAP SE](#) is **not** the publisher of this book and is not responsible for it under any aspect of press law.

# Table of Content

<b>SAP TCodes in Module BC - Basis Components</b> .....	3
SAP TCodes in Module BC - Basis Components .....	6
SAP TCodes in Module BC-ABA - ABAP Runtime Environment .....	8
SAP TCodes in Module BC-BMT - Business Management .....	14
SAP TCodes in Module BC-BSP - Business Server Pages .....	42
SAP TCodes in Module BC-BW - BW Service API .....	44
SAP TCodes in Module BC-CCM - Use Subcomponents .....	47
SAP TCodes in Module BC-CFG - Business Configuration Tools .....	57
SAP TCodes in Module BC-CI - Component Integration / Installation Windows Components ..	59
SAP TCodes in Module BC-CST - Client/Server Technology .....	61
SAP TCodes in Module BC-CTS - Change & Transport System .....	63
SAP TCodes in Module BC-CUS - Customizing .....	68
SAP TCodes in Module BC-DB - Database Interface, Database Platforms .....	77
SAP TCodes in Module BC-DOC - Documentation and Translation Tools .....	83
SAP TCodes in Module BC-DWB - ABAP Workbench, Java IDE and Infrastructure .....	86
SAP TCodes in Module BC-ECM - Enterprise Content Management (ECM) .....	98
SAP TCodes in Module BC-EIM - Enterprise Information Management (use subcomponents)..	101
SAP TCodes in Module BC-ESI - Enterprise Service Infrastructure .....	106
SAP TCodes in Module BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184) .....	110
SAP TCodes in Module BC-GP - Guided Procedure .....	116
SAP TCodes in Module BC-HLP - Help Infrastructure .....	118
SAP TCodes in Module BC-I18 - Internationalization (I18N) .....	120
SAP TCodes in Module BC-ILM - Information Lifecycle Management .....	122
SAP TCodes in Module BC-INS - Installation Tools .....	130
SAP TCodes in Module BC-MID - Middleware .....	132
SAP TCodes in Module BC-MOB - SAP NetWeaver Mobile - Use subcomponents .....	152
SAP TCodes in Module BC-MUS - Musing Tools .....	156
SAP TCodes in Module BC-PER - SAP Screen Personas .....	161
SAP TCodes in Module BC-RRR - Ready-to-Run R/3 .....	163
SAP TCodes in Module BC-SEC - Security .....	165
SAP TCodes in Module BC-SRV - Basis Services / Communication Interfaces .....	187
SAP TCodes in Module BC-TRX - TREX .....	234
SAP TCodes in Module BC-TWB - Test Workbench .....	236
SAP TCodes in Module BC-UPG - Upgrade - General .....	239
SAP TCodes in Module BC-VMC - Virtual Machine Container .....	242
SAP TCodes in Module BC-WD - Web Dynpro .....	244
SAP TCodes in Module BC-XI - Exchange Infrastructure .....	247

## SAP TCodes in Module

# BC

## Basis Components

## BC - Basis Components

#	T-Code	Description	Module	Component
1	<a href="#">/SSF/AB</a>	Analysis browser & Download	<a href="#">BC</a>	<a href="#">ST-A/PI</a>
2	<a href="#">/SSF/PB</a>	Project browser & test environment	<a href="#">BC</a>	<a href="#">ST-A/PI</a>
3	<a href="#">ST12</a>	Single transaction analysis	<a href="#">BC</a>	<a href="#">ST-A/PI</a>
4	<a href="#">ST13</a>	Analysis&Monitoring tool collection	<a href="#">BC</a>	<a href="#">ST-A/PI</a>
5	<a href="#">ST14</a>	Application Analysis	<a href="#">BC</a>	<a href="#">ST-A/PI</a>

## SAP TCodes in Module

# BC-ABA

## ABAP Runtime Environment



## BC-ABA - ABAP Runtime Environment

#	T-Code	Description	Module	Component
1	<a href="#">ABAPDOCU</a>	Display ABAP Documentation	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ABAPHELP</a>	Search ABAP Documentation	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
3	<a href="#">ABAP_DOCU_SHOW</a>	Call ABAP Keyword Documentation	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ABDBG_TRACE</a>	Debugger Trace	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
5	<a href="#">ABSE61</a>	SE61 for ABAP, ABEN and DYNP Objects	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
6	<a href="#">AMDP_UTIL</a>	Run All AMDP Reports	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
7	<a href="#">AMEN</a>	ABAP Tools Menu	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">BADI_RSANALYZE</a>	Neue BADI: Analyse	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
9	<a href="#">DBG_ABAP_EDITOR</a>	Debugger -> ABAP Editor	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
10	<a href="#">DBG_BROWSER</a>	Debugger -> Repository Browser	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
11	<a href="#">DBG_MEMORY_DIFFTOOL</a>	Debugger: Call Memory Inspector	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
12	<a href="#">DBG_SCREEN_PAINTER</a>	Debugger -> Screen Painter	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
13	<a href="#">DBG_TABLE_TO_EXCEL</a>	ABAP Debugger: Table as Excel File	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
14	<a href="#">DEMO_CAR_RENTAL</a>	Call Car Rental Demo	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
15	<a href="#">DEMO_EXTENDED_EXPRESSIONS</a>	ABAP Extended Expressions Demo	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
16	<a href="#">DEMO_OO_METHOD</a>	OO Trans. for Local Instance Method	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
17	<a href="#">DEMO_REPORT_TRANSACTION</a>	Report Transaction with SelScr 500	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
18	<a href="#">DEMO_SCREEN_FLOW</a>	Demonstration for Dynpro Sequences	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
19	<a href="#">DEMO_SELECTION_SCREEN_DYNP</a>	Selection Screen as Initial Dynpro	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
20	<a href="#">DEMO_STRING_PROCESSING</a>	Character String Processing	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
21	<a href="#">DEMO_METHOD_CALL_FROM_ST</a>	Method Call from ST	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>

## BC-ABA - ABAP Runtime Environment

#	T-Code	Description	Module	Component
22	<a href="#">DEMO_TRANSACTION</a>	Demonstration Transaction	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
23	<a href="#">GUIBIBS</a>	BIBS for GUI Tests	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
24	<a href="#">ICON</a>	Display Icons	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
25	<a href="#">IXMLVERI</a>	IXMLVERI	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>
26	<a href="#">LAST_SHORT_DUMP</a>	Display Last Short Dump	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
27	<a href="#">OS_APPLICATION</a>	OO Framework Application	<a href="#">BC-ABA-LA-OBS</a>	<a href="#">SAP BASIS</a>
28	<a href="#">RSBREAKPOINTS</a>	Break-Point-Tabellen	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
29	<a href="#">RSDBGENA</a>	Selektionsbildgenerierung	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
30	<a href="#">RSDDCHECK</a>	Rekursive DDIC-Konsistenzprüfung	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
31	<a href="#">RSDEPEND</a>	ABAP: Abhängige Objekte (RSDEPEND)	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
32	<a href="#">RSINDEX00</a>	INDX-artige Tabellen analysieren	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
33	<a href="#">RSNTABCONSISTENCY</a>	Aufruf RSNTABCONSISTENCY	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
34	<a href="#">RSPXA000</a>	PXA: Konsistenzprüfung	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
35	<a href="#">SAAB</a>	Checkpoints that Can Be Activated	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
36	<a href="#">SACCRESULT_S</a>	Check Results for Accessibility	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
37	<a href="#">SAMT</a>	ABAP Program Set Processing	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
38	<a href="#">SAS</a>	ABAP Debugger Scripting	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
39	<a href="#">SAST</a>	ABAP Syntax Tree	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
40	<a href="#">SCI_CALL_GRAPH_1</a>	Test Call Graph	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
41	<a href="#">SCI_CALL_GRAPH_2</a>	Test	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
42	<a href="#">SE33</a>	Context Builder	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>

## BC-ABA - ABAP Runtime Environment

#	T-Code	Description	Module	Component
43	<a href="#">SENH</a>	Display Enhancement Information	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
44	<a href="#">SHD0</a>	Transaction and Screen Variants	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SHD0_MANDT</a>	Client Dependent Tr. Variants	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
46	<a href="#">SHD1</a>	Internal: Variant transaction call	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
47	<a href="#">SHDB</a>	Batch Input Transaction Recorder	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
48	<a href="#">SHDG</a>	Global Fields: Change and Display	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
49	<a href="#">SHDI</a>	Transaction Variant Image Archive	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
50	<a href="#">SHDS</a>	Internal: Save transaction variant	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
51	<a href="#">SHD_CHECK</a>	Test Screen Variants and GuiXT	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
52	<a href="#">SHD_SWITCH</a>	Activate Standard Variant User	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
53	<a href="#">SICK</a>	Installation Check	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
54	<a href="#">SLAD</a>	Maintain: Profiles and Object Sets	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
55	<a href="#">SLIN</a>	ABAP Extended Program Check	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
56	<a href="#">SLINSEC_PARAMETERS</a>	Parameters for SLIN_SEC	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
57	<a href="#">SLIN_ADMIN</a>	SLIN Administration	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
58	<a href="#">SLIN_AUTHORS</a>	SLIN Check Authors	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
59	<a href="#">SLIN_CHK</a>	Description of SLIN Subchecks	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
60	<a href="#">SLIN_CHK_T</a>	Short Texts of SLIN Subchecks	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
61	<a href="#">SLIN_CHECK_METADATA</a>	Consistency Check on SLIN Meta Data	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
62	<a href="#">SLIN_CUST</a>	Metadata of SLIN Checks	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
63	<a href="#">SLIN_DESC</a>	Description of SLIN Tests	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>

## BC-ABA - ABAP Runtime Environment

#	T-Code	Description	Module	Component
64	<a href="#">SLIN_DESC T</a>	Short Texts for SLIN Checks	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
65	<a href="#">SLIN_DISPLAY_LOGDATA</a>	Display SLIN_LOG Entries	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
66	<a href="#">SLIN_SEC_EXEMPTION</a>	ATC Exemptions in SLIN_SEC	<a href="#">BC-ABA-LA-EPC</a>	<a href="#">SAP BASIS</a>
67	<a href="#">SM01</a>	Lock Transactions	<a href="#">BC-ABA</a>	<a href="#">SAP BASIS</a>
68	<a href="#">SM28</a>	Installation Check	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
69	<a href="#">SM35</a>	Batch Input Monitoring	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
70	<a href="#">SM35P</a>	Batch Input: Log Monitoring	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
71	<a href="#">SM38</a>	Queue Maintenance Transaction	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
72	<a href="#">SMI</a>	Memory Inspector	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
73	<a href="#">SRTM</a>	Run Time Monitor Initial Screen	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
74	<a href="#">SSTDemo1</a>	Simple Transformations Demo: Flights	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>
75	<a href="#">SSTDemo2</a>	XSLT and ST Demo: Flights	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>
76	<a href="#">ST20</a>	Screen Trace	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
77	<a href="#">ST20LC</a>	Layout Check	<a href="#">BC-ABA-SC</a>	<a href="#">SAP BASIS</a>
78	<a href="#">ST22</a>	ABAP Dump Analysis	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
79	<a href="#">ST22L</a>	ABAP Dump Analysis	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
80	<a href="#">ST22OLD</a>	Old Dump Analysis	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
81	<a href="#">ST22_E2E</a>	ABAP Dump Analysis E2E	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
82	<a href="#">STCTRL_COPY</a>	Copy Table Control User Settings	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
83	<a href="#">STCUP</a>	Table control variants upgrade	<a href="#">BC-ABA-TV</a>	<a href="#">SAP BASIS</a>
84	<a href="#">STDEMO</a>	Demo: XML / JSON via ID / XSLT / ST	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>
85	<a href="#">STRA_ATRA_TEST</a>	Test für ATRA über Transaktion	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>

## BC-ABA - ABAP Runtime Environment

#	T-Code	Description	Module	Component
86	<a href="#">STVARV</a>	Selection variable maint. (TVARVC)	<a href="#">BC-ABA-TO</a>	<a href="#">SAP BASIS</a>
87	<a href="#">STVARVC</a>	Maintain TVARVC in Client '000'	<a href="#">BC-ABA-TO</a>	<a href="#">SAP BASIS</a>
88	<a href="#">SUB%</a>	Internal call: Submit via commnd fld	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
89	<a href="#">SXSLT</a>	XSLT Tester	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>
90	<a href="#">SYNT</a>	Display Syntax Trace Output	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
91	<a href="#">S_BIN_67000023</a>	IMG Activity: TVARV-0001	<a href="#">BC-ABA-TO</a>	<a href="#">SAP BASIS</a>
92	<a href="#">S_MEMORY_INSPECTOR</a>	Memory Inspector	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
93	<a href="#">TPDA_CALL_EDITOR</a>	Start Editor	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
94	<a href="#">TPDA_SE37_TEST</a>	TPDA: SE37 Test Framework Init	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
95	<a href="#">TPDA_START</a>	Start Master of TPDA Debugger	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
96	<a href="#">TPDA_START_VERI</a>	Start the TPDA Debugger (VeriMode)	<a href="#">BC-ABA-LA</a>	<a href="#">SAP BASIS</a>
97	<a href="#">VARCH</a>	Change report variant	<a href="#">BC-ABA-TO</a>	<a href="#">SAP BASIS</a>
98	<a href="#">VARD</a>	Display report variant	<a href="#">BC-ABA-TO</a>	<a href="#">SAP BASIS</a>
99	<a href="#">XSLT</a>	XSLT tester	<a href="#">BC-ABA-XML</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-BMT

## Business Management

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
1	<a href="#">CIC_PPOCE</a>	Create CIC Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
2	<a href="#">CIC_PPOME</a>	Change CIC Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
3	<a href="#">CIC_PPOSE</a>	Display CIC Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
4	<a href="#">DELETE_COL_SETTINGS</a>	Delete Column Configuration	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
5	<a href="#">DELETE_MDT_SETTINGS</a>	Delete Manager's Desktop Settings	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
6	<a href="#">DELETE_NF_SETTINGS</a>	Delete Framework Settings	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
7	<a href="#">DELETE_OM_SETTINGS</a>	Delete Object Manager Settings	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
8	<a href="#">GRM_WRAPPER</a>	Generic Role Manager: Wrapper	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
9	<a href="#">HRAUTH</a>	Authorization Workbench	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
10	<a href="#">HRBAS_CHECK_INFITY</a>	Test Decoupled Infotypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
11	<a href="#">HR_NAMESPACE</a>	Query HR Namespace	<a href="#">BC-BMT-OM-GRF</a>	<a href="#">SAP BASIS</a>
12	<a href="#">OHPS</a>	Org.Management Configuration	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
13	<a href="#">OO2S</a>	Description: Subtypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
14	<a href="#">OO91</a>	SAP Org. Object Type Assignment	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
15	<a href="#">OO9M</a>	Matrix Types	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
16	<a href="#">OOALEBSIZE</a>	T77S0: Set ALE BSIZE	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
17	<a href="#">OOALECOMB</a>	HR: Distributable Relationship	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
18	<a href="#">OOALEINTE</a>	T77S0: Set ALE INTE	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
19	<a href="#">OOALEPCR</a>	T77S0: Set ALE PCR	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
20	<a href="#">OOALEPOPPA</a>	T77S0: Set ALE POPPA	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
21	<a href="#">OOALEPOPUP</a>	T77S0: Set ALE POPUP	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
22	<a href="#">OOALERELA</a>	HR: Distributable Relat. Direction	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
23	<a href="#">OOALEREPLI</a>	T77S0: Set ALE REPLI	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
24	<a href="#">OOALEREPPA</a>	T77S0: Set ALE REPPA	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
25	<a href="#">OOALESIN</a>	HR: Serialization in ALE Inbound	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
26	<a href="#">OOALESOUT</a>	HR: Serialization in ALE Outbound	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
27	<a href="#">OOALE_FILTE R1</a>	HR:Master Data Distribution Filter 1	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
28	<a href="#">OOALE_FILTE R2</a>	HR:Master Data Distribution Filter 2	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
29	<a href="#">OOAP</a>	Set Active Plan Version	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
30	<a href="#">OOAS</a>	Aspects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
31	<a href="#">OOATTRCUST</a>	Customizing General Attribute Maint.	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
32	<a href="#">OOATTRCUST _DISP</a>	Customizing General Attribute Maint.	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
33	<a href="#">OOATTRCUST _TRSP</a>	Customizing General Attribute Maint.	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
34	<a href="#">OOAU</a>	Authorizations	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
35	<a href="#">OOAW</a>	Evaluation Paths	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
36	<a href="#">OOBC</a>	Pushbutton Control Batch Input	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
37	<a href="#">OOCDOC_CU ST</a>	Activate Change Documents	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
38	<a href="#">OOCH</a>	Consistency Check	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
39	<a href="#">OOCOLFRAM CUST</a>	Column Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
40	<a href="#">OOCOLFRAM CUST_DISP</a>	Column Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
41	<a href="#">OOCOLFRAM CUST_TRSP</a>	Column Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
42	<a href="#">OOCR</a>	Set up PD Transport Connection	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>



## BC-BMT - Business Management

#	T-Code	Description	Module	Component
43	<a href="#">OOCT</a>	Catalogs	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
44	<a href="#">OOCU</a>	Task Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
45	<a href="#">OOCU_PAR</a>	Task Customizing with parameters	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
46	<a href="#">OOCU_RESP</a>	Customizing Responsibilities	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
47	<a href="#">OODT</a>	Data Transfer	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
48	<a href="#">OOFFRAMEWO RKCUST</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
49	<a href="#">OOFFRAMEWO RKCUST_DISP</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
50	<a href="#">OOFFRAMEWO RKCUST_TRS P</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
51	<a href="#">OOFFRAMEWO RKIFCUST</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
52	<a href="#">OOFFRAMEWO RKIFCUST_DI</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
53	<a href="#">OOFFRAMEWO RKIFCUST_TR</a>	Hierarchy Framework Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
54	<a href="#">OOGA</a>	Designs	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
55	<a href="#">OOGT</a>	User Assignment	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
56	<a href="#">OOIT</a>	Infotypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
57	<a href="#">OOLG</a>	Language Sequence in Pers. Planning	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
58	<a href="#">OOMA</a>	Mail Connection	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
59	<a href="#">OOMG</a>	Control Elements Materials Mgmt	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
60	<a href="#">OOMS</a>	Toolboxes	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
61	<a href="#">OOMT</a>	Actions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
62	<a href="#">OOMV</a>	Create Sequential File for PD	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
63	<a href="#">OOMWB1</a>	MDT Scenario Maintenance	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
64	<a href="#">OONC</a>	No. Assignment for All Plan Versions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
65	<a href="#">OONR</a>	Number Ranges	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
66	<a href="#">OOBJMANC UST</a>	Object Manager Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
67	<a href="#">OOBJMANC UST_DISP</a>	Object Manager Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
68	<a href="#">OOBJMANC UST_TRSP</a>	Object Manager Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
69	<a href="#">OOOD</a>	Data Sets	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
70	<a href="#">OOOE</a>	Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
71	<a href="#">OOOS</a>	Functions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
72	<a href="#">OOOT</a>	Maintain object types	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
73	<a href="#">OOPPOMSET</a>	T77S0: PPOM Settings	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
74	<a href="#">OOPR</a>	Authorization Profile Maintenance	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
75	<a href="#">OOPV</a>	Plan Versions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
76	<a href="#">OOSB</a>	User (Structural Authorization)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
77	<a href="#">OOSP</a>	Authorization Profiles	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
78	<a href="#">OOST</a>	Standard Assignment	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
79	<a href="#">OOSU</a>	Subtypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
80	<a href="#">OOTR</a>	Display Import Lock Table	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
81	<a href="#">OOTS</a>	Breakpoints	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
82	<a href="#">OOUA</a>	Batch Input User Level	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
83	<a href="#">OOUS</a>	Maintain User	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
84	<a href="#">OOV1</a>	Display Table T77S0	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
85	<a href="#">OOV2</a>	Maintain Table T77S0	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
86	<a href="#">OOVK</a>	Relationships	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
87	<a href="#">OOW1</a>	Classification of Task Complexes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
88	<a href="#">OOW2</a>	Substitute Profile	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
89	<a href="#">OOW3</a>	Substitute Profile: Class. Assignmnt	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
90	<a href="#">OOW4</a>	Workflow/Org.Mgmt Prefix Numbers	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
91	<a href="#">OOWFAC</a>	Activate Workflow Event Linkage	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
92	<a href="#">OOZR</a>	Target OT-Dependent Time Constraint	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
93	<a href="#">OO_CENTRAL_PERSON</a>	HR: Set Up Central Person	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
94	<a href="#">PA0A</a>	Number Range Maintenance: HRPERSON	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
95	<a href="#">PF05</a>	Number Range Maintenance: HRSSUBJECT	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
96	<a href="#">PFAC</a>	Maintain Rule	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
97	<a href="#">PFAC_CHG</a>	Change Rules	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
98	<a href="#">PFAC_DEL</a>	Delete Rule	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
99	<a href="#">PFAC_DIS</a>	Display Rule	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
100	<a href="#">PFAC_INS</a>	Create Rule	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
101	<a href="#">PFAC_RESPO</a>	Maintain Responsibilities	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
102	<a href="#">PFAC_STR</a>	Maintain Rules -> Dummy Screen	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
103	<a href="#">PFAL</a>	HR: ALE Distribution HR Master Data	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
104	<a href="#">PFPCP</a>	Copy Workflow Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
105	<a href="#">PFCT</a>	Task Catalog	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
106	<a href="#">PFCU</a>	Task Customizing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
107	<a href="#">PFOM</a>	Maintain Assignment to SAP Org.Obj's	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
108	<a href="#">PFOS</a>	Display Assignment to SAP Org.Obj's	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
109	<a href="#">PFOS</a>	User's Organizational Environment	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
110	<a href="#">PFT</a>	Maintain Customer Task	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
111	<a href="#">PFTC</a>	General Task Maintenance	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
112	<a href="#">PFTC_CHG</a>	Change Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
113	<a href="#">PFTC_COP</a>	Copy Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
114	<a href="#">PFTC_DEL</a>	Delete Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
115	<a href="#">PFTC_DIS</a>	Display Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
116	<a href="#">PFTC_INS</a>	Create Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
117	<a href="#">PFTC_STR</a>	Task Maintenance -> Dummy Screen	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
118	<a href="#">PFTG</a>	Maintain Task Group	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
119	<a href="#">PFTR</a>	Standard Task for Transaction	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
120	<a href="#">PFTS</a>	Standard Task	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
121	<a href="#">PFWF</a>	Maintain Workflow Task (Customer)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
122	<a href="#">PFWS</a>	Maintain Workflow Template	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
123	<a href="#">PF_WLS_SUBST</a>	Substitute inbox worklist server	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
124	<a href="#">PGOM</a>	Graphical Structure Maintenance	<a href="#">BC-BMT-OM-GRE</a>	<a href="#">SAP BASIS</a>
125	<a href="#">PO01</a>	Maintain Work Center	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
126	<a href="#">PO01D</a>	Display Work Center	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
127	<a href="#">PO03</a>	Maintain Job	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
128	<a href="#">PO03D</a>	Display Job	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
129	<a href="#">PO08</a>	Maintain External Person	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
130	<a href="#">PO08D</a>	Display External Person	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
131	<a href="#">PO10</a>	Maintain Organizational Unit	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
132	<a href="#">PO10D</a>	Display Organizational Unit	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
133	<a href="#">PO13</a>	Maintain Position	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
134	<a href="#">PO13D</a>	Display Position	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
135	<a href="#">PO14</a>	Maintain Task	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
136	<a href="#">PO14D</a>	Display Task	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
137	<a href="#">PO15</a>	Maintain Company	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
138	<a href="#">PO15D</a>	Display Company	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
139	<a href="#">PP01</a>	Maintain Plan Data (Menu-Guided)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
140	<a href="#">PP01_DISP</a>	Display Plan Data (Menu Guided)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
141	<a href="#">PP02</a>	Maintain Plan Data (Open)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
142	<a href="#">PP03</a>	Maintain Plan Data (Action-Based)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
143	<a href="#">PP03_DIRECT</a>	Execute Action Directly	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
144	<a href="#">PP05</a>	Number Ranges	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
145	<a href="#">PP06</a>	Number Range Maintenance: HRADATA	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
146	<a href="#">PP7S</a>	Organizational Management	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
147	<a href="#">PP90</a>	Set up Organization	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
148	<a href="#">PPCI</a>	Copy Infotype	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
149	<a href="#">PPCJ</a>	Create Infotype	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
150	<a href="#">PPCK</a>	Enhance List Screen	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
151	<a href="#">PPCM</a>	Enhance Infotype	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
152	<a href="#">PPCO</a>	Organisational Plan: Initial Screen	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
153	<a href="#">PPCT</a>	Task Catalog	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
154	<a href="#">PPDM</a>	Detail Maintenance Planning ITs	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
155	<a href="#">PPMDT</a>	Manager's Desktop	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
156	<a href="#">PPMDTCW</a>	Customizing wizard Manager's Desktop	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
157	<a href="#">PPME</a>	Change Matrix Organization	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
158	<a href="#">PPMM</a>	Personnel Planning	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
159	<a href="#">PPMS</a>	Display Matrix Organization	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
160	<a href="#">PPO3</a>	Change Reporting Structure	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
161	<a href="#">PPO4</a>	Display Reporting Structure	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
162	<a href="#">PPOC</a>	Create Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
163	<a href="#">PPOCA</a>	Create Attributes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
164	<a href="#">PPOCE</a>	Create Organization and Staffing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
165	<a href="#">PPOCW</a>	Create Org. and Staffing (WF)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
166	<a href="#">PPOC_OLD</a>	Create Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
167	<a href="#">PPOM</a>	Maintain Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
168	<a href="#">PPOMA</a>	Change Attributes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
169	<a href="#">PPOMDETAIL</a>	Detail screen in mini framework	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
170	<a href="#">PPOME</a>	Change Organization and Staffing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
171	<a href="#">PPOMW</a>	Change Org. and Staffing (WF)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
172	<a href="#">PPOM_DEL</a>	Delete user settings	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
173	<a href="#">PPOM_MODE</a>	Org. Management:InterfaceMaintenance	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
174	<a href="#">PPOM_OLD</a>	Maintain Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
175	<a href="#">PPOS</a>	Display Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
176	<a href="#">PPOSA</a>	Display attributes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
177	<a href="#">PPOSE</a>	Display organization and Staffing	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
178	<a href="#">PPOSW</a>	Display Org. and Staffing (WF)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
179	<a href="#">PPOS_OLD</a>	Display Organizational Plan	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
180	<a href="#">PPSC</a>	Create Structure	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
181	<a href="#">PPSM</a>	Change Structure	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
182	<a href="#">PPSS</a>	Display Structure	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
183	<a href="#">PPST</a>	Structure Evaluation	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
184	<a href="#">PPWFBUF</a>	Synchronize OM Workflow Buffer	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
185	<a href="#">PQ01</a>	Actions for Work Center	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
186	<a href="#">PQ03</a>	Actions for Job	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
187	<a href="#">PQ08</a>	Actions for External Person	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
188	<a href="#">PQ10</a>	Actions for Organizational Unit	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
189	<a href="#">PQ13</a>	Actions for Position	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
190	<a href="#">PQ14</a>	Actions for Task	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
191	<a href="#">PQ15</a>	Actions for Company	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
192	<a href="#">PSO0</a>	Set Plan Version for OrgManagement	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
193	<a href="#">PSO1</a>	Set Aspect for OrgManagement	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
194	<a href="#">PSO2</a>	PS System/Database Tools	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
195	<a href="#">PSO3</a>	Infotype Overview	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
196	<a href="#">PSO4</a>	Individual Infotype Maintenance	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
197	<a href="#">PSO5</a>	PD: Administration Tools	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
198	<a href="#">PSOA</a>	Work Center Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
199	<a href="#">PSOC</a>	Job Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
200	<a href="#">PSOG</a>	OrgManagement General Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
201	<a href="#">PSOI</a>	Tools Integration PA-PD	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
202	<a href="#">PSOO</a>	Organizational Unit Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
203	<a href="#">PSOS</a>	Position Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
204	<a href="#">PSOT</a>	Task Reporting	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
205	<a href="#">PZUS</a>	ESS General Settings	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
206	<a href="#">PZUSEFB</a>	ESS MiniApp Photograph/Birthday	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
207	<a href="#">PZUSWHO</a>	ESS Who's Who	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
208	<a href="#">RE_RHAKTI00</a>	Change Object Status	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
209	<a href="#">RE_RHALECL</a> <a href="#">EANRELA</a>	HR: Clean Relationships	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
210	<a href="#">RE_RHALECP</a> <a href="#">S</a>	HR: Display ALE Change Pointers	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>



## BC-BMT - Business Management

#	T-Code	Description	Module	Component
211	<a href="#">RE_RHALEHRMDORIGINIT</a>	HR: Initialize Orig.Sys. - Plan.Data	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
212	<a href="#">RE_RHALEHRMDORIGXPER</a>	HR: Maintain HRMDORIGIN (Experts)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
213	<a href="#">RE_RHALEORMOVE</a>	HR: Transfer Planning Data	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
214	<a href="#">RE_RHALEORIGLIST</a>	HR: Orig.System List - Planning Data	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
215	<a href="#">RE_RHALERELAX</a>	HR: Expert Relationship Cleanup	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
216	<a href="#">RE_RHALESERCHECK</a>	HR: Check Registration	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
217	<a href="#">RE_RHALESMD</a>	HR: Evaluate ALE Change Pointers	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
218	<a href="#">RE_RHALEHRMDRGIN</a>	HR: Maintain HRMDRGIN	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
219	<a href="#">RE_RHALEHRMDRGOUT</a>	HR: Maintain HRMDRGOUT	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
220	<a href="#">RE_RHALEHRMDRGIN2IDOC</a>	HR: Adjust HRMDRGIN to IDoc	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
221	<a href="#">RE_RHAUTH00</a>	Authorized Objects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
222	<a href="#">RE_RHBEGDA0</a>	Change start date	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
223	<a href="#">RE_RHCHECK1</a>	Check Database Consistency	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
224	<a href="#">RE_RHCHECKV</a>	Check Relationships	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
225	<a href="#">RE_RHCHEXOB</a>	Reconcile Infotypes Ext. Objects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
226	<a href="#">RE_RHCOPL00</a>	Copy Plan Version W/O Comparison	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
227	<a href="#">RE_RHCOPLPT</a>	Reconcile Plan Versions (Partly)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
228	<a href="#">RE_RHCOPY00</a>	Copy Object	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
229	<a href="#">RE_RHCOPY010</a>	Copy Objects Using Selection List	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
230	<a href="#">RE_RHCOPYS TRUCT</a>	Copy structures	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
231	<a href="#">RE_RHDBST00</a>	PD Database Statistics	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
232	<a href="#">RE_RHDBST10</a>	Database Statistics: No. of Objects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
233	<a href="#">RE_RHDBST20</a>	Database Statistics: No. of Notes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
234	<a href="#">RE_RHDBST30</a>	Database Statistics: Infotype	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
235	<a href="#">RE_RHDBST40</a>	Database Statistics: Infotypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
236	<a href="#">RE_RHDESC10</a>	Display Infotypes of an Object	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
237	<a href="#">RE_RHEXIST0</a>	Existing Objects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
238	<a href="#">RE_RHGRENZ0</a>	Delimit Objects	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
239	<a href="#">RE_RHGRENZ1</a>	Set New End Date	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
240	<a href="#">RE_RHGRENZ2</a>	Delimit Infotypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
241	<a href="#">RE_RHGRENZ4</a>	Set new end date for infotypes	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
242	<a href="#">RE_RHMOVE30</a>	Manual Transport Link	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
243	<a href="#">RE_RHNAVIG0</a>	Structure Navigation Instrument	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
244	<a href="#">RE_RHRHAZ00</a>	Display PD Database Records	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
245	<a href="#">RE_RHRHDC00</a>	Delete HR Database Records via List	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
246	<a href="#">RE_RHRHDL00</a>	Delete PD Database Records	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
247	<a href="#">RE_RHTRANS00</a>	Translate Language-Dependent Records	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
248	<a href="#">RE_RHXEXI00</a>	Existing Organizational Units	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
249	<a href="#">RE_RHXEXI01</a>	Existing Work Centers	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
250	<a href="#">RE_RHXEXI02</a>	Existing Jobs	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
251	<a href="#">RE_RHXEXI03</a>	Existing Positions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
252	<a href="#">RE_RHXEXI04</a>	Existing Tasks	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
253	<a href="#">RE_RHXSTR00</a>	Organizational Plan (Org.Units Only)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
254	<a href="#">RE_RHXSTR01</a>	Org. Structure with Positions	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
255	<a href="#">RE_RHXSTR02</a>	Org. Structure with Persons	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
256	<a href="#">RE_RHXSTR03</a>	Org. Structure with Work Centers	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
257	<a href="#">RE_RHXSTR04</a>	Reporting Structure with Persons	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
258	<a href="#">RE_RHXSTR05</a>	Reporting Structure Without Persons	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
259	<a href="#">RE_RHXSTR06</a>	Work Centers per Org. Unit	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
260	<a href="#">RE_RHXSTR07</a>	Activity Profile Without Persons	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
261	<a href="#">RE_RHXSTR08</a>	Activity Profile with Persons	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
262	<a href="#">RSWELOGD</a>	Delete Event Trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
263	<a href="#">RSWEWWDHMSHOW</a>	Display Background Job SWWERRE	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
264	<a href="#">RSWEWWDHSHOW</a>	Display Work Item Deadline Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
265	<a href="#">RSWEWWDHSOSHOW</a>	Display Work Item Deadline Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
266	<a href="#">RSWWCLEAR</a>	Execute Work Item Clearing Work	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
267	<a href="#">RSWWCOND</a>	Execute Work Item Rule Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
268	<a href="#">RSWWCONDMON</a>	Monitoring - Rule Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
269	<a href="#">RSWWDHEX</a>	ExecuteWorkItemDeadlineMonitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
270	<a href="#">RSWWERRE</a>	Start RSWWERRE	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
271	<a href="#">SBPT_WB</a>	Wizard Builder	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
272	<a href="#">SBPT_WIZARD_BUILDER</a>	Wizard Builder	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
273	<a href="#">SBWP_GP</a>	SAP Business Workplace for GP	<a href="#">BC-BMT-WFM-RUN</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
274	<a href="#">SCFB</a>	Role Manager: Start of a Function	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
275	<a href="#">SCRE</a>	Role Manager: Start of a Report	<a href="#">BC-BMT-OM-OM</a>	<a href="#">SAP BASIS</a>
276	<a href="#">SLEI_EVT_LI NKAGE</a>	LEI Linkage Maintenance	<a href="#">BC-BMT-BPM-LEI</a>	<a href="#">SAP BASIS</a>
277	<a href="#">SLEI_EVT_LI NKAGE_CST</a>	LEI Linkage Customizing	<a href="#">BC-BMT-BPM-LEI</a>	<a href="#">SAP BASIS</a>
278	<a href="#">SLEI_TRC</a>	LEI Runtime Trace	<a href="#">BC-BMT-BPM-LEI</a>	<a href="#">SAP BASIS</a>
279	<a href="#">SOJ2</a>	SAP Objects: Display Methods	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
280	<a href="#">SOJ3</a>	SAP Objects: Display Return Values	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
281	<a href="#">SW10</a>	Delivery Verification	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
282	<a href="#">SWB3</a>	Maintain Start Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
283	<a href="#">SWB4</a>	Display Start Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
284	<a href="#">SWB_COND</a>	Maintain Workflow Start Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
285	<a href="#">SWB_COND_DISPLAY</a>	Display Workflow Start Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
286	<a href="#">SWB_PROCU REMENT</a>	Maintain B2B Start Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
287	<a href="#">SWDA</a>	Alphanumeric Workflow Builder	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
288	<a href="#">SWDB</a>	Create workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
289	<a href="#">SWDC</a>	Workflow Definition: Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
290	<a href="#">SWDC_DEFIN ITION</a>	Workflow Builder Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
291	<a href="#">SWDC_INTER NAL</a>	Workflow Definition: Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
292	<a href="#">SWDC_RUNTI ME</a>	Maintain Administrator for Runtime	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
293	<a href="#">SWDD</a>	Workflow Builder	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
294	<a href="#">SWDD_CONFI G</a>	Workflow Configuration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
295	<a href="#">SWDI</a>	Workflow Builder (Selection)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
296	<a href="#">SWDM</a>	Business Workflow Explorer	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
297	<a href="#">SWDN</a>	Number Range Maint.: SWD_WDID	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
298	<a href="#">SWDP</a>	Show Graphical Workflow Log	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
299	<a href="#">SWDS</a>	Workflow Builder (Selection)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
300	<a href="#">SWE2</a>	Display/Maint. Event Type Linkages	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
301	<a href="#">SWE3</a>	Display Instance Linkages	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
302	<a href="#">SWE4</a>	Status Change Event Trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
303	<a href="#">SWE5</a>	Checks for Event Linkages	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
304	<a href="#">SWEAD</a>	Event Queue Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
305	<a href="#">SWEC</a>	Event Linkage for Change Documents	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
306	<a href="#">SWED</a>	Assignment chng.doc./WF object type	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
307	<a href="#">SWEHR1</a>	Linkage: Object Type to HR Infotype	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
308	<a href="#">SWEHR2</a>	Event - Infotype Operation (SAP)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
309	<a href="#">SWEHR3</a>	Event-Infotype Operation (Customer)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
310	<a href="#">SWEINST</a>	Display Instance Linkages	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
311	<a href="#">SWEL</a>	Display Event Trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
312	<a href="#">SWELS</a>	Switch Event Trace On/Off	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
313	<a href="#">SWEM</a>	Configure Event Trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
314	<a href="#">SWEQADM</a>	Event Queue Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
315	<a href="#">SWEQADM_1</a>	Maintain Event Queue Administrator	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
316	<a href="#">SWEQBROWS ER</a>	Event Queue Browser	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
317	<a href="#">SWEQDEL</a>	Delete Event Queue	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
318	<a href="#">SWETYPV</a>	Display/Maint. Event Type Linkages	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
319	<a href="#">SWE_CD_TST</a>	Test Environ. for Change Documents	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
320	<a href="#">SWE_SET_DE LEGATION</a>	Create Delegation in BOR	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
321	<a href="#">SWF3</a>	Workflow Wizard Explorer	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
322	<a href="#">SWF4</a>	Workflow Wizard Repository	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
323	<a href="#">SWFC</a>	Automatic Workflow Customizing	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
324	<a href="#">SWFMOD_TR ANSPORT</a>	Transport workflow Modeler objects	<a href="#">BC-BMT- WMD</a>	<a href="#">SAP BASIS</a>
325	<a href="#">SWFPOWLOB J</a>	Object	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
326	<a href="#">SWFPOWLWI</a>	Display/Execute Work Item	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
327	<a href="#">SWFSLSA</a>	Maintain Deadline Monitoring	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
328	<a href="#">SWFSLSC</a>	Schedule Deadline-Monitoring Job	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
329	<a href="#">SWFSLSDLEX SHOW</a>	Job Selection for SWFSLSDLEX	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
330	<a href="#">SWFSLST</a>	Display Deadline-Monitoring Trace	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
331	<a href="#">SWFVISU</a>	Workflow Visualization Metadata	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
332	<a href="#">SWFVMD1</a>	Workflow: Visualization Metadata	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
333	<a href="#">SWF_ADM_S USPEND</a>	Restart Suspended Workflows	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
334	<a href="#">SWF_ADM_S WWWIDH</a>	Restart Suspended Deadlines	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
335	<a href="#">SWF_APPL_DI SPLAY</a>	Workflow: Application Log	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>
336	<a href="#">SWF_AUTO</a>	Automatic Workflow Customizing	<a href="#">BC-BMT- WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
337	<a href="#">SWF_CCMS_CONFIG</a>	CCMS: Configuration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
338	<a href="#">SWF_CNT_MAINTENANCE</a>	Diagnosis and Container Comparison	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
339	<a href="#">SWF_CRL1</a>	Correlation Editor	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
340	<a href="#">SWF_DEADL_CONF</a>	Maintain Deadline Configuration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
341	<a href="#">SWF_DEADL_CONF_DISP</a>	Display Deadline Configuration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
342	<a href="#">SWF_DEBUG</a>	Edit Workflow Breakpoints	<a href="#">BC-BMT-WFM-RUN</a>	<a href="#">SAP BASIS</a>
343	<a href="#">SWF_GMP</a>	Administrator Overview	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
344	<a href="#">SWF_GP</a>	Guided Procedures	<a href="#">BC-BMT-WFM-RUN</a>	<a href="#">SAP BASIS</a>
345	<a href="#">SWF_LOG_ADMIN</a>	Administration for Log Profiles	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
346	<a href="#">SWF_OBJ_EXECUTE</a>	Execute Object Method	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
347	<a href="#">SWF_OBJ_EXECUTE_BO</a>	Execute Object Method (SWOOBJID)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
348	<a href="#">SWF_OBJ_EXECUTE_CL</a>	Execute Object Method (SIBFLPORB)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
349	<a href="#">SWF_RESTART_CANCEL</a>	Restart Suspended Cancel	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
350	<a href="#">SWF_RESTART_SUSPEND</a>	Restart Suspended Callbacks	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
351	<a href="#">SWF_RFC_DEST</a>	Configure RFC Destination	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
352	<a href="#">SWF_TRC</a>	Workflow Trace: Display	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
353	<a href="#">SWF_TRC_ALL</a>	Workflow Trace: Display All Comp.	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
354	<a href="#">SWF_TRC_DEMO</a>	Workflow Trace: Display DEMO-K.	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
355	<a href="#">SWF_TRC_SELECT</a>	Workflow Trace: Display with Selectn	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
356	<a href="#">SWF_UNIT_CONFIG</a>	Configuration Unit Execution	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
357	<a href="#">SWF_UNIT_MONITORING</a>	Monitoring of Unit Execution	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
358	<a href="#">SWF_WAPI_TEST</a>	Automatic Test of SAP_WAPI	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
359	<a href="#">SWF_WIEVTADM</a>	Managing Work Item Events	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
360	<a href="#">SWH_ADM1</a>	Work Item Upgrade: Definition GUID	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
361	<a href="#">SWH_PROCESS_INFO</a>	Demo for Process Info System	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
362	<a href="#">SWI1</a>	Selection report for workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
363	<a href="#">SWI11</a>	Where-Used List for Tasks	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
364	<a href="#">SWI13</a>	Task Profile	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
365	<a href="#">SWI14</a>	Workflows for Object Type	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
366	<a href="#">SWI1_COND</a>	Check Conditions for Work Items	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
367	<a href="#">SWI1_RULE</a>	Execute Rules for Work Items	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
368	<a href="#">SWI2_ADM1</a>	Work Items Without Agents	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
369	<a href="#">SWI2_ADM2</a>	Work Items with Deleted Users	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
370	<a href="#">SWI2_DEAD</a>	Work Items with Monitored Deadlines	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
371	<a href="#">SWI2_DIAG</a>	Diagnosis of Workflows with Errors	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
372	<a href="#">SWI2_DURA</a>	Work Items by Processing Duration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
373	<a href="#">SWI2_FREQ</a>	Work Items per Task	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
374	<a href="#">SWI3</a>	Workflow Outbox	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
375	<a href="#">SWI30</a>	Unlock Workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
376	<a href="#">SWI5</a>	Workload Analysis	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
377	<a href="#">SWI5N</a>	Workload Analysis	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
378	<a href="#">SWI6</a>	Workflows for Object	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>



## BC-BMT - Business Management

#	T-Code	Description	Module	Component
379	<a href="#">SWIA</a>	WI Administration Report	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
380	<a href="#">SWIE</a>	Unlock Work Item	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
381	<a href="#">SWJ1</a>	Browser for Schedule Conditions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
382	<a href="#">SWL1</a>	Settings for dynamic columns	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
383	<a href="#">SWLC</a>	Check Tasks for Agents	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
384	<a href="#">SWLD</a>	Workbench for Workflow 4.0	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
385	<a href="#">SWLD_INPLA CE1</a>	Demo Embedded Inbox	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
386	<a href="#">SWLD_INPLA CE2</a>	Demo Embedded Inbox (Professional)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
387	<a href="#">SWLO</a>	Display work items for objects	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
388	<a href="#">SWLP</a>	Copy a Plan Version	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
389	<a href="#">SWLV</a>	Maintain Work Item Views	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
390	<a href="#">SWNADMIN</a>	Administration of Notifications	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
391	<a href="#">SWNCONFIG</a>	Configuration Notifications	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
392	<a href="#">SWNNOTIFDE L</a>	Delete Notifications	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
393	<a href="#">SWNNOTIFDE L_DELETE</a>	Deallocate 'SWNNOTIFDEL'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
394	<a href="#">SWNNOTIFDE L_DISPLAY</a>	Display 'SWNNOTIFDEL'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
395	<a href="#">SWNNOTIFDE L_INSERT</a>	Background Job 'SWNNOTIFDEL'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
396	<a href="#">SWNWIEX</a>	WF Notification: Edit Work Item	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
397	<a href="#">SWPA</a>	Runtime System Customizing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
398	<a href="#">SWPC</a>	WFM: Continue Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
399	<a href="#">SWPR</a>	WFM: Restart Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
400	<a href="#">SWP_CHANGE_MAXNODES</a>	Change Maximum Number of Nodes	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
401	<a href="#">SWRP</a>	Dummy for IAC Workflow Status	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
402	<a href="#">SWR_WEBSEVER</a>	Web Server Customizing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
403	<a href="#">SWT0</a>	Configure workflow trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
404	<a href="#">SWTFILTER</a>	Administration: Trace Activation	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
405	<a href="#">SWTREORG</a>	Reorganization Trace for Requests	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
406	<a href="#">SWTREQ</a>	Analyze Workflow Trace for Requests	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
407	<a href="#">SWU0</a>	Simulate event	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
408	<a href="#">SWU1</a>	User RFC Monitor	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
409	<a href="#">SWU10</a>	Delete Workflow Trace Files	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
410	<a href="#">SWU2</a>	Workflow RFC Monitor	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
411	<a href="#">SWU3</a>	Automatic Workflow Customizing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
412	<a href="#">SWU3_OLD</a>	Consistency check: Customizing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
413	<a href="#">SWU4</a>	Consistency Test for Standard Task	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
414	<a href="#">SWU5</a>	Consistency Test for Customer Task	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
415	<a href="#">SWU6</a>	Consistency Test for Workflow Task	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
416	<a href="#">SWU7</a>	Consistency Test for Workflow Templ.	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
417	<a href="#">SWU8</a>	Workflow Trace: On/Off	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
418	<a href="#">SWU9</a>	Display Workflow Trace	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
419	<a href="#">SWUA</a>	Start Verification Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
420	<a href="#">SWUB</a>	Maintain Workflow RFC Destination	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
421	<a href="#">SWUC</a>	Customizing decision task	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
422	<a href="#">SWUC_01</a>	SAP Task Customizing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
423	<a href="#">SWUD</a>	Workflow Diagnosis	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
424	<a href="#">SWUE</a>	Trigger an event	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
425	<a href="#">SWUG</a>	Generate Workflow Start Transaction	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
426	<a href="#">SWUI</a>	Start Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
427	<a href="#">SWUI_BENCH MARK</a>	Start Performance Workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
428	<a href="#">SWUI_DEMO</a>	Start Demo Workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
429	<a href="#">SWUI_SINGLE</a>	Start Workflow (Parameter)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
430	<a href="#">SWUI_START</a>	Start Workflow (Task Group)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
431	<a href="#">SWUI_VERIF Y</a>	Start Test Workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
432	<a href="#">SWUL_WFUNI T</a>	Start Unit Workflows	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
433	<a href="#">SWUK</a>	Mapping form type - mail address	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
434	<a href="#">SWUL</a>	Customizing: Process Administrator	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
435	<a href="#">SWUN</a>	Number Range Maintenance: FORMABSENC	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
436	<a href="#">SWUOCHECK</a>	Test Report for Workflow Documents	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
437	<a href="#">SWUO_DEL</a>	Deletion Report for Workflow Docs	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
438	<a href="#">SWUP</a>	Switch SAPforms Trace On/Off	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
439	<a href="#">SWUR</a>	Send mails for work items	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
440	<a href="#">SWUS</a>	Test Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
441	<a href="#">SWUS_WITH REFERENCE</a>	Workflow: Start with Reference	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
442	<a href="#">SWUT</a>	Namespace for Form Transactions	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
443	<a href="#">SWUU</a>	SAPforms: Diagnosis	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
444	<a href="#">SWUV</a>	Send E-Mail Notifications	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
445	<a href="#">SWUW</a>	Number Range Maint.: SWW_WIID	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
446	<a href="#">SWUX</a>	SAPforms Administration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
447	<a href="#">SWUY</a>	Workflow-Message Linkage	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
448	<a href="#">SWU_CONT_PERSISTENCE</a>	Administrate Container Persistence	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
449	<a href="#">SWU_EWBTE</a>	Wizard for Event Linkage (BTE)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
450	<a href="#">SWU_EWCD</a>	Wizard for Event Linkage (Chg. Doc.)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
451	<a href="#">SWU_EWLIS</a>	Wizard for Event Linkage (LIS)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
452	<a href="#">SWU_OBUF</a>	Runtime Buffer PD Org	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
453	<a href="#">SWWA</a>	Maintain WI Deadline Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
454	<a href="#">SWWB</a>	Schedule WI Deadline Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
455	<a href="#">SWWCLEAR_DELETE</a>	Unschedule Workflow Clearing Tasks	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
456	<a href="#">SWWCLEAR_INSERT</a>	Workflow: Background Job 'SWWCLEAR'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
457	<a href="#">SWWCOND_DELETE</a>	Unschedule Work Item Rule Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
458	<a href="#">SWWCOND_INSERT</a>	Workflow: Background Job 'SWWCOND'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
459	<a href="#">SWWD</a>	Maintain Work Item Error Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
460	<a href="#">SWWDHEX_DEBUG</a>	Work Item - Deadline Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
461	<a href="#">SWWDHEX_DELETE</a>	UnscheduleWorkItemDeadlineMonitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
462	<a href="#">SWWERRE_APP_LOG</a>	Application Log for SWWERRE	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
463	<a href="#">SWWERRE_DEBUG</a>	Work Item - Error Monitoring (Debug)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
464	<a href="#">SWWERRE_DELETE</a>	Unschedule WorkItem Error Monitoring	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
465	<a href="#">SWWERRE_INSERT</a>	Workflow: Batch Job 'SWWERRE'	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
466	<a href="#">SWWH</a>	WIM: Delete Work Item History	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
467	<a href="#">SWWL</a>	WIM: Delete Work Item	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
468	<a href="#">SWWL_DEP</a>	Delete Dependent Table Entries	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
469	<a href="#">SWWL_TOPLLEVEL</a>	Delete Top Level Work Item	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
470	<a href="#">SWW_ARCHIV</a>	Display Workflows from Archive	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
471	<a href="#">SWW_BG_MON</a>	Monitoring: Background Work Items	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
472	<a href="#">SWW_DISPSW_WCLEAR</a>	Show Background Job for Clearing	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
473	<a href="#">SWW_DISPSW_WCOND</a>	Display: Background Job for Pre/Post	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
474	<a href="#">SWW_JOB_MON</a>	Monitoring: Work Items Using Job	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
475	<a href="#">SWW_SARA</a>	Archive Work Items	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
476	<a href="#">SWW_WI_MON</a>	Monitoring: Background Methods	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
477	<a href="#">SWXA</a>	DEMO: Approve Leave Request	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
478	<a href="#">SWXC</a>	DEMO: Change Leave Request	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
479	<a href="#">SWXD</a>	DEMO: Delete Leave Request	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
480	<a href="#">SWXF</a>	DEMO: Create Notification of Absence	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
481	<a href="#">SWXFTB</a>	DEMO: Notif. of Absence Toolbox	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
482	<a href="#">SWXML</a>	XML Document Selection	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
483	<a href="#">S_B90_38000009</a>	Tasks for Document Integration	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
484	<a href="#">S_BCE_68000274</a>	IMG Activity: SIMG_WF18SWWD	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
485	<a href="#">S_BCE_68000275</a>	IMG Activity: SIMG_WF15OOW4	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
486	<a href="#">S_BCE_68000276</a>	IMG Activity: SIMG_WF_SWL_SYSTEM	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
487	<a href="#">S_BCE_68000277</a>	IMG Activity: SIMG_WF46SWUT	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
488	<a href="#">S_BCE_68000569</a>	IMG Activity: SIMG_WF16SWWE	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
489	<a href="#">S_BCE_68000570</a>	IMG Activity: SIMG_WF31OOCU	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
490	<a href="#">S_BCE_68000571</a>	IMG Activity: SIMG_WF18SM59	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
491	<a href="#">S_BCE_68000572</a>	IMG Activity: SIMG_WF19OO91	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
492	<a href="#">S_BCE_68000573</a>	IMG Activity: SIMG_WF18SWLV	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
493	<a href="#">S_BCE_68000574</a>	IMG Activity: SIMG_WF172OOW3	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
494	<a href="#">S_BCE_68000575</a>	IMG Activity: SIMG_WF21OOOE	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
495	<a href="#">S_BCE_68000576</a>	IMG Activity: SIMG_WF46SWUT	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
496	<a href="#">S_BCE_68000577</a>	IMG Activity: SIMG_WF_SWL_SYSTEM	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
497	<a href="#">S_BCE_68000578</a>	IMG Activity: SIMG_WF42SWL1	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
498	<a href="#">S_BCE_68000579</a>	IMG Activity: SIMG_WF43SWP	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
499	<a href="#">S_BCE_68000580</a>	IMG Activity: SIMG_WF19SWDC	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
500	<a href="#">S_BCE_68000581</a>	IMG Activity: SIMG_WF44OOCU	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
501	<a href="#">S_BCE_68000582</a>	IMG Activity: SIMG_WF50SWT0	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
502	<a href="#">S_BCE_68000583</a>	IMG Activity: SIMG_CFMENUOHPWFUE01	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
503	<a href="#">S_BCE_68000584</a>	IMG Activity: SIMG_CFMENUOHPWFOONR	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
504	<a href="#">S_BCE_68000585</a>	IMG Activity: SIMG_CFMENUOHPWFOONC	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
505	<a href="#">S_BCE_68000587</a>	IMG Activity: SIMG_WF14OOAP	BC-BMT-WFM	SAP BASIS
506	<a href="#">S_BCE_68000588</a>	IMG Activity: SIMG_WF11OOPR	BC-BMT-WFM	SAP BASIS
507	<a href="#">S_BCE_68000589</a>	IMG Activity: SIMG_WF0900	BC-BMT-WFM	SAP BASIS
508	<a href="#">S_BCE_68000590</a>	IMG Activity: SIMG_WF1140	BC-BMT-WFM	SAP BASIS
509	<a href="#">S_BCE_68000591</a>	IMG Activity: SIMG_CFMENUOHPWFOOAW	BC-BMT-WFM	SAP BASIS
510	<a href="#">S_BCE_68000592</a>	IMG Activity: SIMG_WF173OOW2	BC-BMT-WFM	SAP BASIS
511	<a href="#">S_BCE_68000593</a>	IMG Activity: SIMG_WF45SWUR	BC-BMT-WFM	SAP BASIS
512	<a href="#">S_BCE_68000594</a>	IMG Activity: SIMG_WF15OOW1	BC-BMT-WFM	SAP BASIS
513	<a href="#">S_BCE_68000595</a>	IMG Activity: SIMG_WF15OOW4	BC-BMT-WFM	SAP BASIS
514	<a href="#">S_BCE_68000596</a>	IMG Activity: SIMG_CFMENUOHPWFOOCH	BC-BMT-WFM	SAP BASIS
515	<a href="#">S_BCE_68000597</a>	IMG Activity: SIMG_CFMENUOHPWFOOLG	BC-BMT-WFM	SAP BASIS
516	<a href="#">S_BCE_68001580</a>	(empty)	BC-BMT-WFM	SAP BASIS
517	<a href="#">S_BIE_59000307</a>	(empty)	BC-BMT-WFM	SAP BASIS
518	<a href="#">S_BIE_59000308</a>	(empty)	BC-BMT-WFM	SAP BASIS
519	<a href="#">S_L1A_49000024</a>	IMG Activity	BC-BMT-BPM-LEI	SAP BASIS
520	<a href="#">S_Y6D_26000001</a>	(empty)	BC-BMT-WFM	SAP BASIS
521	<a href="#">S_Y6D_26000004</a>	(empty)	BC-BMT-WFM	SAP BASIS
522	<a href="#">S_Y7A_80000011</a>	(empty)	BC-BMT-OM	SAP BASIS
523	<a href="#">S_Y7A_80000012</a>	(empty)	BC-BMT-OM	SAP BASIS
524	<a href="#">S_Y7A_80000013</a>	(empty)	BC-BMT-OM	SAP BASIS
525	<a href="#">S_Y7A_80000014</a>	(empty)	BC-BMT-OM	SAP BASIS

## BC-BMT - Business Management

#	T-Code	Description	Module	Component
526	<a href="#">S_Y7A_80000015</a>	(empty)	<a href="#">BC-BMT-OM</a>	<a href="#">SAP BASIS</a>
527	<a href="#">TF_WS453012160001</a>	Query About a Flight Booking	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
528	<a href="#">TF_WS700004380001</a>	AbsenceRequestCreate	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
529	<a href="#">TF_WS770001350001</a>	Leave request	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
530	<a href="#">WF00</a>	Workflow: Choose Processes	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
531	<a href="#">WF01</a>	Workflow: Process	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
532	<a href="#">WF02</a>	Workflow: Rule Editor	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
533	<a href="#">WF03</a>	Workflow: Display Process	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
534	<a href="#">WF04</a>	Workflow: Process in Background	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
535	<a href="#">WF05</a>	Workflow: Queue	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
536	<a href="#">WF06</a>	Workflow: Process Type Categories	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
537	<a href="#">WF07</a>	Workflow: Link Roles	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
538	<a href="#">WF08</a>	Workflow: Function Module Parameters	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
539	<a href="#">WF09</a>	Number range: Processes	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
540	<a href="#">WFWS</a>	Maintain WebFlow Services (WSDL)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
541	<a href="#">WF_CNT_MAINTENANCE</a>	Diagnosis + Comparison of Container	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
542	<a href="#">WF_CPL</a>	WebFlow Service Task Linkages	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
543	<a href="#">WF_EXTSRV</a>	Maintain WebFlow Services	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
544	<a href="#">WF_HANDCUST</a>	Customizing for Service Handler	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
545	<a href="#">WF_START</a>	Start Workflow	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
546	<a href="#">WF_START_EWT</a>	Start Workflow (EWT)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>



## BC-BMT - Business Management

#	T-Code	Description	Module	Component
547	<a href="#">WI_EXECUTE</a>	Execute Work Item	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
548	<a href="#">WI_EXECUTE_EWT</a>	Execute Work Item (EWT)	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>
549	<a href="#">WI_EXE_STARTER</a>	Start Work Item Execution	<a href="#">BC-BMT-WFM</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-BSP

## Business Server Pages

## BC-BSP - Business Server Pages

#	T-Code	Description	Module	Component
1	<a href="#">CI_IMPORT</a>	Import Device Properties	<a href="#">BC-BSP</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-BW

## BW Service API

## BC-BW - BW Service API

#	T-Code	Description	Module	Component
1	<a href="#">ODQMON</a>	Monitor for Operational Delta Queue	<a href="#">BC-BW-SRV</a>	<a href="#">SAP BASIS</a>
2	<a href="#">RSA0</a>	Content Settings Maintenance	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
3	<a href="#">RSA10</a>	Realtime Test Interface Srce System	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
4	<a href="#">RSA2</a>	SAPI DataSource Repository	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
5	<a href="#">RSA2OLD</a>	SAPI DataSource (Old GUI)	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
6	<a href="#">RSA3</a>	Extractor Checker	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
7	<a href="#">RSA5</a>	Install Business Content	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
8	<a href="#">RSA6</a>	Maintain DataSources	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
9	<a href="#">RSA7</a>	BW Delta Queue Monitor	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
10	<a href="#">RSA8</a>	DataSource Repository	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
11	<a href="#">RSA9</a>	Transfer Application Components	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
12	<a href="#">RSAP_AUDIT_PREVIEW</a>	Preview for System Measurement in BI	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
13	<a href="#">RSFH</a>	Test Transaction Data Extractors	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
14	<a href="#">RSMD</a>	Extractor Checker	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
15	<a href="#">RSO2</a>	Oltp Metadata Repository	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
16	<a href="#">RSO3</a>	Set Up Deltas for Master Data	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
17	<a href="#">RSRR_WEB</a>	Report-Report Interface in Web	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
18	<a href="#">RSSCM_APPL</a>	Application settings SCM4.0 and BW	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
19	<a href="#">RSSGPCA</a>	Maintain program class	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
20	<a href="#">RSSG_BROWSER</a>	Simple Data Browser	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
21	<a href="#">RSU7</a>	Data Extraction: Maintain Parameters	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
22	<a href="#">SBI1</a>	Maintain enhanced InfoSource	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SBI2</a>	Maintain enhanced master data str.	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SBI3</a>	Maintain append for InfoSource	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SBI4</a>	Maintain append for master data	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SBI5</a>	Delete InfoObjects	<a href="#">BC-BW</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SBIW</a>	BIW in IMG for OLTP	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
28	<a href="#">S_AX6_42000024</a>	IMG Activity: BW_GENERICDS_DEFINE	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
29	<a href="#">S_AX6_42000025</a>	IMG Activity: BW_CONTENTDS_EDIT	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
30	<a href="#">S_AX6_42000026</a>	IMG Activity: BW_CONTENTDS_TAKEOV	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
31	<a href="#">S_AX6_42000027</a>	IMG Activity: BW_DATAEX_RESTRICT	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
32	<a href="#">S_AX7_53000011</a>	IMG Activity: BW_APPLHIER_TAKEOV	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
33	<a href="#">S_AX7_53000012</a>	IMG Activity: BW_APPLHIER_CHANGE	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>

## BC-BW - BW Service API

#	T-Code	Description	Module	Component
34	<a href="#">S_AX7_53000019</a>	IMG Activity: BW_DELTAQUEUE	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>
35	<a href="#">TRSA</a>	S-API Debugger	<a href="#">BC-BW</a>	<a href="#">PI BASIS</a>

## SAP TCodes in Module

# BC-CCM

## Use Subcomponents

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
1	<a href="#">ACLA</a>	Define Archiving Classes	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
2	<a href="#">AL08</a>	Users Logged On	<a href="#">BC-CCM-MON-SHM</a>	<a href="#">SAP BASIS</a>
3	<a href="#">AL08_OLD</a>	List of All Users Logged On	<a href="#">BC-CCM-MON-SHM</a>	<a href="#">SAP BASIS</a>
4	<a href="#">AL11</a>	Display SAP Directories	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
5	<a href="#">AL11_OLD</a>	Display SAP Directories	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
6	<a href="#">AL12</a>	Display Table Buffer (Exp. Session)	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
7	<a href="#">AL13</a>	Display Shared Memory (Expert Mode)	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
8	<a href="#">AL15</a>	Customize SAPOSCOL destination	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
9	<a href="#">ANA_VAR</a>	Table Analysis: Analysis Variants	<a href="#">BC-CCM-TAN</a>	<a href="#">SAP BASIS</a>
10	<a href="#">AOBJ</a>	Archiving object definition	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
11	<a href="#">ARCH_PROT</a>	Archiving Logs	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
12	<a href="#">ASACT</a>	Activate Application Stat. Types	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ASOKEY</a>	Definition of SAP Function OPENKEY	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
14	<a href="#">AS_ADMIN</a>	SAP AS: Administration	<a href="#">BC-CCM-ADK-AS</a>	<a href="#">SAP BASIS</a>
15	<a href="#">AS_AFB</a>	Archive File Browser	<a href="#">BC-CCM-ADK-AS</a>	<a href="#">SAP BASIS</a>
16	<a href="#">CRIT</a>	Call the Criteria Manager	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
17	<a href="#">DAGADM</a>	Display for Data Aging Administrator	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>
18	<a href="#">DAGLOG</a>	Display of Data Aging Object Logs	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>
19	<a href="#">DAGOBJ</a>	Overview of Data Aging Objects	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>
20	<a href="#">DAGPTC</a>	Partitioning Customizing	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>
21	<a href="#">DAGPTM</a>	Manage Partitions	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>



## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
22	<a href="#">DAGRUN</a>	Overview of Data Aging Runs	<a href="#">BC-CCM-DAG</a>	<a href="#">SAP BASIS</a>
23	<a href="#">DA_CONTRO L</a>	Data Archiving Control	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
24	<a href="#">DA_SARA</a>	Cross-Archiving-Object Check/Delete	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
25	<a href="#">DB01</a>	Analyze Exclusive Lockwaits	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
26	<a href="#">DB02</a>	Tables and Indexes Monitor	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
27	<a href="#">DB02OLD</a>	old DB02DB02	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
28	<a href="#">DB03</a>	Parameter Changes in Database	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
29	<a href="#">DB05</a>	Analysis of a Table Acc. to Index	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
30	<a href="#">DB15</a>	Data Archiving: Database Tables	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
31	<a href="#">DEV_DA_CON TROL</a>	DEV Entries Control DA	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
32	<a href="#">ESDL</a>	External Scheduler Application	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
33	<a href="#">EXTSDL</a>	Administer the External Scheduler	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
34	<a href="#">FILE</a>	Cross-Client File Names/Paths	<a href="#">BC-CCM-FIL</a>	<a href="#">SAP BASIS</a>
35	<a href="#">GRMG</a>	Generic Request and Message Gen.	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
36	<a href="#">LCRCHECK</a>	Test LCR Connection	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
37	<a href="#">LCRHTMLGUI</a>	Start LCR GUI in Browser	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
38	<a href="#">LCRSERVAD DR</a>	Maintain Landscape Directory Server	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
39	<a href="#">MILES</a>	Infrastructure Navigator	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
40	<a href="#">ORA_LOCK</a>	Oracle: Lock-Monitor	<a href="#">BC-CCM-MON-ORA</a>	<a href="#">SAP BASIS</a>
41	<a href="#">ORA_PERF</a>	DBACockpit: Oracle - Performance	<a href="#">BC-CCM-MON-ORA</a>	<a href="#">SAP BASIS</a>
42	<a href="#">ORA_SPACE</a>	DBACockpit: Oracle - Space Statistic	<a href="#">BC-CCM-MON-ORA</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
43	<a href="#">OS01</a>	LAN check with ping	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
44	<a href="#">OS02</a>	Operating system configuration	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
45	<a href="#">OS03</a>	O/S Parameter changes	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
46	<a href="#">OS04</a>	Local System Configuration	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
47	<a href="#">OS05</a>	Remote System Cconfiguration	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
48	<a href="#">OS07</a>	Remote Operating System Activity	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
49	<a href="#">OS07N</a>	Remote Operating System Activity	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
50	<a href="#">OS07_HOST</a>	call OS07 with hostname	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
51	<a href="#">OS07_U</a>	Remote Operating System Activity	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
52	<a href="#">OSS1</a>	Logon to SAP Service Marketplace	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
53	<a href="#">PAL</a>	Printing Assistant for Landscape	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
54	<a href="#">RZ01</a>	Job Scheduling Monitor	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
55	<a href="#">RZ03</a>	Presentation, Control SAP Instances	<a href="#">BC-CCM-CNF-PFL</a>	<a href="#">SAP BASIS</a>
56	<a href="#">RZ04</a>	Maintain SAP Instances	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
57	<a href="#">RZ10</a>	Maintain Profile Parameters	<a href="#">BC-CCM-CNF-PFL</a>	<a href="#">SAP BASIS</a>
58	<a href="#">RZ11</a>	Profile Parameter Maintenance	<a href="#">BC-CCM-CNF-PFL</a>	<a href="#">SAP BASIS</a>
59	<a href="#">RZ12</a>	Maintain RFC Server Group Assignment	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
60	<a href="#">RZ15</a>	Read XMI log	<a href="#">BC-CCM-A-PI-CSI-XMI</a>	<a href="#">SAP BASIS</a>
61	<a href="#">RZ20</a>	CCMS Monitoring	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
62	<a href="#">RZ21</a>	CCMS Monitoring Arch. Customizing	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
63	<a href="#">RZ23</a>	Central performance history reports	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
64	<a href="#">RZ23N</a>	Central Performance History	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
65	<a href="#">RZ25</a>	Start Tools for a TID	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
66	<a href="#">RZ26</a>	Start Methods for an Alert	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
67	<a href="#">RZ27</a>	Start RZ20 for a Monitor	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
68	<a href="#">RZ28</a>	Start Alert Viewer for Monitor	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
69	<a href="#">RZ29</a>	Remote Login for WebAdmin Monitoring	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
70	<a href="#">RZ30</a>	Remote Execution of Transactions	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
71	<a href="#">RZ50</a>	Central Monitoring Config. Checks	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
72	<a href="#">RZ51</a>	Configure MTE Check Groups	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
73	<a href="#">RZ52</a>	RZ50 - Check Areas	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
74	<a href="#">RZ70</a>	SLD Administration	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
75	<a href="#">RZAL_ALERT_PROXY</a>	Alerts: IMC Data Proxy for Alerts	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
76	<a href="#">RZAL_MONIT_OR_PROXY</a>	Alerts: IMC Data Proxy for Monitor	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
77	<a href="#">RZAL_MTE_DATA_PROXY</a>	Alerts: IMC Data Proxy for MTEs	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
78	<a href="#">SARA</a>	Archive Administration	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
79	<a href="#">SARE</a>	Archive Explorer	<a href="#">BC-CCM-ADK-AS</a>	<a href="#">SAP BASIS</a>
80	<a href="#">SARI</a>	Archive Information System	<a href="#">BC-CCM-ADK-AS</a>	<a href="#">SAP BASIS</a>
81	<a href="#">SARJ</a>	Archive Retrieval Configurator	<a href="#">BC-CCM-ADK-AS</a>	<a href="#">SAP BASIS</a>
82	<a href="#">SAR_DA_STAT_ANALYSIS</a>	Analysis of DA Statistics	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
83	<a href="#">SAR_FLAG_SESSIONS</a>	To be archived or invalid status set	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
84	<a href="#">SAR_OBJ_IND_CUS</a>	Cross-Archiving-Obj. Customizing	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
85	<a href="#">SAR_SHOW_MONITOR</a>	Data Archiving Monitor	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
86	<a href="#">SAR_SYNC_HOME_PATH</a>	Synchronization of Home Paths	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
87	<a href="#">SBIT</a>	BAPI Test Environment	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
88	<a href="#">SBTA</a>	Test background processing	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
89	<a href="#">SCMC</a>	SAP Central Monitoring Console	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
90	<a href="#">SCSM</a>	Maintenance Dialog for CCMSYSAS	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
91	<a href="#">SDBE</a>	Explain an SQL Statement	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
92	<a href="#">SE92</a>	Maintain System Log Messages	<a href="#">BC-CCM-MON-SLG</a>	<a href="#">SAP BASIS</a>
93	<a href="#">SE92N</a>	Maintain System Log Messages	<a href="#">BC-CCM-MON-SLG</a>	<a href="#">SAP BASIS</a>
94	<a href="#">SF01</a>	Client-Specific File Names	<a href="#">BC-CCM-FIL</a>	<a href="#">SAP BASIS</a>
95	<a href="#">SF07</a>	File Name Analysis	<a href="#">BC-CCM-FIL</a>	<a href="#">SAP BASIS</a>
96	<a href="#">SLDAPICUST</a>	SLD API Customizing	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
97	<a href="#">SLDCHECK</a>	Test SLD Connection	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
98	<a href="#">SLDHTMLGUI</a>	Start SLD GUI in Browser	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
99	<a href="#">SM21</a>	system log	<a href="#">BC-CCM-MON-SLG</a>	<a href="#">SAP BASIS</a>
100	<a href="#">SM21_E2E</a>	Syslog Analysis Using E2E	<a href="#">BC-CCM-MON-SLG</a>	<a href="#">SAP BASIS</a>
101	<a href="#">SM21_OLD</a>	Online Eval. of Sys. Log (Obsolete)	<a href="#">BC-CCM-MON-SLG</a>	<a href="#">SAP BASIS</a>
102	<a href="#">SM36</a>	Schedule Background Job	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
103	<a href="#">SM36WIZ</a>	Job definition wizard	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
104	<a href="#">SM37</a>	Overview of job selection	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
105	<a href="#">SM37B</a>	Simple version of job selection	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
106	<a href="#">SM37BAK</a>	Old SM37 backup	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
107	<a href="#">SM37C</a>	Flexible version of job selection	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
108	<a href="#">SM37DISP</a>	Overview of job selection	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
109	<a href="#">SM39</a>	Job Analysis	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
110	<a href="#">SM49</a>	Execute external OS commands	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
111	<a href="#">SM61</a>	Backgroup control objects monitor	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
112	<a href="#">SM61B</a>	New control object management	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
113	<a href="#">SM61BAK</a>	Old SM61	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
114	<a href="#">SM62</a>	Event History and Background Events	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
115	<a href="#">SM63</a>	Display/Maintain Operating Mode Sets	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
116	<a href="#">SM64</a>	Manage Background Processing Events	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
117	<a href="#">SM65</a>	Background Processing Analysis Tool	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
118	<a href="#">SM66</a>	Systemwide Work Process Overview	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
119	<a href="#">SM66_OLD</a>	Global Work Process Overview	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
120	<a href="#">SM69</a>	Maintain External OS Commands	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
121	<a href="#">SMLG</a>	Maint.Assign. Logon Grp to Instance	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
122	<a href="#">SMX</a>	Display Own Jobs	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
123	<a href="#">SMXX</a>	Display Own Jobs	<a href="#">BC-CCM-BTC</a>	<a href="#">SAP BASIS</a>
124	<a href="#">SP00</a>	Spool and related areas	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
125	<a href="#">SP01</a>	Output Controller	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
126	<a href="#">SP01O</a>	Obsolte (Replacement: SP01)	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
127	<a href="#">SP02</a>	Display Spool Requests	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
128	<a href="#">SP02O</a>	Obsolete (Replacement: SP02)	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
129	<a href="#">SP11</a>	TemSe directory	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
130	<a href="#">SP12</a>	TemSe Administration	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
131	<a href="#">SP1T</a>	Output Control (Test)	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
132	<a href="#">SPAD</a>	Spool Administration	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
133	<a href="#">SPAT</a>	Spool Administration (Test)	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
134	<a href="#">SPOV</a>	Spool Request Overview	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
135	<a href="#">SPTP</a>	Text elem. maint. for print formats	<a href="#">BC-CCM-PRN</a>	<a href="#">SAP BASIS</a>
136	<a href="#">SQLR</a>	SQL Trace Interpreter	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
137	<a href="#">SRZL</a>	(empty)	<a href="#">BC-CCM-CNF-GRP</a>	<a href="#">SAP BASIS</a>
138	<a href="#">ST02</a>	Setups/Tune Buffers	<a href="#">BC-CCM-MON-SHM</a>	<a href="#">SAP BASIS</a>
139	<a href="#">ST03</a>	Workload and Performance Statistics	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
140	<a href="#">ST03G</a>	Global Workload Statistics	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
141	<a href="#">ST03N</a>	Workload and Performance Statistics	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
142	<a href="#">ST04</a>	DB Performance Monitor	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
143	<a href="#">ST04OLD</a>	old DB Performance Monitor	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
144	<a href="#">ST06</a>	Operating System Monitor	<a href="#">BC-CCM-MON-OS</a>	<a href="#">SAP BASIS</a>
145	<a href="#">ST07</a>	Application monitor	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
146	<a href="#">ST10</a>	Table Call Statistics	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
147	<a href="#">STAD</a>	Statistics display for all systems	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
148	<a href="#">STADWD</a>	single statistical records in wdp	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
149	<a href="#">STATTRACE</a>	Global Statistics & Traces	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
150	<a href="#">STGTC</a>	Konfiguration der Antwortzeit	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
151	<a href="#">STKONTEXTTRACE</a>	Switch On Context Trace	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
152	<a href="#">STUN</a>	Menu Performance Monitor	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>
153	<a href="#">SWNC_TCOLL_LOG</a>	Performance Monitor Log	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
154	<a href="#">S_B6A_52000012</a>	Remote System for Monitoring Using	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
155	<a href="#">S_B6A_52000013</a>	New System to Be Monitored in System	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
156	<a href="#">S_B6A_52000014</a>	Administrator Registration for	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
157	<a href="#">S_BCE_68001820</a>	(empty)	<a href="#">BC-CCM-SLD-ABA</a>	<a href="#">SAP BASIS</a>
158	<a href="#">S_BCE_68002074</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
159	<a href="#">S_BCE_68002075</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
160	<a href="#">S_BCE_68002076</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
161	<a href="#">S_BCE_68002181</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
162	<a href="#">S_BCE_68002199</a>	(empty)	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
163	<a href="#">S_BCE_68002200</a>	(empty)	<a href="#">BC-CCM-MON</a>	<a href="#">SAP BASIS</a>
164	<a href="#">S_BCE_68002213</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
165	<a href="#">S_BIE_59000227</a>	x	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
166	<a href="#">S_BIE_59000228</a>	x	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
167	<a href="#">S_L1A_49000004</a>	(empty)	<a href="#">BC-CCM-ADK</a>	<a href="#">SAP BASIS</a>
168	<a href="#">TAANA</a>	Table Analysis	<a href="#">BC-CCM-TAN</a>	<a href="#">SAP BASIS</a>

## BC-CCM - Use Subcomponents

#	T-Code	Description	Module	Component
169	<a href="#">TAANA_AV</a>	Table Analysis: Analysis Variants	<a href="#">BC-CCM-TAN</a>	<a href="#">SAP BASIS</a>
170	<a href="#">TAANA_VF</a>	Table Analysis: Virtual Fields	<a href="#">BC-CCM-TAN</a>	<a href="#">SAP BASIS</a>
171	<a href="#">TU02</a>	Parameter Changes on this Instance	<a href="#">BC-CCM-MON-TUN</a>	<a href="#">SAP BASIS</a>



## SAP TCodes in Module

# BC-CFG

## Business Configuration Tools

## BC-CFG - Business Configuration Tools

#	T-Code	Description	Module	Component
1	<a href="#">SC2_IDE</a>	C2 Server IDE	<a href="#">BC-CFG-RT</a>	<a href="#">SAP BASIS</a>
2	<a href="#">SC2_IDE_APP_SYS</a>	Configuration Object	<a href="#">BC-CFG-RT</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-CI**

## **Component Integration / Installation Windows Components**

## BC-CI - Component Integration / Installation Windows Components

#	T-Code	Description	Module	Component
1	<a href="#">SMW0</a>	SAP Web Repository	<a href="#">BC-CI-WEBR</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-CST

## Client/Server Technology

## BC-CST - Client/Server Technology

#	T-Code	Description	Module	Component
1	<a href="#">BDCUPDATE</a>	Test Update in Batch Input	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
2	<a href="#">RSTHRT_TES_T_CCT</a>	Test CCT Basics	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
3	<a href="#">SARFC</a>	Server Resources for Asynchr. RFC	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
4	<a href="#">SM02</a>	System Messages	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
5	<a href="#">SM04</a>	Logons to an AS Instance	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
6	<a href="#">SM12</a>	Display and Delete Locks	<a href="#">BC-CST-EQ</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SM13</a>	Administrative Update Records	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SM14</a>	Update Program Administration	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SM50</a>	Work Processes of AS Instance	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SM51</a>	Started AS Instances	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SM54</a>	TXCOM Maintenance	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SM55</a>	THOST Maintenance	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SM56</a>	Number Range Buffer	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SM5A</a>	RFC Chain Analysis	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SM5B</a>	Maintenance of DPTIMETAB	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SMAMC</a>	AMC Recipient Table	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SMGW</a>	Gateway Monitor	<a href="#">BC-CST-GW</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SMICM</a>	ICM Monitor	<a href="#">BC-CST-IC</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SMICM_SOS</a>	ICM Monitor	<a href="#">BC-CST-IC</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SMMS</a>	Message Server Monitor	<a href="#">BC-CST-MS</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SMTHACTION</a>	Execute Specific Actions in ABAP	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
22	<a href="#">SMWS</a>	Web Socket Table	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SNAPSHOTS</a>	Snapshot Administration	<a href="#">BC-CST</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SPFPAR</a>	Display Profile Parameters	<a href="#">BC-CST-EQ</a>	<a href="#">SAP BASIS</a>
25	<a href="#">ST01</a>	System Trace	<a href="#">BC-CST-LL</a>	<a href="#">SAP BASIS</a>
26	<a href="#">ST11</a>	Display Developer Traces	<a href="#">BC-CST-LL</a>	<a href="#">SAP BASIS</a>
27	<a href="#">STDA</a>	Debugger display/control (server)	<a href="#">BC-CST-LL</a>	<a href="#">SAP BASIS</a>
28	<a href="#">STDC</a>	Debugger output/control	<a href="#">BC-CST-LL</a>	<a href="#">SAP BASIS</a>
29	<a href="#">STDU</a>	Debugger display/control (user)	<a href="#">BC-CST-LL</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-CTS

## Change & Transport System

## BC-CTS - Change &amp; Transport System

#	T-Code	Description	Module	Component
1	<a href="#">CTW_PFAC_I MP_ADM</a>	Maintain Responsibilities	<a href="#">BC-CTS- TMS</a>	<a href="#">SAP BASIS</a>
2	<a href="#">CUS_ORIGLA NG</a>	Original Languages in Customizing	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
3	<a href="#">GTABKEY</a>	GTABKEY - Home	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
4	<a href="#">GTABKEY_SE TUP</a>	Setup of GTABKEY	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
5	<a href="#">SCC1</a>	Client Copy - Special Selections	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
6	<a href="#">SCC3</a>	Client Copy Log	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SCC4</a>	Client Administration	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SCC5</a>	Delete Client	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SCC7</a>	Post-Client Import Methods	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SCC8</a>	Client Export	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SCC9</a>	Remote Client Copy	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SCCL</a>	Local Client Copy	<a href="#">BC-CTS- CCO</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SCMAN</a>	Change Management Server	<a href="#">BC-CTS- TMS</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SCTS_RESNA ME</a>	Naming Conventions in ABAP Workbench	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SCTS_RSWBO 004</a>	System Change Option	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SCTS_TRANS _PATH_EDIT</a>	Navigation IMG -> Trans.Route Editor	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SE01</a>	Transport Organizer (Extended)	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SE03</a>	Transport Organizer Tools	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SE06</a>	Set Up Transport Organizer	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SE07</a>	CTS Status Display	<a href="#">BC-CTS- TMS</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SE09</a>	Transport Organizer	<a href="#">BC-CTS- ORG</a>	<a href="#">SAP BASIS</a>



## BC-CTS - Change &amp; Transport System

#	T-Code	Description	Module	Component
22	<a href="#">SE10</a>	Transport Organizer	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SE17</a>	General Table Display	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SEPA</a>	EPS Server: Administration	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SEPS</a>	SAP Electronic Parcel Service	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SLAPI</a>	API Registry	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SLGT</a>	Register in Central Object Directory	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SM29</a>	Model Transfer for Tables	<a href="#">BC-CTS-CCO</a>	<a href="#">SAP BASIS</a>
29	<a href="#">SMLT</a>	Language Management	<a href="#">BC-CTS-LAN</a>	<a href="#">SAP BASIS</a>
30	<a href="#">SMLT_EX</a>	Language Export	<a href="#">BC-CTS-LAN</a>	<a href="#">SAP BASIS</a>
31	<a href="#">SOBJ</a>	Maintenance Object Attributes	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
32	<a href="#">SOBJ_EXT</a>	AIM Repository	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
33	<a href="#">SOBT</a>	Maintenance Object Attributes	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
34	<a href="#">SREPO</a>	Repository Comparison	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
35	<a href="#">STDR</a>	Object Directory Consistency Check	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
36	<a href="#">STMS</a>	Transport Management System	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
37	<a href="#">STMS_ALERT</a>	TMS Alert Monitor	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
38	<a href="#">STMS_DOM</a>	TMS System Overview	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
39	<a href="#">STMS_FSYS</a>	Maintain TMS System Lists	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
40	<a href="#">STMS_IMP</a>	Import Queue (Web Dynpro)	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>
41	<a href="#">STMS_IMPORT</a>	TMS Import Queue	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
42	<a href="#">STMS_IMPORT_S</a>	TMS Import Queue	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
43	<a href="#">STMS_IMPORT_IN</a>	Import Queue (Web Dynpro)	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>

## BC-CTS - Change &amp; Transport System

#	T-Code	Description	Module	Component
44	<a href="#">STMS_INBOX</a>	TMS Worklist	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
45	<a href="#">STMS_MONI</a>	TMS Import Monitor	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
46	<a href="#">STMS_PATH</a>	TMS Transport Routes	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
47	<a href="#">STMS_QA</a>	TMS Quality Assurance	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
48	<a href="#">STMS_QUEUE</a>	TMS Import Overview	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
49	<a href="#">STMS_TCRI</a>	Display/Maintain Table TMSTCRI	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
50	<a href="#">STMS_TRACK</a>	TMS Import Tracking	<a href="#">BC-CTS-TMS</a>	<a href="#">SAP BASIS</a>
51	<a href="#">STRORG</a>	Transport Organizer (Web Dynpro)	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
52	<a href="#">SVRS_ALIAS</a>	Anzeige Alias Objekttypen	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
53	<a href="#">SZENCONFIG</a>	Central CTS - Configuration	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>
54	<a href="#">SZENPLUGIN</a>	CTS - Plug-in Management	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>
55	<a href="#">SZENTMS</a>	Central CTS Transport Manager	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>
56	<a href="#">SZENTMS_INT</a>	Central Transport Manager	<a href="#">BC-CTS-TMS-CTR</a>	<a href="#">SAP BASIS</a>
57	<a href="#">S_B20_88000033</a>	Navigation IMG -> TMS	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
58	<a href="#">S_B20_88000034</a>	Navigation IMG -> Trans.Route Editor	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
59	<a href="#">S_B20_88000035</a>	Navigation IMG->Syst. Change Option	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
60	<a href="#">S_B20_88000036</a>	Navigation IMG -> Client Admin.	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
61	<a href="#">S_BIO_23000001</a>	IMG -> BAdI CTS_IMPORT_FEEDBACK	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
62	<a href="#">S_BIO_23000002</a>	IMG -> BAdI CTS_EXPORT_FEEDBACK	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
63	<a href="#">S_BIO_23000003</a>	IMG -> BAdI CTS_REQUEST_CHECK	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
64	<a href="#">S_BIO_23000006</a>	IMG -> BAdI CTS_TASKDOC_TEMPLATE	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>

## BC-CTS - Change &amp; Transport System

#	T-Code	Description	Module	Component
65	<a href="#">S_BIO_23000007</a>	IMG -> BAdI CTS_CURRENT_PROJECT	<a href="#">BC-CTS-ORG</a>	<a href="#">SAP BASIS</a>
66	<a href="#">TMS_IACOR_EDIT</a>	TMS IACOR Destination Maintenance	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>
67	<a href="#">TMS_IACOR_SHOW</a>	TMS IACOR Destination Maintenance	<a href="#">BC-CTS</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-CUS

## Customizing

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
1	<a href="#">0000</a>	Dialog Box for Customizing	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ANZARCH</a>	Display Reloaded Structures	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>
3	<a href="#">BCSETCOMP</a>	BC Set-Compatibility Tool	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
4	<a href="#">DEVBOOK</a>	Project management	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
5	<a href="#">MCLIMAN</a>	MultiClient Manager	<a href="#">BC-CUS-TOL-CST</a>	<a href="#">SAP BASIS</a>
6	<a href="#">O984</a>	Customizing doc converter program	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
7	<a href="#">OTCP</a>	Call TR OTCO	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SADJ</a>	Customizing Transfer Assistant	<a href="#">BC-CUS-TOL-CST</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SB01</a>	Application Components	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SBAC</a>	Edit Application Components	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SBACH02</a>	Edit SAP Application Hierarchy	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SBACH03</a>	Display SAP Application Hierarchy	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SBACH04</a>	Edit Component Structures	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SBACH05</a>	Extend Application Hierarchy	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SCDT_MAPPING</a>	Edit Synchronization Objects	<a href="#">BC-CUS-TOL-CST</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SCMP</a>	View/Table Comparison	<a href="#">BC-CUS-TOL-CST</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SCPR20</a>	Activate BC Sets	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SCPR20PR</a>	BC Set Activation Logs	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SCPR3</a>	Display and maintain BC Sets	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SCPRAT</a>	Change BC Set Value Attributes	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SCPRCOP</a>	Copy Several BC Sets	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
22	<a href="#">SCPRIP</a>	Delete Several BC Sets	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SCPRSETUP</a>	BC Sets: Central Settings	<a href="#">BC-CUS-TOL-BCD</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SCPRUPP</a>	Use of BC Sets in IMG	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SCTM0</a>	Context Object Type Maintenance	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SCU0</a>	Customizing Cross-System Viewer	<a href="#">BC-CUS-TOL-CST</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SCU3</a>	Table History	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SCU3ARCH1</a>	Create Database Log Archives	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
29	<a href="#">SCUSSEQUENCE</a>	Call Sequence for Hierarchies	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
30	<a href="#">SDME_MDB</a>	DME: Maintenance Dialog Builder	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
31	<a href="#">SDME_MDB_NEW</a>	DME: Maintenance Dialog Builder	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
32	<a href="#">SDME_MOB</a>	DME: Maintenance Object Builder	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
33	<a href="#">SDME_START</a>	DME: Maintenance Transaction Call	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
34	<a href="#">SDOCU</a>	Maintain Documentation Structure	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
35	<a href="#">SE54</a>	Generate table view	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
36	<a href="#">SE55</a>	Table view maintenance DDIC call	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
37	<a href="#">SE56</a>	Table view display DDIC call	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
38	<a href="#">SE57</a>	Delete external table view maint.	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
39	<a href="#">SHI0</a>	Structure buffer: Node type maint.	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>
40	<a href="#">SHI1</a>	Structure buffer: Link type maint.	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>
41	<a href="#">SHI2</a>	Structure buffer: Struc. type maint.	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>
42	<a href="#">SHI3</a>	Structure maintenance	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
43	<a href="#">SIMGH</a>	IMG Structure Maintenance	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
44	<a href="#">SM30</a>	Call View Maintenance	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SM31</a>	Call View Maintenance Like SM30	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
46	<a href="#">SM31_OLD</a>	Old Table Maintenance	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
47	<a href="#">SM32</a>	Maintain Table Parameter ID TAB	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
48	<a href="#">SM33</a>	Display Table Parameter ID TAB	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
49	<a href="#">SM34</a>	Viewcluster maintenance call	<a href="#">BC-CUS-TOL-TME</a>	<a href="#">SAP BASIS</a>
50	<a href="#">SO70</a>	Hypertext: Display/Maint. Structure	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
51	<a href="#">SO71</a>	Test plan management	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
52	<a href="#">SO72</a>	Maintain Hypertext Module	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
53	<a href="#">SO73</a>	Import graphic into SAPfind	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
54	<a href="#">SO81</a>	SAPfind: Free Text Indexing (Test)	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
55	<a href="#">SO82</a>	SAPfind: Free Text Retrieval Batch	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
56	<a href="#">SO85</a>	SAPfind: txt_seq_search	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
57	<a href="#">SO86</a>	SAPfind: Txt_seq_search_1	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
58	<a href="#">SO90</a>	SAPfind: shell folders service prog.	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
59	<a href="#">SO91</a>	SAPfind SO: SAPoffice Marketing Info	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
60	<a href="#">SO95</a>	Pregenerated Search Queries - Selec.	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
61	<a href="#">SO99</a>	Put Information System	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
62	<a href="#">SPRM</a>	Current Customizing	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
63	<a href="#">SPRO</a>	Customizing - Edit Project	<a href="#">BC-CUS-TOL-PAD</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
64	<a href="#">SPROJECT</a>	Project management	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
65	<a href="#">SPROJECT_ADMIN</a>	Project Management	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
66	<a href="#">SPRO_ADMIN</a>	Customizing - Project Management	<a href="#">BC-CUS-TOL-PAD</a>	<a href="#">SAP BASIS</a>
67	<a href="#">SREFH00</a>	Change SAP Reference Structure	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
68	<a href="#">SREFH04</a>	Edit item in SAP Reference Structure	<a href="#">BC-CUS-TOL-NAV</a>	<a href="#">SAP BASIS</a>
69	<a href="#">SST0</a>	Project Analysis in Customizing	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
70	<a href="#">SST7</a>	Complex Analysis	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
71	<a href="#">STEMPMERGE</a>	Mix templates	<a href="#">BC-CUS-TOL-HMT</a>	<a href="#">SAP BASIS</a>
72	<a href="#">SVGM</a>	SAP R/3 Procedure Model	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
73	<a href="#">SVGS</a>	View for activity in Procedure Model	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
74	<a href="#">S_B20_88000153</a>	S_B20_88000153	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
75	<a href="#">S_B90_38000089</a>	zrez	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
76	<a href="#">S_BCE_68000046</a>	IMG: SAPG_0004	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
77	<a href="#">S_BCE_68000155</a>	IMG activity: SIMG_CFMENUORFBOB08	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
78	<a href="#">S_BCE_68000156</a>	IMG Activity: SIMG_CFMENUORFBOBBS	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
79	<a href="#">S_BCE_68000157</a>	IMG Activity: SIMG_CFMENUORFBOB90	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
80	<a href="#">S_BCE_68000158</a>	IMG Activity: SIMG_CFORFBSAPGOBD6	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
81	<a href="#">S_BCE_68000159</a>	IMG Activity: SIMG_CFMENUORFBOB07	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
82	<a href="#">S_BCE_68000160</a>	IMG Activity: OCNG_GW3	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
83	<a href="#">S_BCE_68000161</a>	IMG Activity: OCNG_GW2	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
84	<a href="#">S_BCE_68000162</a>	IMG Activity: SAPG_0004	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>



## BC-CUS - Customizing

#	T-Code	Description	Module	Component
85	<a href="#">S_BCE_680001_63</a>	IMG Activity: SIMG_CFMENUSAPCOY05	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
86	<a href="#">S_BCE_680001_64</a>	IMG Activity: SIMG_CFMENUOLMSOMSC	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
87	<a href="#">S_BCE_680001_65</a>	IMG Activity: SIMG_CFMENUSAPCOY04	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
88	<a href="#">S_BCE_680001_66</a>	IMG Activity: SIMG_CFMENUSAPCOY01	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
89	<a href="#">S_BCE_680001_67</a>	IMG Activity: SIMG_CFMENUSAPCOY17	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
90	<a href="#">S_BCE_680001_68</a>	IMG Activity: SIMG_CFMENUSAPCOVK2	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
91	<a href="#">S_BCE_680001_69</a>	IMG Activity: SAPG_0001	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
92	<a href="#">S_BCE_680001_70</a>	IMG Activity: SAPG_0002	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
93	<a href="#">S_BCE_680001_71</a>	IMG Activity: SAPG_0003	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
94	<a href="#">S_BCE_680001_72</a>	IMG Activity: SIMG_CFMENUSAPCOY03	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
95	<a href="#">S_BCE_680001_73</a>	IMG Activity: OCNG_GW1	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
96	<a href="#">S_BCE_680001_74</a>	IMG activity: SIMG_CFMENUORFBOB08	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
97	<a href="#">S_BCE_680001_75</a>	IMG Activity: SIMG_CFMENUORFBOBBS	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
98	<a href="#">S_BCE_680001_77</a>	IMG Activity: SIMG_CFORFBSAPGOBD6	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
99	<a href="#">S_BCE_680001_78</a>	IMG Activity: SIMG_CFMENUORFBOB07	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
100	<a href="#">S_BCE_680001_79</a>	IMG Activity: OCNG_GW3	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
101	<a href="#">S_BCE_680001_80</a>	IMG Activity: OCNG_GW2	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
102	<a href="#">S_BCE_680001_81</a>	IMG Activity: SAPG_0004	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
103	<a href="#">S_BCE_680001_82</a>	IMG Activity: SIMG_CFMENUSAPCOY05	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
104	<a href="#">S_BCE_680001_83</a>	IMG Activity: SIMG_CFMENUOLMSOMSC	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
105	<a href="#">S_BCE_680001_84</a>	IMG Activity: SIMG_CFMENUSAPCOY04	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
106	<a href="#">S_BCE_680001</a> <a href="#">87</a>	IMG Activity: SIMG_CFMENUSAPCOVK2	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
107	<a href="#">S_BCE_680001</a> <a href="#">88</a>	IMG Activity: SAPG_0001	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
108	<a href="#">S_BCE_680001</a> <a href="#">89</a>	IMG Activity: SAPG_0002	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
109	<a href="#">S_BCE_680001</a> <a href="#">90</a>	IMG Activity: SAPG_0003	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
110	<a href="#">S_BCE_680001</a> <a href="#">91</a>	IMG Activity: SIMG_CFMENUSAPCOY03	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
111	<a href="#">S_BCE_680001</a> <a href="#">92</a>	IMG Activity: OCNG_GW1	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
112	<a href="#">S_BCE_680003</a> <a href="#">73</a>	IMG Activity: PROF_GEN_PFCG	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
113	<a href="#">S_BCE_680003</a> <a href="#">74</a>	IMG Activity: PROF_GEN_PAR	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
114	<a href="#">S_BCE_680003</a> <a href="#">75</a>	IMG Activity: PROF_GEN_SSM1	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
115	<a href="#">S_BCE_680003</a> <a href="#">76</a>	IMG Activity: SESSION_MANAGER	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
116	<a href="#">S_BCE_680003</a> <a href="#">77</a>	IMG Activity: OCNG_GW3	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
117	<a href="#">S_BCE_680003</a> <a href="#">78</a>	IMG Activity: OCNG_GW2	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
118	<a href="#">S_BCE_680003</a> <a href="#">79</a>	IMG Activity: OCNG_GW1	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
119	<a href="#">S_BCE_680003</a> <a href="#">80</a>	IMG Activity: SIMG_SAPB_DEINDEX	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
120	<a href="#">S_BCE_680003</a> <a href="#">82</a>	IMG Activity: SIMG_CFMENUSAPCOY30	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
121	<a href="#">S_BCE_680003</a> <a href="#">83</a>	IMG Activity: SIMG_DOCU_AUTH	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
122	<a href="#">S_BCE_680014</a> <a href="#">52</a>	IMG Activity: SIMG_OBIL_08	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
123	<a href="#">S_BCE_680014</a> <a href="#">53</a>	IMG Activity: MAND_0002	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
124	<a href="#">S_BCE_680014</a> <a href="#">55</a>	IMG Activity: OBIL_PAT06	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
125	<a href="#">S_BCE_680014</a> <a href="#">56</a>	IMG Activity: AUFT01	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
126	<a href="#">S_BCE_680014</a> <a href="#">57</a>	IMG Activity: ERWEIT-0001	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
127	<a href="#">S_BCE_680014</a> <a href="#">58</a>	IMG Activity: ERWEIT-0004	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
128	<a href="#">S_BCE_680014</a> <a href="#">59</a>	IMG Activity: ERWEIT-0003	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
129	<a href="#">S_BCE_680014</a> <a href="#">61</a>	IMG Activity: SIMG_SAPB_SLAKNUM	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
130	<a href="#">S_BCE_680014</a> <a href="#">62</a>	IMG Activity: SIMG_SAPB_SLDATWECHS	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
131	<a href="#">S_BCE_680014</a> <a href="#">63</a>	IMG Activity: SIMG_OBIL_11	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
132	<a href="#">S_BCE_680014</a> <a href="#">64</a>	hfdhgdf	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
133	<a href="#">S_BCE_680014</a> <a href="#">67</a>	IMG Activity: CUS_INFO_1_500	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
134	<a href="#">S_BCE_680014</a> <a href="#">68</a>	IMG Activity: CUS_INFO_1_100	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
135	<a href="#">S_BCE_680014</a> <a href="#">69</a>	IMG Activity: CUS_INFO_1_400	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
136	<a href="#">S_BCE_680014</a> <a href="#">70</a>	IMG Activity: CUS_INFO_1_300	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
137	<a href="#">S_BCE_680014</a> <a href="#">71</a>	IMG Activity: CUS_INFO_2_600	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
138	<a href="#">S_BCE_680014</a> <a href="#">72</a>	IMG Activity: CUS_INFO_2_400	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
139	<a href="#">S_BCE_680014</a> <a href="#">73</a>	IMG Activity: CUS_INFO_2_500	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
140	<a href="#">S_BCE_680014</a> <a href="#">74</a>	IMG Activity: CUS_INFO_2_300	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
141	<a href="#">S_BCE_680014</a> <a href="#">75</a>	IMG Activity: CUS_INFO_2_200	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
142	<a href="#">S_BCE_680014</a> <a href="#">76</a>	IMG Activity: CUS_INFO_2_600	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
143	<a href="#">S_BCE_680014</a> <a href="#">77</a>	IMG Activity: CUS_INF3_300	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
144	<a href="#">S_BCE_680014</a> <a href="#">78</a>	IMG Activity: CUS_INF3_200	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
145	<a href="#">S_BCE_680014</a> <a href="#">79</a>	IMG Activity: CUS_INF3_100	<a href="#">BC-CUS-</a> <a href="#">TOL-IMG</a>	<a href="#">SAP BASIS</a>
146	<a href="#">S_BCE_680014</a> <a href="#">84</a>	xxx	<a href="#">BC-CUS-</a> <a href="#">TOL-TME</a>	<a href="#">SAP BASIS</a>
147	<a href="#">S_BCE_680014</a> <a href="#">85</a>	x	<a href="#">BC-CUS-</a> <a href="#">TOL-TME</a>	<a href="#">SAP BASIS</a>

## BC-CUS - Customizing

#	T-Code	Description	Module	Component
148	<a href="#">S_BCE_68001923</a>	(empty)	<a href="#">BC-CUS-TOL-ALO</a>	<a href="#">SAP BASIS</a>
149	<a href="#">S_BCE_68002253</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
150	<a href="#">S_BCE_68002254</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
151	<a href="#">S_BCE_68002255</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
152	<a href="#">S_BIE_59000043</a>	k	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
153	<a href="#">S_CUS_ACTIVITY</a>	Customizing maint. obj. maintenance	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
154	<a href="#">S_CUS_ATTRIBUTES</a>	IMG attribute maintenance	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
155	<a href="#">S_CUS_IMG_ACTIVITY</a>	IMG activity maintenance	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
156	<a href="#">S_IMG_EXTENSION</a>	IMG maintenance	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>
157	<a href="#">S_L1A_49000006</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
158	<a href="#">S_L1A_49000008</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
159	<a href="#">S_L1A_49000017</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
160	<a href="#">S_L1A_49000019</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
161	<a href="#">S_L1A_49000020</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
162	<a href="#">S_Y7A_80000005</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
163	<a href="#">S_YI2_530000013</a>	(empty)	<a href="#">BC-CUS-TOL</a>	<a href="#">SAP BASIS</a>
164	<a href="#">TCO</a>	Start a TR in Parameter TCX	<a href="#">BC-CUS-TOL-IMG</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-DB**

## **Database Interface, Database Platforms**

## BC-DB - Database Interface, Database Platforms

#	T-Code	Description	Module	Component
1	<a href="#">ADA_COCKPI T_LVC</a>	liveCache im DBA Cockpit	<a href="#">BC-DB- SDB</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ADA_COCKPI T_VOL</a>	liveCache Volumes in DBA Cockpit	<a href="#">BC-DB- SDB</a>	<a href="#">SAP BASIS</a>
3	<a href="#">ADA_GOTO_ ALERT_MONI T</a>	Alert Monitor	<a href="#">BC-DB- SDB</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ADA_SQLDBC</a>	SQLDBC_CONS	<a href="#">BC-DB- SDB</a>	<a href="#">SAP BASIS</a>
5	<a href="#">DB02_MSS</a>	Db02 for MS SQL Server	<a href="#">BC-DB- MSS</a>	<a href="#">SAP BASIS</a>
6	<a href="#">DB11</a>	Create Database Connection	<a href="#">BC-DB- SDB</a>	<a href="#">SAP BASIS</a>
7	<a href="#">DB12</a>	DBA Backup Logs	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
8	<a href="#">DB12OLD</a>	DBA Backup Logs (OLD)	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
9	<a href="#">DB12_MSS</a>	DB12 Multiconnect transaction	<a href="#">BC-DB- MSS</a>	<a href="#">SAP BASIS</a>
10	<a href="#">DB13</a>	DBA Planning Calendar	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
11	<a href="#">DB13C</a>	Central DBA Planning Calendar	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
12	<a href="#">DB13COLD</a>	Central DBA Planning Calendar (OLD)	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
13	<a href="#">DB13OLD</a>	DBA Planning Calendar (OLD)	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
14	<a href="#">DB14</a>	Display DBA Operation Logs	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
15	<a href="#">DB14OLD</a>	Display DBA Operation Logs (OLD)	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
16	<a href="#">DB16</a>	Display DB Check Results	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
17	<a href="#">DB16ORA</a>	Display DB Check Results: Oracle	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
18	<a href="#">DB17</a>	Configure DB Check	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
19	<a href="#">DB17ORA</a>	Configure DB Check: Oracle	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>
20	<a href="#">DB2</a>	DB2 z/OS: Select Database Activities	<a href="#">BC-DB- DB2</a>	<a href="#">SAP BASIS</a>
21	<a href="#">DB20</a>	Update DB Statistics	<a href="#">BC-DB- ORA-CCM</a>	<a href="#">SAP BASIS</a>

## BC-DB - Database Interface, Database Platforms

#	T-Code	Description	Module	Component
22	<a href="#">DB20ORA</a>	Update DB Statistics: Oracle	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
23	<a href="#">DB21</a>	Configure DB Statistics	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
24	<a href="#">DB24</a>	Administrative Database Operations	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
25	<a href="#">DB26</a>	DB Profile:Monitor and Configuration	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
26	<a href="#">DB26ORA</a>	DB Profile Maintenance: Oracle	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
27	<a href="#">DB2B</a>	DB2 z/OS: Buffer pool tuning	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
28	<a href="#">DB2C</a>	DB2 z/OS: Catalog Browser	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
29	<a href="#">DB2C_OLD</a>	DB2 z/OS: Catalog Browser	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
30	<a href="#">DB2D</a>	DB2 z/OS - Deadlock Monitor	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
31	<a href="#">DB2J</a>	DB2 z/OS: Manage JCL Jobs	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
32	<a href="#">DB2SPACE</a>	DB2: Space Analysis	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
33	<a href="#">DB2SYSPARM</a>	DB2: System Parameters	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
34	<a href="#">DB2T</a>	DB2 z/OS - Timeout Monitor	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
35	<a href="#">DB2U</a>	DB2 z/OS: Long Running Transactions	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
36	<a href="#">DB2W</a>	DB2 z/OS: Workload Manager Monitor	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
37	<a href="#">DB2X</a>	DB2/390: database check	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
38	<a href="#">DB2_IXFIX</a>	DB2-z/OS: index fix (padded, codepg)	<a href="#">BC-DB-DB2</a>	<a href="#">SAP BASIS</a>
39	<a href="#">DB33</a>	DB System check (configure, IFMX)	<a href="#">BC-DB-INF-CCM</a>	<a href="#">SAP BASIS</a>
40	<a href="#">DB34</a>	Dbospace extension (IFMX)	<a href="#">BC-DB-INF-CCM</a>	<a href="#">SAP BASIS</a>
41	<a href="#">DB36</a>	DB6: Alert Configuration	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
42	<a href="#">DB37</a>	DB6: Alert Message Log	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>

## BC-DB - Database Interface, Database Platforms

#	T-Code	Description	Module	Component
43	<a href="#">DB4COCKPIT</a>	iSeries: Cockpit for CCMS Transact.	<a href="#">BC-DB-DB4</a>	<a href="#">SAP BASIS</a>
44	<a href="#">DB4DB12</a>	iSeries: Backup and Recovery	<a href="#">BC-DB-DB4</a>	<a href="#">SAP BASIS</a>
45	<a href="#">DB4DGN</a>	Diagnostics	<a href="#">BC-DB-DB4</a>	<a href="#">SAP BASIS</a>
46	<a href="#">DB4LCK</a>	Lock Monitor	<a href="#">BC-DB-DB4</a>	<a href="#">SAP BASIS</a>
47	<a href="#">DB4PTFCHK</a>	PTF Check	<a href="#">BC-DB-DB4</a>	<a href="#">SAP BASIS</a>
48	<a href="#">DB50</a>	SAP DB Assistant	<a href="#">BC-DB-SDB</a>	<a href="#">SAP BASIS</a>
49	<a href="#">DB50N</a>	Database Assistant	<a href="#">BC-DB-SDB</a>	<a href="#">SAP BASIS</a>
50	<a href="#">DB59</a>	MaxDB/liveCache System Overview	<a href="#">BC-DB-SDB</a>	<a href="#">SAP BASIS</a>
51	<a href="#">DB6BACKHIST</a>	DB6: DBA Planning Calendar	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
52	<a href="#">DB6CLP</a>	DB6: Command Line Processor	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
53	<a href="#">DB6COCKPIT</a>	DB6: DBA Cockpit	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
54	<a href="#">DB6CST</a>	DB6: Analyze Cumulative SQL Trace	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
55	<a href="#">DB6CST_LST</a>	DB6: Analyze Cumulative SQL Trace	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
56	<a href="#">DB6DB21</a>	DB6: RUNSTATS Control	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
57	<a href="#">DB6DBALOG</a>	DB6: DBA Log Viewer	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
58	<a href="#">DB6DBM</a>	DB6: Database Manager Configuration	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
59	<a href="#">DB6DBP</a>	DB6: Database Configuration	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
60	<a href="#">DB6EXL</a>	DB6: Analyze Exclusive Lock Waits	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
61	<a href="#">DB6EXPLAIN</a>	DB6: Explain SQL Statement	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
62	<a href="#">DB6FSC</a>	DB6: File System Configuration	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
63	<a href="#">DB6PARHIS</a>	DB6: Show Parameter History	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>



## BC-DB - Database Interface, Database Platforms

#	T-Code	Description	Module	Component
64	<a href="#">DB6PERF</a>	DB6: DB2 UDB Cockpit Performance	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
65	<a href="#">DB6PLAN</a>	DB6: DBA Planning Calendar	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
66	<a href="#">DB6SPACE</a>	DB6: Space Analysis	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
67	<a href="#">DB6SQC</a>	DB6: Analyze SQL Cache	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
68	<a href="#">DB6STATS</a>	DB6: Run Single Statistics	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
69	<a href="#">DB6SYSCFG</a>	DB6: System Registration	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
70	<a href="#">DB6TAC</a>	DB6: Analyze Table Snapshot	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
71	<a href="#">DB6TRC</a>	DB6: Trace Status	<a href="#">BC-DB-DB6</a>	<a href="#">SAP BASIS</a>
72	<a href="#">DBACOCKPIT</a>	Start DBA Cockpit	<a href="#">BC-DB</a>	<a href="#">SAP BASIS</a>
73	<a href="#">DBACOCKPIT_ITS</a>	Start DBA Cockpit	<a href="#">BC-DB</a>	<a href="#">SAP BASIS</a>
74	<a href="#">DBACOCKPIT_NWA</a>	Start DBA Cockpit	<a href="#">BC-DB</a>	<a href="#">SAP BASIS</a>
75	<a href="#">DBACOCKPIT_SOLMAN</a>	Start DBA Cockpit	<a href="#">BC-DB</a>	<a href="#">SAP BASIS</a>
76	<a href="#">DBA_VIEW_ABAP_SOURCE</a>	DBA Cockpit: View ABAP Source	<a href="#">BC-DB</a>	<a href="#">SAP BASIS</a>
77	<a href="#">DBC0</a>	Database Connection Maintenance	<a href="#">BC-DB-ORA-CCM</a>	<a href="#">SAP BASIS</a>
78	<a href="#">EXPL_MSS</a>	Call the explain in a new window	<a href="#">BC-DB-MSS</a>	<a href="#">SAP BASIS</a>
79	<a href="#">LC10</a>	liveCache Assistant	<a href="#">BC-DB-LVC</a>	<a href="#">SAP BASIS</a>
80	<a href="#">LC11</a>	Creating the liveCache connection	<a href="#">BC-DB-LVC</a>	<a href="#">SAP BASIS</a>
81	<a href="#">LCA01</a>	Read LCA Object Tracing	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>
82	<a href="#">LCA02</a>	LCA Object Tracing	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>
83	<a href="#">LCA03</a>	Standard liveCache Test	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>
84	<a href="#">LCA04</a>	Display the Current LCA Version	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>
85	<a href="#">LCA13</a>	liveCache and LCA Objects Analysis	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>

## BC-DB - Database Interface, Database Platforms

#	T-Code	Description	Module	Component
86	<a href="#">LCA20</a>	Profiling	<a href="#">BC-DB-LCA</a>	<a href="#">SAP BASIS</a>
87	<a href="#">SQLSTMT_MS_S</a>	Display SQL for abap in new window	<a href="#">BC-DB-MSS</a>	<a href="#">SAP BASIS</a>
88	<a href="#">ST04_MSS</a>	St04 for MS SQL Server	<a href="#">BC-DB-MSS</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-DOC

## Documentation and Translation Tools

## BC-DOC - Documentation and Translation Tools

#	T-Code	Description	Module	Component
1	<a href="#">DICTIONARY</a>	Terminology and Glossary Maintenance	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
2	<a href="#">EDIT</a>	Juergen's Editor	<a href="#">BC-DOC-DTL</a>	<a href="#">SAP BASIS</a>
3	<a href="#">LXE_LOGVIEWER</a>	LXE log viewer	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
4	<a href="#">LXE_MASTER</a>	Translation Administration	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
5	<a href="#">LXE_SXMANEXP</a>	sxman Export	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
6	<a href="#">LXE_SXMANIMP</a>	SXMAN Import	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
7	<a href="#">LXE_TBWD</a>	Trados-based Workload Determination	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
8	<a href="#">PPAT</a>	Proposal Pool Analysis Tool	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SAPTERM</a>	SAPterm: SAP Dictionary	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SDHB</a>	Test Online Help	<a href="#">BC-DOC-IWB</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SE61</a>	SAP Documentation	<a href="#">BC-DOC-DTL</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SE62</a>	Industry Utilities	<a href="#">BC-DOC-RIT</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SE63</a>	Translation Editor	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SE64</a>	Terminology	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SH01</a>	Online help: F1 Help server	<a href="#">BC-DOC-HLP</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SH02</a>	Online help: Link tracing	<a href="#">BC-DOC-HLP</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SH03</a>	Call extended help	<a href="#">BC-DOC-HLP</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SLLS</a>	Translation Statistics	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SLLT</a>	Translation Performance Statistics	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SLPP</a>	Proposal Pool	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SLW3</a>	Worklist Scheduler	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>

## BC-DOC - Documentation and Translation Tools

#	T-Code	Description	Module	Component
22	<a href="#">SLW4</a>	Translation: Application Hierarchy	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SLWA</a>	Translation Environment Admin.	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SLWB</a>	Translation Environment Scheduler	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SLXT</a>	Translation Transport	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SR13</a>	Area-Dependent Help	<a href="#">BC-DOC-HLP</a>	<a href="#">SAP BASIS</a>
27	<a href="#">ST62</a>	Create Industry Short Texts	<a href="#">BC-DOC-RIT</a>	<a href="#">SAP BASIS</a>
28	<a href="#">STERM</a>	SAPterm Terminology Maintenance	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
29	<a href="#">STERM_EXTERNAL</a>	Transaction STERM: External Callup	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
30	<a href="#">STERM_KEYWORDS</a>	Maintain Index Entries	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
31	<a href="#">STERM_REMOTE</a>	Transaction STERM: RFC Callup	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
32	<a href="#">SUCH</a>	Translatability CHECKS	<a href="#">BC-DOC-DTL</a>	<a href="#">SAP BASIS</a>
33	<a href="#">S_BIE_59000222</a>	SAPLS_CUS_IMG_ACTIVITY	<a href="#">BC-DOC-HLP</a>	<a href="#">SAP BASIS</a>
34	<a href="#">TAMO</a>	Translation Analysis Monitor	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
35	<a href="#">TER1</a>	SAPterm: Changing Status of Terms	<a href="#">BC-DOC-TER</a>	<a href="#">SAP BASIS</a>
36	<a href="#">TERMO</a>	Terminology Monitor	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
37	<a href="#">TPMO</a>	Translation Performance Monitor	<a href="#">BC-DOC-TTL</a>	<a href="#">SAP BASIS</a>
38	<a href="#">T_RSDOKU03</a>	Where-used List for Hypertext Docu.	<a href="#">BC-DOC-DTL</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-DWB**

## **ABAP Workbench, Java IDE and Infrastructure**

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
1	<a href="#">ABAP_TRACE</a>	ABAP Objects Runtime Analysis	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
2	<a href="#">AD20</a>	Search help maintenance (for IMG)	<a href="#">BC-DWB-DIC-AC</a>	<a href="#">SAP BASIS</a>
3	<a href="#">AD21</a>	Matchcode maintenance (for IMG)	<a href="#">BC-DWB-DIC-AC</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ATC</a>	ATC Administration	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
5	<a href="#">ATC_A</a>	Administration of ATC (SAP internal)	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
6	<a href="#">ATRA</a>	ABAP Objects Runtime Analysis	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
7	<a href="#">ATRA_E2E</a>	ABAP Obj. Runtime Analysis for E2E	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">BAPI45</a>	BAPI Browser	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
9	<a href="#">BC_GLOBAL_DATA_GEN</a>	Create Data for Flight Data Model	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
10	<a href="#">BC_GLOBAL_SBOOK_CREA</a>	Create SBOOK Records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
11	<a href="#">BC_GLOBAL_SBOOK_DISP</a>	SBOOK Record Display	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
12	<a href="#">BC_GLOBAL_SBOOK_EDIT</a>	Changing SBOOK records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
13	<a href="#">BC_GLOBAL_SCUST_CREA</a>	Creating SCUSTOM records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
14	<a href="#">BC_GLOBAL_SCUST_DISP</a>	Display SCUSTOM records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
15	<a href="#">BC_GLOBAL_SCUST_EDIT</a>	Change SCUSTOM records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
16	<a href="#">BC_GLOBAL_SFLGH_CREA</a>	Create SFLIGHT records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
17	<a href="#">BC_GLOBAL_SFLGH_DISP</a>	Display SFLIGHT records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
18	<a href="#">BC_GLOBAL_SFLGH_EDIT</a>	Change SFLIGHT records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
19	<a href="#">BC_GLOBAL_STRAV_CREA</a>	Creating STRAVELAG records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
20	<a href="#">BC_GLOBAL_STRAV_DISP</a>	Display STRAVELAG records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>
21	<a href="#">BC_GLOBAL_STRAV_EDIT</a>	Change STRAVELAG records	<a href="#">BC-DWB</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
22	<a href="#">BIBS</a>	Examples of User Interface Design	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
23	<a href="#">CHECKMAN</a>	Check Manager: Display Check Results	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
24	<a href="#">CHECKMAN_A</a>	CheckMan: Administration	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
25	<a href="#">CHECKMAN_E</a>	Check Manager: Check Exceptions	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
26	<a href="#">CHECKMAN_Q</a>	CheckMan Online Object Check	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
27	<a href="#">CLABAP</a>	Display ABAP class library	<a href="#">BC-DWB-UTL-BRC</a>	<a href="#">SAP BASIS</a>
28	<a href="#">CLBOR</a>	Display BOR library	<a href="#">BC-DWB-UTL-BRC</a>	<a href="#">SAP BASIS</a>
29	<a href="#">CMOD</a>	Enhancements	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
30	<a href="#">CMP_CHECK</a>	Code Composer Template Check	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
31	<a href="#">DDCHECK</a>	Classification of DDIC Structures	<a href="#">BC-DWB-DIC-ED</a>	<a href="#">SAP BASIS</a>
32	<a href="#">DWDM</a>	Development Workbench Demos	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
33	<a href="#">INT_BAPI</a>	BAPI Browser	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
34	<a href="#">IT01</a>	Maintain IDES path for Internet	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
35	<a href="#">MIGR_TEST</a>	Test Menu for Migration	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
36	<a href="#">NEW_SERP</a>	Report Tree Maintenance	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
37	<a href="#">RTTREE_MIGRATION</a>	Report tree migration	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
38	<a href="#">S001</a>	(empty)	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
39	<a href="#">S002</a>	Menu Administration	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
40	<a href="#">SA38</a>	ABAP Reporting	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
41	<a href="#">SA39</a>	SA38 for Parameter Transaction	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
42	<a href="#">SACC2</a>	Set accessibility	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>



## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
43	<a href="#">SACCSEL</a>	ACC: Select relevant objects	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
44	<a href="#">SADT_PROTECTED_MODE</a>	Protected access control for ADT	<a href="#">BC-DWB-AIE-ACI</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SADT_START_TCODE</a>	Launch transactions for ADT	<a href="#">BC-DWB-AIE</a>	<a href="#">SAP BASIS</a>
46	<a href="#">SADT_START_WB_URI</a>	Start workbench application	<a href="#">BC-DWB-AIE</a>	<a href="#">SAP BASIS</a>
47	<a href="#">SAKB0</a>	Transfer of Released Data	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
48	<a href="#">SAKB01</a>	Process Exceptions	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
49	<a href="#">SAKB1</a>	Overview: Frozen Objects	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
50	<a href="#">SAKB2</a>	Usage Overview	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
51	<a href="#">SAKB2OLD</a>	Usage Overview	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
52	<a href="#">SAKB3</a>	Compatibility Text	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
53	<a href="#">SAKB4</a>	Create Usage Explanations	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
54	<a href="#">SAKB5</a>	Check Table Enhancements	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
55	<a href="#">SARPN</a>	Display Report Trees	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
56	<a href="#">SARTN</a>	Display Report Trees	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
57	<a href="#">SAT</a>	ABAP Trace	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
58	<a href="#">SATC_PROJECT_VIEWER</a>	ABAP Test Cockpit Browser	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
59	<a href="#">SATTR</a>	Maintain Characteristics	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
60	<a href="#">SAUNIT_CLIENT_SETUP</a>	ABAP Unit Configuration	<a href="#">BC-DWB-TOO-UT</a>	<a href="#">SAP BASIS</a>
61	<a href="#">SBEA</a>	BEAC corporate flight system	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
62	<a href="#">SBMA</a>	BOR Migration Assistant	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
63	<a href="#">SCHAR</a>	Classification browser	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
64	<a href="#">SCI</a>	ABAP Code Inspector	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
65	<a href="#">SCIC</a>	Test GUI	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
66	<a href="#">SCID</a>	Code Inspector for Specified Object	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
67	<a href="#">SCII</a>	Code Inspector: Inspection	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
68	<a href="#">SCIT</a>	Test GUI	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>
69	<a href="#">SCLAS</a>	Classification Browser	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
70	<a href="#">SCLS</a>	Classification Tool-Set	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
71	<a href="#">SCLS_TRANS_P_CLASSI</a>	Transport Classifications	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
72	<a href="#">SCOV</a>	ABAP Coverage Analyzer	<a href="#">BC-DWB-TOO-COV</a>	<a href="#">SAP BASIS</a>
73	<a href="#">SD11</a>	Data Modeler	<a href="#">BC-DWB-TOO-DMO</a>	<a href="#">SAP BASIS</a>
74	<a href="#">SDSH_CONFIG</a>	Search Help Configuration	<a href="#">BC-DWB-DIC-F4</a>	<a href="#">SAP BASIS</a>
75	<a href="#">SDW0</a>	ABAP Development WB Initial Screen	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
76	<a href="#">SE11</a>	ABAP Dictionary Maintenance	<a href="#">BC-DWB-DIC-ED</a>	<a href="#">SAP BASIS</a>
77	<a href="#">SE11_OLD</a>	ABAP Dictionary Maintenance	<a href="#">BC-DWB-DIC-ED</a>	<a href="#">SAP BASIS</a>
78	<a href="#">SE12</a>	ABAP Dictionary Display	<a href="#">BC-DWB-DIC-ED</a>	<a href="#">SAP BASIS</a>
79	<a href="#">SE12_OLD</a>	ABAP Dictionary Display	<a href="#">BC-DWB-DIC-ED</a>	<a href="#">SAP BASIS</a>
80	<a href="#">SE13</a>	Maintain Technical Settings (Tables)	<a href="#">BC-DWB-DIC-AC</a>	<a href="#">SAP BASIS</a>
81	<a href="#">SE13A</a>	Technical Settings sapsmseds1	<a href="#">BC-DWB-DIC-AC</a>	<a href="#">SAP BASIS</a>
82	<a href="#">SE14</a>	Utilities for Dictionary Tables	<a href="#">BC-DWB-DIC-AC</a>	<a href="#">SAP BASIS</a>
83	<a href="#">SE15</a>	ABAP/4 Repository Information System	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
84	<a href="#">SE16</a>	Data Browser	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
85	<a href="#">SE18</a>	Business Add-Ins: Definitions	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
86	<a href="#">SE19</a>	Business Add-Ins: Implementations	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
87	<a href="#">SE20</a>	Enhancements	<a href="#">BC-DWB-TOO-ENH</a>	<a href="#">SAP BASIS</a>
88	<a href="#">SE21</a>	Package Builder	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
89	<a href="#">SE24</a>	ABAP Class Builder	<a href="#">BC-DWB-TOO-CLA</a>	<a href="#">SAP BASIS</a>
90	<a href="#">SE29</a>	Application Packets	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
91	<a href="#">SE30</a>	ABAP Objects Runtime Analysis	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
92	<a href="#">SE30_OLD</a>	ABAP Objects Runtime Analysis	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
93	<a href="#">SE32</a>	ABAP Text Element Maintenance	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
94	<a href="#">SE32_WB99</a>	ABAP Text Element Maintenance	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
95	<a href="#">SE35</a>	ABAP/4 Dialog Modules	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
96	<a href="#">SE36</a>	Logical Database Builder	<a href="#">BC-DWB-TOO-LDB</a>	<a href="#">SAP BASIS</a>
97	<a href="#">SE37</a>	ABAP Function Modules	<a href="#">BC-DWB-TOO-FUB</a>	<a href="#">SAP BASIS</a>
98	<a href="#">SE38</a>	ABAP Editor	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
99	<a href="#">SE39</a>	ABAP Split Screen Editor	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
100	<a href="#">SE39O</a>	Splitscreen Editor: Program Compare	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
101	<a href="#">SE40</a>	MP: Standards Maint. and Translation	<a href="#">BC-DWB-TOO-MEN</a>	<a href="#">SAP BASIS</a>
102	<a href="#">SE41</a>	Menu Painter	<a href="#">BC-DWB-TOO-MEN</a>	<a href="#">SAP BASIS</a>
103	<a href="#">SE43</a>	Maintain Area Menu	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
104	<a href="#">SE43N</a>	Maintain Area Menu	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
105	<a href="#">SE51</a>	Screen Painter	<a href="#">BC-DWB-TOO-SCR</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
106	<a href="#">SE80</a>	Object Navigator	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
107	<a href="#">SE80_ENH</a>	Object Navigator	<a href="#">BC-DWB-TOO-ENH</a>	<a href="#">SAP BASIS</a>
108	<a href="#">SE81</a>	Application Hierarchy	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
109	<a href="#">SE82</a>	Application Hierarchy	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
110	<a href="#">SE83</a>	Reuse Library	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
111	<a href="#">SE83_START</a>	Start Reuse Library	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
112	<a href="#">SE84</a>	Repository Information System	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
113	<a href="#">SE85</a>	ABAP/4 Repository Information System	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
114	<a href="#">SE89</a>	Maintain Trees in Information System	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
115	<a href="#">SE8I</a>	Lists in Repository Infosystem	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
116	<a href="#">SE90</a>	Process Model Information System	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
117	<a href="#">SE91</a>	Message Maintenance	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
118	<a href="#">SE93</a>	Maintain Transaction Codes	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
119	<a href="#">SE94</a>	Customer enhancement simulation	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
120	<a href="#">SE95_UTIL</a>	Modification Browser Utilities	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
121	<a href="#">SEARCH_SAP_MENU</a>	Find in SAP Menu	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
122	<a href="#">SEARCH_USER_MENU</a>	Find in User Menu	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
123	<a href="#">SECOCO</a>	Control Composer	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
124	<a href="#">SEDI_ADT_TEST</a>	SEDI_ADT_TEST2	<a href="#">BC-DWB-AIE-SRC</a>	<a href="#">SAP BASIS</a>
125	<a href="#">SEEF_MIGWB</a>	Migration Workbench	<a href="#">BC-DWB-TOO-ENH</a>	<a href="#">SAP BASIS</a>
126	<a href="#">SELVIEW</a>	Selection view maintenance	<a href="#">BC-DWB-TOO-LDB</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
127	<a href="#">SENG</a>	Administration of External Indexes	<a href="#">BC-DWB-DIC-F4</a>	<a href="#">SAP BASIS</a>
128	<a href="#">SENGEXPLORER</a>	Explorer Index Administration	<a href="#">BC-DWB-DIC-F4</a>	<a href="#">SAP BASIS</a>
129	<a href="#">SESS</a>	Session Manager Menu Tree Display	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
130	<a href="#">SESSION MANAGER</a>	Session Manager Menu Tree Display	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
131	<a href="#">SESS_START_OBJECT</a>	Start an Object	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
132	<a href="#">SEU_ADT_TEST_1</a>	For ADT test purposes	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
133	<a href="#">SEU_DEPTYPE</a>	Maintain dependency types	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
134	<a href="#">SEU_INT</a>	Object Browser	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
135	<a href="#">SEU_INT_ENH</a>	Object Browser	<a href="#">BC-DWB-TOO-ENH</a>	<a href="#">SAP BASIS</a>
136	<a href="#">SFW1</a>	Switch	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
137	<a href="#">SFW2</a>	Business Function	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
138	<a href="#">SFW3</a>	Business Function Set	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
139	<a href="#">SFW5</a>	Switch Framework Customizing	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
140	<a href="#">SFW_BROWSER</a>	Switch Framework Browser	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
141	<a href="#">SHMA</a>	Shared Objects: Management	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
142	<a href="#">SHMM</a>	Shared Objects Monitor	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
143	<a href="#">SLDB</a>	Logical Databases (Tree Structure)	<a href="#">BC-DWB-TOO-LDB</a>	<a href="#">SAP BASIS</a>
144	<a href="#">SLIB</a>	Reuse Library	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
145	<a href="#">SLIBN</a>	Maintain Reuse Library	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
146	<a href="#">SLIBP</a>	Maintain Reuse Product	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
147	<a href="#">SLIB_START</a>	Maintain Reuse Library	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
148	<a href="#">SMET</a>	Display frequency of function calls	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
149	<a href="#">SMETDELBUF</a>	Del. Measurement data in shared bfr	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
150	<a href="#">SMETDELPROG</a>	Delete programs in shared buffer	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
151	<a href="#">SMIF</a>	Matching Interfaces	<a href="#">BC-DWB-WS-ABA</a>	<a href="#">SAP BASIS</a>
152	<a href="#">SMOD</a>	SAP Enhancement Management	<a href="#">BC-DWB-CEX</a>	<a href="#">SAP BASIS</a>
153	<a href="#">SMTR_START_HISTORY</a>	Call object history	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
154	<a href="#">SO2_MIME_REPOSITORY</a>	Mime Repository	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
155	<a href="#">SO2_TAG_BROWSER</a>	Tag Library	<a href="#">BC-DWB-TOO-WAB</a>	<a href="#">SAP BASIS</a>
156	<a href="#">SOTG</a>	Maintain object type groups	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
157	<a href="#">SPACKAGE</a>	Package Builder	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
158	<a href="#">SPAK</a>	Package Builder	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
159	<a href="#">SPAK_ERROR_ANALYSIS</a>	Detailed Package Error Analysis	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
160	<a href="#">SPAK_EXPLAIN</a>	Start the Package Check Explain Tool	<a href="#">BC-DWB-TOO-PAK</a>	<a href="#">SAP BASIS</a>
161	<a href="#">SPAU_ENH</a>	Object Navigator	<a href="#">BC-DWB-TOO-ENH</a>	<a href="#">SAP BASIS</a>
162	<a href="#">SPROXSET</a>	Proxy Generation: Settings	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
163	<a href="#">SPROXY</a>	Enterprise Repository Browser	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
164	<a href="#">SPROXY_SHOW</a>	Display Proxy Editor	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
165	<a href="#">SPROXY_START</a>	Display Proxy Editor	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
166	<a href="#">SPROXY_WIZ</a>	Proxy Wizard	<a href="#">BC-DWB-WS-ABA</a>	<a href="#">SAP BASIS</a>
167	<a href="#">SPXNGENAPPL</a>	Assignment Namespace Generating Appl	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
168	<a href="#">SPXNMIG</a>	Migration Proxies ESR -> MDR	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
169	<a href="#">SQF</a>	Support Query Framework	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
170	<a href="#">SQF_FILE</a>	Support Query Framework	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
171	<a href="#">SQLM</a>	SQL Monitor	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
172	<a href="#">SQLMD</a>	Display SQL Monitor Data	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
173	<a href="#">SREP</a>	Maintain report definition	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
174	<a href="#">SRFAC_TEST_TA</a>	Refactoring Test Transaction	<a href="#">BC-DWB-AIE-REF</a>	<a href="#">SAP BASIS</a>
175	<a href="#">SRTCM</a>	Runtime Check Monitor	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
176	<a href="#">SRTCMD</a>	Runtime Check Monitor: Data Display	<a href="#">BC-DWB-TOO-RTA</a>	<a href="#">SAP BASIS</a>
177	<a href="#">SRTV_COMPILE</a>	Find Report: Index Generation	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
178	<a href="#">SRT_CHANGE</a>	Report Tree Maintenance	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
179	<a href="#">SRT_DISPLAY</a>	Display Report Trees	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
180	<a href="#">SSM1</a>	Transaction is Old	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
181	<a href="#">SSM2</a>	Set Initial Area Menu	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
182	<a href="#">STARTING_URLS</a>	SMTR_NAVIGATION_SEND_MESSAGE	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
183	<a href="#">START_REPO_RT</a>	Starts report	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
184	<a href="#">STRANS</a>	Start Transformation Tool	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
185	<a href="#">STRANSLDEPTH</a>	Classify Translation Depth	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
186	<a href="#">STYLE_GUIDE</a>	Style Guide Transaction	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
187	<a href="#">SVAR</a>	Entry Point for Service Variants	<a href="#">BC-DWB-PRX</a>	<a href="#">SAP BASIS</a>
188	<a href="#">SWLT</a>	SQL Performance Tuning Worklist	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
189	<a href="#">SWLTC</a>	Manage SQLM Snapshots for SWLT	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>

## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
190	<a href="#">SWO1</a>	Business Object Builder	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
191	<a href="#">SWO2</a>	BOR Browser	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
192	<a href="#">SWO3</a>	Business Object Builder	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
193	<a href="#">SWO4</a>	Business Object Repository	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
194	<a href="#">SWO6</a>	Customizing Object Types	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
195	<a href="#">SWO_ASYNC</a>	Asynchronous Method Call in BOR	<a href="#">BC-DWB-TOO-BOB</a>	<a href="#">SAP BASIS</a>
196	<a href="#">SWRK</a>	Administrtration using work areas	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
197	<a href="#">SYST</a>	(empty)	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
198	<a href="#">S_B90_38000076</a>	IMG	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
199	<a href="#">S_BCE_68002224</a>	(empty)	<a href="#">BC-DWB-TOO-SFW</a>	<a href="#">SAP BASIS</a>
200	<a href="#">S_BIE_59000229</a>	Display/Assign status of all roles	<a href="#">BC-DWB-SEM</a>	<a href="#">SAP BASIS</a>
201	<a href="#">S_E7Z_56000001</a>	Display classifications	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
202	<a href="#">S_E7Z_56000002</a>	Default variant	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
203	<a href="#">S_E7Z_56000003</a>	Default variant	<a href="#">BC-DWB-UTL-CLS</a>	<a href="#">SAP BASIS</a>
204	<a href="#">S_XML_CONFIG</a>	Settings for XML Connection	<a href="#">BC-DWB-TOO-WAB</a>	<a href="#">SAP BASIS</a>
205	<a href="#">TSE39</a>	Old version of splitscreen editor	<a href="#">BC-DWB-TOO-ABA</a>	<a href="#">SAP BASIS</a>
206	<a href="#">TUTT</a>	Workbench Tutorial	<a href="#">BC-DWB-UTL</a>	<a href="#">SAP BASIS</a>
207	<a href="#">TZ10</a>	Dialog Programming: Data Transport	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
208	<a href="#">TZ20</a>	Dialog Programming: F Code Proc.	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
209	<a href="#">TZ30</a>	Dialog Programming: Input Check	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
210	<a href="#">TZ31</a>	Dialog Programming: Input Check	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>



## BC-DWB - ABAP Workbench, Java IDE and Infrastructure

#	T-Code	Description	Module	Component
211	<a href="#">TZ40</a>	Dialog Programming: Screen Control	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
212	<a href="#">TZ50</a>	Dialog Programming: Screen Modif.	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
213	<a href="#">TZ60</a>	Dialog Programming: Tables TC	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
214	<a href="#">TZ61</a>	Dialog Programming: Tables SL	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
215	<a href="#">TZ70</a>	Dialog Programming: Tables SL	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
216	<a href="#">TZ80</a>	Dialog Programming: Authorizations	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
217	<a href="#">TZ90</a>	Dialog Programming: Locking	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
218	<a href="#">TZA0</a>	Dialog Programming: Asynch.Updates	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
219	<a href="#">TZB0</a>	Dialog Programming: Doc. and Help	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
220	<a href="#">W3CUSX</a>	Customizing Parameters for MiniApps	<a href="#">BC-DWB-TOO</a>	<a href="#">PI BASIS</a>
221	<a href="#">W3DEVMINI</a>	Device Assignment for MiniApps	<a href="#">BC-DWB-TOO</a>	<a href="#">PI BASIS</a>
222	<a href="#">W3DEVTRAN</a>	Device Assignment for Transactions	<a href="#">BC-DWB-TOO</a>	<a href="#">PI BASIS</a>
223	<a href="#">W3WEBAPP</a>	MiniApp Maintenance	<a href="#">BC-DWB-TOO</a>	<a href="#">PI BASIS</a>
224	<a href="#">W3_SEARCH</a>	Search in Internet Server Objects	<a href="#">BC-DWB-TOO-WAB</a>	<a href="#">SAP BASIS</a>
225	<a href="#">WBDEMO</a>	Workbench Demo: Template Interface	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
226	<a href="#">WB_NEW_WINDOW</a>	Workbench: Opens new window	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
227	<a href="#">WORKINGAREA</a>	Administrtration using work areas	<a href="#">BC-DWB-UTL-BRR</a>	<a href="#">SAP BASIS</a>
228	<a href="#">WSLDEST</a>	Maintain logical destination	<a href="#">BC-DWB-WS-ABA</a>	<a href="#">SAP BASIS</a>
229	<a href="#">XSLT_TOOL</a>	Start XSLT Tool	<a href="#">BC-DWB-TOO</a>	<a href="#">SAP BASIS</a>
230	<a href="#">XXTH</a>	Test	<a href="#">BC-DWB-TOO-MEN</a>	<a href="#">SAP BASIS</a>
231	<a href="#">_ATC_AC_INTERNAL</a>	Internal: Not for Access in GUI	<a href="#">BC-DWB-TOO-ATF</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-ECM

## Enterprise Content Management (ECM)

## BC-ECM - Enterprise Content Management (ECM)

#	T-Code	Description	Module	Component
1	<a href="#">ECM_ADMIN</a>	ECM Admin Launchpad	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ECM_APP_CONF</a>	Edit ECM App to Rep mapping (custom)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
3	<a href="#">ECM_APP_CONF_DEFS</a>	ECM Application Configurator	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ECM_APP_CONF_SAP</a>	Edit ECM App to Rep mapping (SAP)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
5	<a href="#">ECM_APP_SETTINGS</a>	Edit ECM App definitions (custom)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
6	<a href="#">ECM_APP_SETTINGS_SAP</a>	Edit ECM App definitions (SAP)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
7	<a href="#">ECM_CMIS_CONFIG</a>	Configure CMIS Repository	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">ECM_DATA_GENERATION</a>	ECMI: Test data generation	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
9	<a href="#">ECM_FS_CONFIG</a>	ECMI: Fileshare Repository Config	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
10	<a href="#">ECM_GROUP_CONF</a>	ECM Group Configurator	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
11	<a href="#">ECM_STORE_CONF</a>	Configure ECM Repository	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
12	<a href="#">ECM_WD_CONFIG</a>	ECM CMIS Connector Configuration	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ECM_WD_DEFAULT_STATE</a>	WebDAV Server Default Settings	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
14	<a href="#">ECM_WD_STATE</a>	WebDAV Server Session State Settings	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
15	<a href="#">S_YI3_39000028</a>	(empty)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
16	<a href="#">S_YI3_39000029</a>	(empty)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
17	<a href="#">S_YI3_39000030</a>	(empty)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
18	<a href="#">S_YI3_39000031</a>	(empty)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
19	<a href="#">S_YI3_39000032</a>	(empty)	<a href="#">BC-ECM-ABA-COR</a>	<a href="#">SAP BASIS</a>
20	<a href="#">S_YI3_39000042</a>	(empty)	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>
21	<a href="#">S_YI3_39000043</a>	(empty)	<a href="#">BC-ECM-ABA</a>	<a href="#">SAP BASIS</a>

## BC-ECM - Enterprise Content Management (ECM)

#	T-Code	Description	Module	Component
22	<a href="#">S_YI3_3900004</a> <a href="#">4</a>	(empty)	<a href="#">BC-ECM-</a> <a href="#">ABA</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-EIM

**Enterprise Information Management  
(use subcomponents)**

## BC-EIM - Enterprise Information Management (use subcomponents)

#	T-Code	Description	Module	Component
1	<a href="#">ESH_ADM_SE RVER_GROUP</a>	Set Server Group	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ESH_ADM_TR EX_DEST</a>	Set TREX Destination	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
3	<a href="#">ESH_COCKPI T</a>	Connector Administration Cockpit	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ESH_EXTR_U SER</a>	ESH Set Extraction User for Indexing	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
5	<a href="#">ESH_IMG</a>	Customizing Enterprise Search	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
6	<a href="#">ESH_INA_SEA RCH</a>	Enterprise Search	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
7	<a href="#">ESH_MODELE R</a>	Search & Analytics Modeler	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
8	<a href="#">ESH_QL_CUS T</a>	Customize Query Logging	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
9	<a href="#">ESH_QUERY LOG</a>	Enterprise Search Query Log	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
10	<a href="#">ESH_REG_RE MSEARCH</a>	Configuration of Remote Search	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
11	<a href="#">ESH_SEARCH</a>	Enterprise Search	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
12	<a href="#">ESH_SHOW_B P</a>	Display Bus. Partner in BuPa App	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ESH_TAU</a>	Test Console for Test Automation	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
14	<a href="#">ESH_TAU_PD</a>	Product - Datasheet (EPM)	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
15	<a href="#">ESH_TEST_SE ARCH</a>	Test Search	<a href="#">BC-EIM- ESH</a>	<a href="#">SAP BASIS</a>
16	<a href="#">IQM_CM_CON FIG</a>	IQM Information Consistency	<a href="#">BC-EIM- IQM-IC</a>	<a href="#">SAP BASIS</a>
17	<a href="#">RODPS_ODP_I MG</a>	Modeling Client	<a href="#">BC-EIM- ODP</a>	<a href="#">PI BASIS</a>
18	<a href="#">RODPS_REPL _SEL</a>	Maintain Selections for BWA Repl.	<a href="#">BC-EIM- ODP</a>	<a href="#">PI BASIS</a>
19	<a href="#">SIC_NORM_C ASCO_CFG_M</a>	Maintain Configuration of CASECON	<a href="#">BC-EIM- IQM-IC</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SIC_NORM_C ASCO_CFG_S</a>	Maintain Configuration of CASECON	<a href="#">BC-EIM- IQM-IC</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SIC_NORM_F ORMC_CFG M</a>	Maintain Configuration of FORMCTY	<a href="#">BC-EIM- IQM-IC</a>	<a href="#">SAP BASIS</a>

## BC-EIM - Enterprise Information Management (use subcomponents)

#	T-Code	Description	Module	Component
22	<a href="#">SIC_NORM_FORMC_CFG_S</a>	DISPLAY Configuration of FORMCTY	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SIC_NORM_QUACO_CFG_M</a>	Maintain Configuration of QUACON	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SIC_NORM_QUACO_CFG_S</a>	Show Configuration of QUACON	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SIC_NORM_REGEX_CFG_M</a>	Maintain Configuration of REGEX	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SIC_NORM_REGEX_CFG_S</a>	Display Configuration of REGEX	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SIC_NORM_TOKEN_CFG_M</a>	Maintain Configuration of TOKENIZE	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SIC_NORM_TOKEN_CFG_S</a>	Display Configuration of TOKENIZE	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
29	<a href="#">S_BCE_68002282</a>	(empty)	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
30	<a href="#">S_BCE_68002284</a>	(empty)	<a href="#">BC-EIM-IQM-IC</a>	<a href="#">SAP BASIS</a>
31	<a href="#">S_BCE_68002444</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
32	<a href="#">S_BCE_68002445</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
33	<a href="#">S_BCE_68002446</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
34	<a href="#">S_BCE_68002447</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
35	<a href="#">S_BCE_68002448</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
36	<a href="#">S_BCE_68002449</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
37	<a href="#">S_BCE_68002450</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
38	<a href="#">S_BCE_68002451</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
39	<a href="#">S_BCE_68002452</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
40	<a href="#">S_BCE_68002456</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
41	<a href="#">S_BCE_68002458</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
42	<a href="#">S_BCE_68002459</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>

## BC-EIM - Enterprise Information Management (use subcomponents)

#	T-Code	Description	Module	Component
43	<a href="#">S_BCE_680024_60</a>	(empty)	BC-EIM-ESH	SAP BASIS
44	<a href="#">S_BCE_680024_61</a>	(empty)	BC-EIM-ESH	SAP BASIS
45	<a href="#">S_BCE_680024_62</a>	(empty)	BC-EIM-ESH	SAP BASIS
46	<a href="#">S_BCE_680024_69</a>	(empty)	BC-EIM-ESH	SAP BASIS
47	<a href="#">S_BCE_680024_78</a>	(empty)	BC-EIM-ESH	SAP BASIS
48	<a href="#">S_BCE_680024_83</a>	(empty)	BC-EIM-ESH	SAP BASIS
49	<a href="#">S_BCE_680024_84</a>	(empty)	BC-EIM-ESH	SAP BASIS
50	<a href="#">S_BCE_680025_01</a>	(empty)	BC-EIM-ESH	SAP BASIS
51	<a href="#">S_BCE_680025_02</a>	(empty)	BC-EIM-ESH	SAP BASIS
52	<a href="#">S_BCE_680025_03</a>	(empty)	BC-EIM-ESH	SAP BASIS
53	<a href="#">S_BCE_680025_04</a>	(empty)	BC-EIM-ESH	SAP BASIS
54	<a href="#">S_BCE_680025_05</a>	(empty)	BC-EIM-ESH	SAP BASIS
55	<a href="#">S_BCE_680025_06</a>	(empty)	BC-EIM-ESH	SAP BASIS
56	<a href="#">S_BCE_680025_10</a>	(empty)	BC-EIM-ESH	SAP BASIS
57	<a href="#">S_BRK_620000_01</a>	(empty)	BC-EIM-ODP	PI BASIS
58	<a href="#">S_BY3_130000_20</a>	(empty)	BC-EIM-ODP	PI BASIS
59	<a href="#">S_BY3_130000_21</a>	(empty)	BC-EIM-ODP	PI BASIS
60	<a href="#">S_Y4H_680000_09</a>	(empty)	BC-EIM-ESH	SAP BASIS
61	<a href="#">S_Y4H_680000_11</a>	(empty)	BC-EIM-ESH	SAP BASIS
62	<a href="#">S_Y4H_680000_12</a>	(empty)	BC-EIM-ESH	SAP BASIS
63	<a href="#">S_Y4H_680000_13</a>	(empty)	BC-EIM-ESH	SAP BASIS



## BC-EIM - Enterprise Information Management (use subcomponents)

#	T-Code	Description	Module	Component
64	<a href="#">S_YI2_5300001</a> <a href="#">2</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
65	<a href="#">S_YI3_3900002</a> <a href="#">4</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
66	<a href="#">S_YI3_3900004</a> <a href="#">0</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
67	<a href="#">S_YI3_3900005</a> <a href="#">8</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
68	<a href="#">S_YI3_3900005</a> <a href="#">9</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>
69	<a href="#">S_YI3_3900006</a> <a href="#">0</a>	(empty)	<a href="#">BC-EIM-ESH</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-ESI

## Enterprise Service Infrastructure

## BC-ESI - Enterprise Service Infrastructure

#	T-Code	Description	Module	Component
1	<a href="#">ESFUTIL</a>	ESF Utility	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ESI_ADD_MAPPING</a>	ESI Add mapping	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
3	<a href="#">ESI_BO_TEST_TOOL</a>	ESI Testtool for Business objects	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
4	<a href="#">ESI_MAPPING</a>	ESI Mapping	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
5	<a href="#">ESI_MAPPING_DB</a>	ESI Mapping	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
6	<a href="#">LPCONFIG</a>	Maintain Logical Ports	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SADL_GW_SHOW</a>	Show SADL of Gateway Project	<a href="#">BC-ESI-ESF-GW</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SAMDT</a>	Status&Action Management Design Time	<a href="#">BC-ESI-SAM</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SCOOLTOOL</a>	Administration of ESF Tools	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SESF_GCP_TEST</a>	Starts Test Environment	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SESIDEMO_BACKOFFICE</a>	Sesi Demo: Back Office	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SESIDEMO_PLANT</a>	Sesi Demo: Plant	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SESIDEMO_SALESOFFICE</a>	Sesi Demo: Sales Office	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SESIDEMO_WAREHOUSE</a>	Sesi Demo: Warehouse	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SEW</a>	Service Extension Workbench	<a href="#">BC-ESI-SEW</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SIW</a>	Service Implementation Workbench	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SIW_CHECK</a>	Check Landscape	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SIW_MONITOR</a>	SIW Monitor	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SOAMANAGER</a>	SOA Manager	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SPWSE_DTEL_EXIT_REG</a>	Exit technology	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SPWSE_DTEL_MAP</a>	call program SPWSE_DTELmap	<a href="#">BC-ESI-ESF</a>	<a href="#">SAP BASIS</a>
22	<a href="#">SRDEBUG</a>	Activate Remote Debugging	<a href="#">BC-ESI</a>	<a href="#">SAP BASIS</a>

## BC-ESI - Enterprise Service Infrastructure

#	T-Code	Description	Module	Component
23	<a href="#">SRTEROR_E2E</a>	WS related Runtime Errors - E2E	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SRTLOG_E2E</a>	SRT Error Log E2E	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
25	<a href="#">SRTUTIL</a>	Tracing Utilities for Web Service	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SRTUTIL_E2E</a>	SRT Trace Analysis E2E	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SRT_ADMIN</a>	Maintenance SRT	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SRT_ADRMAP</a>	Path Prefix in ICF for WSDs	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
29	<a href="#">SRT_BIZTALK_TEST</a>	.NET - SAP Interop Browser	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
30	<a href="#">SRT_BIZTALK_TEST2</a>	SAP Interop browser BizTalk tests 2	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
31	<a href="#">SRT_ELOG</a>	Report Error Log	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
32	<a href="#">SRT_LOG</a>	SRT Error Log	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
33	<a href="#">SRT_MONI</a>	WS Message Monitor	<a href="#">BC-ESI-WS-ABA-MON</a>	<a href="#">SAP BASIS</a>
34	<a href="#">SRT_MONIS</a>	WS Sequence Monitor	<a href="#">BC-ESI-WS-ABA-MON</a>	<a href="#">SAP BASIS</a>
35	<a href="#">SRT_ROLES</a>	Roles maintenance	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
36	<a href="#">SRT_SEQ_MONITOR</a>	Sequence monitoring	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
37	<a href="#">SRT_TEST</a>	Web Service Test Cockpit	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
38	<a href="#">SRT_TOOLS</a>	SOA Runtime Tools	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
39	<a href="#">SRT_UTIL</a>	Tracing Utilities for Web Service	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
40	<a href="#">SUDDIREG</a>	Maintain UDDI Registries	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
41	<a href="#">SUDSCONFIG</a>	User Defined Search Configuration	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
42	<a href="#">S_BCE_680024_95</a>	(empty)	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
43	<a href="#">S_BCE_680024_96</a>	(empty)	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>

## BC-ESI - Enterprise Service Infrastructure

#	T-Code	Description	Module	Component
44	<a href="#">S_BCE_68002497</a>	(empty)	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
45	<a href="#">S_YI3_39000048</a>	(empty)	<a href="#">BC-ESI-SIW</a>	<a href="#">SAP BASIS</a>
46	<a href="#">TWADMIN</a>	Start Watcher	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
47	<a href="#">WSADMIN</a>	Web Service Administration	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
48	<a href="#">WSCLASS</a>	Web Service Classification	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
49	<a href="#">WSCLASS_MAP_FIELDS</a>	fields mapping for import classificat.	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
50	<a href="#">WSCONFIG</a>	Release Web Services	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
51	<a href="#">WSDOCU_SERVER</a>	Maintain documentation server for ER	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
52	<a href="#">WSICF_PREFIX</a>	Path Prefix in ICF for WSDs	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
53	<a href="#">WSIDPADMIN</a>	Idempotent Service Administration	<a href="#">BC-ESI-WS-ABA-RT</a>	<a href="#">SAP BASIS</a>
54	<a href="#">WSINTCHECK</a>	Get/Check WS Configurations	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
55	<a href="#">WSISOLATE</a>	Isolation of WS Providers / Consumer	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
56	<a href="#">WSLOG_CONFIG</a>	Log viewer for srt configuration	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
57	<a href="#">WSLOG_PUBLICATION</a>	WS Publication Log Report	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
58	<a href="#">WSMIGRATE</a>	Web Service Migration	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
59	<a href="#">WSPARAM</a>	Enterprise Registry Parameters(New)	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
60	<a href="#">WSPUBLISH</a>	Publish Web services	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
61	<a href="#">WSRESTRICT</a>	Restrictions of services publication	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
62	<a href="#">WSTASKCHECK</a>	Get/Check WS Configurations	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>
63	<a href="#">WSUPDATECHECK</a>	Get/Check WS DT-RT Changes	<a href="#">BC-ESI-WS-ABA-CFG</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-FES**

**Frontend Services - Use  
subcomponents (see SAP Note  
1322184)**

## BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184)

#	T-Code	Description	Module	Component
1	<a href="#">BCG0</a>	Bar chart: Maintain field definition	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
2	<a href="#">BCG1</a>	Bar chart: Maintain form definition	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
3	<a href="#">BCG2</a>	Bar chart: Maintain graphic profile	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
4	<a href="#">BCG3</a>	Bar chart: Maintain form assignment	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
5	<a href="#">BCG4</a>	Bar chart: Maintain option profile	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
6	<a href="#">BCG5</a>	Bar chart: Maintain color assignment	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
7	<a href="#">BCG6</a>	Bar chart: Maintain color definition	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">BCG7</a>	Bar chart: Call model graphic	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
9	<a href="#">BCG8</a>	Bar chart: Maintain graphic element	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
10	<a href="#">BCG9</a>	Bar chart: Maintain chart	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
11	<a href="#">BRP_ICON_UP LOAD</a>	Load SAP Icons to BDS	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
12	<a href="#">CNG1</a>	Netw./Hier.: Maintain frame types	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
13	<a href="#">CNG2</a>	Netw./Hier.: Maintain form def.	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
14	<a href="#">CNG3</a>	Netw./hier.: maintain color definit.	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
15	<a href="#">CNG4</a>	Netw./Hier.: Maintain graph. profile	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
16	<a href="#">CNG5</a>	Netw./Hier: Maintain options profile	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
17	<a href="#">CNG6</a>	Netw./hier.: Maintain node type	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
18	<a href="#">CNG7</a>	Netw./Hier.: Maintain link types	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
19	<a href="#">CNG8</a>	Netw./Hier.: Maintain field def.	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
20	<a href="#">CNG9</a>	Graph. Cust. Netw./Hierarchy Graph.	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
21	<a href="#">DEMO_TABST RIP</a>	Test Transaction Tabstrip	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>

## BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184)

#	T-Code	Description	Module	Component
22	<a href="#">EXAMPLE_FLOW_M</a>	EXAMPLE_FLOW_M	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
23	<a href="#">GRAL</a>	Calling SAP Graphics demos	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
24	<a href="#">GUIT</a>	GUI Test	<a href="#">BC-FES-GUI</a>	<a href="#">SAP BASIS</a>
25	<a href="#">IAC_FLIGHT</a>	Flight Example Program	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
26	<a href="#">IT00</a>	Test IAC	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
27	<a href="#">IT03</a>	Test IAC: internal development	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
28	<a href="#">IT12</a>	Test IAC language-dependent	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
29	<a href="#">IT13</a>	Test IAC: language-independ template	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
30	<a href="#">IT18</a>	Test IAC: start service via call TA	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
31	<a href="#">IT19</a>	Test IAC: Call Trans Skip Screen	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
32	<a href="#">IT50</a>	IAC Test Includes	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
33	<a href="#">IT5200</a>	ITS Test Transaction with S Message	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
34	<a href="#">ITMOBILE00</a>	Test Transaction for Mobile Devices	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
35	<a href="#">ITMOBILE01</a>	Test Transaction for Mobile Devices	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
36	<a href="#">ITMOBILE02</a>	Test Transaction for Voice Input	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
37	<a href="#">ITRBX</a>	Test IAC for sapjulep Rabaxes	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
38	<a href="#">ITSMOBILE_CERT_VOICE</a>	ITSmobile Voice Certification	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
39	<a href="#">ITW5200</a>	Wrapper for it5200	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
40	<a href="#">NWBC</a>	Launch NWBC	<a href="#">BC-FES-BUS</a>	<a href="#">SAP UI</a>
41	<a href="#">OCNG</a>	Graphic customizing	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
42	<a href="#">OLE</a>	OLE demo transaction	<a href="#">BC-FES-CTL</a>	<a href="#">SAP BASIS</a>



## BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184)

#	T-Code	Description	Module	Component
43	<a href="#">OSGR</a>	Command file for Customizing graph.	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
44	<a href="#">RSDEMO02</a>	Testtransaction Table Control	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SAPCALENDAR_NAVI</a>	Testtransaction Calendar Control	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
46	<a href="#">SAPCOLUMN_TREE</a>	Testtransaktion für Column Tree	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
47	<a href="#">SAPRDEMOVIEWING</a>	Testtransaction HTML Control	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
48	<a href="#">SAPSIMPLE_TREE</a>	Testtransaktion für Simple Tree	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
49	<a href="#">SAPTEXTEDIT_TEST_2</a>	Test for Textedit Control	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
50	<a href="#">SAPTOOLBAR_DEMO1</a>	Test Transaction: Toolbar Control	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
51	<a href="#">SAP_GENERATE</a>	SAP_GENERATE	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
52	<a href="#">SIAC1</a>	Display Web Objects (Old Format)	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
53	<a href="#">SIAC_ICON_UPLOAD</a>	ITS: Upload ICONS for WebGUI	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
54	<a href="#">SIAC_PUBLISH_ALL_INT</a>	Publish All ITS Services	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
55	<a href="#">SIAC_REGENERATE_TEMP</a>	Regenerate IAC Templates	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
56	<a href="#">SIGS</a>	IGS Administration	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
57	<a href="#">SITSPMON</a>	Monitor for Internal ITS	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
58	<a href="#">SITSQ_ALV</a>	Test Program: ALV Grid	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
59	<a href="#">SITSQ_ALV_COMBO</a>	Test Program: ALV Grid	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
60	<a href="#">SITSQ_LISTE</a>	Testprogramm Reportliste	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
61	<a href="#">SITSQ_TOOLBAR</a>	Toolbar Control Test	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
62	<a href="#">SMCX</a>	Matchcode OCX	<a href="#">BC-FES- CTL-F4</a>	<a href="#">SAP BASIS</a>
63	<a href="#">SOLE</a>	OLE Applications	<a href="#">BC-FES- CTL</a>	<a href="#">SAP BASIS</a>

## BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184)

#	T-Code	Description	Module	Component
64	<a href="#">SRFCCONN</a>	Connect to Customer Sys. Using BWRFC	<a href="#">BC-FES-ITS</a>	<a href="#">SAP BASIS</a>
65	<a href="#">SSUC</a>	Structure graphic: copy settings	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
66	<a href="#">SSUD</a>	Structure graphic: delete settings	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
67	<a href="#">SSUO</a>	Structure Graphic: Central Settings	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
68	<a href="#">S_B20_88000001</a>	IMG Activity: SIMG_OCNG_CMOD_UEX17	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
69	<a href="#">S_B20_88000002</a>	IMG Activity: SIMG_CFMENUOCNGCNG9	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
70	<a href="#">S_B20_88000003</a>	IMG Activity: SIMG_CFMENUOCNGCNG8	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
71	<a href="#">S_B20_88000004</a>	IMG Activity: SIMG_CFMENUOCNGCNG2	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
72	<a href="#">S_B20_88000005</a>	IMG Activity: SIMG_CFMENUOCNGCNG3	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
73	<a href="#">S_B20_88000006</a>	IMG Activity: SIMG_CFMENUOCNGCNG5	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
74	<a href="#">S_B20_88000007</a>	IMG Activity: SIMG_CFMENUOCNGCNG1	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
75	<a href="#">S_B20_88000008</a>	IMG Activity: SIMG_CFMENUOCNGCNG7	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
76	<a href="#">S_B20_88000009</a>	IMG Activity: SESSION_MANAGER	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
77	<a href="#">S_B20_88000011</a>	IMG Activity: SIMG_OCNG_CMOD_UEX23	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
78	<a href="#">S_B20_88000012</a>	IMG Activity: SIMG_OCNG_CMOD_UEX22	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
79	<a href="#">S_B20_88000013</a>	IMG Activity: SIMG_OCNG_CMOD_UEX21	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
80	<a href="#">S_B20_88000014</a>	IMG Activity: SIMG_OCNG_CMOD_UEX20	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
81	<a href="#">S_B20_88000015</a>	IMG Activity: SIMG_OCNG_CMOD_UEX19	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
82	<a href="#">S_B20_88000016</a>	IMG Activity: SIMG_OCNG_CMOD_UEX18	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
83	<a href="#">S_B20_88000017</a>	IMG Activity: SIMG_CFMENUOCNGBCG6	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>
84	<a href="#">S_B20_88000018</a>	IMG Activity: SIMG_CFMENUOCNGBCG4	<a href="#">BC-FES-GRA</a>	<a href="#">SAP BASIS</a>

## BC-FES - Frontend Services - Use subcomponents (see SAP Note 1322184)

#	T-Code	Description	Module	Component
85	<a href="#">S_B20_88000019</a>	IMG Activity: SIMG_CFMENUOCNGBCG3	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
86	<a href="#">S_B20_88000020</a>	IMG Activity: SIMG_CFMENUOCNGBCG5	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
87	<a href="#">S_B20_88000021</a>	IMG Activity: SIMG_CFMENUOCNGBCG8	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
88	<a href="#">S_B20_88000022</a>	IMG Activity: SIMG_CFMENUOCNGBCG9	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
89	<a href="#">S_B20_88000023</a>	IMG Activity: SIMG_CFMENUOCNGBCG2	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
90	<a href="#">S_B20_88000024</a>	IMG Activity: SIMG_CFMENUOCNCG6	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
91	<a href="#">S_B20_88000025</a>	IMG Activity: SIMG_CFMENUOCNCG4	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
92	<a href="#">S_B20_88000026</a>	IMG Activity: SIMG_OCNG_CMOD_UEX24	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
93	<a href="#">S_B20_88000027</a>	IMG Activity: SIMG_CFMENUOCNGBCG7	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
94	<a href="#">S_B20_88000028</a>	IMG Activity: SIMG_CFMENUOCNGBCG1	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
95	<a href="#">S_B20_88000029</a>	IMG Activity: SIMG_CFMENUOCNGBCG0	<a href="#">BC-FES- GRA</a>	<a href="#">SAP BASIS</a>
96	<a href="#">S_YI3_39000013</a>	Program NWBC_SAPGUI_LSAPI_TEST	<a href="#">BC-FES- BUS</a>	<a href="#">SAP_UI</a>
97	<a href="#">S_YI3_39000061</a>	(empty)	<a href="#">BC-FES- BUS</a>	<a href="#">SAP_UI</a>
98	<a href="#">TEST_FRONT_SERVICES</a>	Testing of frontend services	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>
99	<a href="#">TEST_TEXTE_DIT</a>	Test for TextEdit Wrapper	<a href="#">BC-FES- CTL</a>	<a href="#">SAP BASIS</a>
100	<a href="#">WEBGUI</a>	Start Browser with WebGUI	<a href="#">BC-FES- ITS</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-GP**

## **Guided Procedure**

## BC-GP - Guided Procedure

#	T-Code	Description	Module	Component
1	<a href="#">EUPTSP</a>	GP Content Transport	<a href="#">BC-GP</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-HLP

## Help Infrastructure

## BC-HLP - Help Infrastructure

#	T-Code	Description	Module	Component
1	<a href="#">SHC_ADMIN</a>	Manage Help Center Centrally	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
2	<a href="#">SHC_TRANSLATION</a>	Translate Help Center Texts	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
3	<a href="#">S_B20_88000222</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
4	<a href="#">S_B20_88000223</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
5	<a href="#">S_B20_88000225</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
6	<a href="#">S_B20_88000226</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
7	<a href="#">S_L1A_49000001</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
8	<a href="#">S_L1A_49000002</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
9	<a href="#">S_L1A_49000003</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
10	<a href="#">S_L1A_49000009</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
11	<a href="#">S_YI3_39000008</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
12	<a href="#">S_YI3_390000010</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>
13	<a href="#">S_YI3_390000011</a>	(empty)	<a href="#">BC-HLP-ABA</a>	<a href="#">SAP_UI</a>

## SAP TCodes in Module

# BC-I18

## Internationalization (I18N)



## BC-I18 - Internationalization (I18N)

#	T-Code	Description	Module	Component
1	<a href="#">CLJP</a>	Specify Japanese calendar	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
2	<a href="#">I18N</a>	Internationalization	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
3	<a href="#">REPAST</a>	I18N:repast transaction	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
4	<a href="#">SCP</a>	Display and Maintain Code Page	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
5	<a href="#">SCPMIG</a>	Character Conversion	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
6	<a href="#">SNL1</a>	Display NLS (character set, lang.)	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SNL2</a>	Set NLS (character set, language...)	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SNL3</a>	Develop NLS (character set, lang...)	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SNLS</a>	Display NLS (character set, lang.)	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SPUMG</a>	Unicode Preconversion	<a href="#">BC-I18-UNI</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SPUMGVOC</a>	Manual language assignment	<a href="#">BC-I18-UNI</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SUMG</a>	Unicode Postconversion	<a href="#">BC-I18-UNI</a>	<a href="#">SAP BASIS</a>
13	<a href="#">UCCHECK</a>	Unicode Syntax Check	<a href="#">BC-I18</a>	<a href="#">SAP BASIS</a>

## **SAP TCodes in Module**

# **BC-ILM**

## **Information Lifecycle Management**

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
1	<a href="#">DOBJ</a>	Def. of Data Destruction Objects	<a href="#">BC-ILM-DST</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ILMAPK</a>	Audit Package Maintenance	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
3	<a href="#">ILMAPT</a>	Audit Package Template Processing	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
4	<a href="#">ILMARA</a>	Audit Area Processing	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
5	<a href="#">ILMAUT</a>	Call Audit Trail Wrapper Report	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
6	<a href="#">ILMCHECK</a>	ILM Check Sums	<a href="#">BC-ILM-CHK</a>	<a href="#">SAP BASIS</a>
7	<a href="#">ILMDOWLB</a>	Download Browser local reporting	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
8	<a href="#">ILMDOWLB S</a>	Download Browser local reporting	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
9	<a href="#">ILMLOADREPOS</a>	ILM Repository	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP BASIS</a>
10	<a href="#">ILMPRLISTRW</a>	Print Lists: Find and Display in RW	<a href="#">BC-ILM-ACA</a>	<a href="#">SAP BASIS</a>
11	<a href="#">ILMREPOS</a>	ILM Repository	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP BASIS</a>
12	<a href="#">ILMSIM</a>	ILM Rule Simulation	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ILMSTOREADM</a>	SRS Store Administration	<a href="#">BC-ILM-SRS</a>	<a href="#">SAP BASIS</a>
14	<a href="#">ILMTABLEB</a>	Table Browser local reporting	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
15	<a href="#">ILMVIEW</a>	ILM View Definition in RW	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP BASIS</a>
16	<a href="#">ILMVIEWM</a>	View Maintenance for ILM	<a href="#">BC-ILM-RW</a>	<a href="#">SAP ABA</a>
17	<a href="#">ILM_AL_EOL</a>	Set ArchiveLink References in RW	<a href="#">BC-ILM-ACA</a>	<a href="#">SAP BASIS</a>
18	<a href="#">ILM_AL_REF</a>	Set ArchiveLink References (Att.)	<a href="#">BC-ILM-ACA</a>	<a href="#">SAP BASIS</a>
19	<a href="#">ILM_AO_CUST</a>	Object-Specific Customizing Settings	<a href="#">BC-ILM-WP</a>	<a href="#">SAP BASIS</a>
20	<a href="#">ILM_ARC_LAUNCH_WEBUI</a>	Auxiliary Transaction FPM -> WebGUI	<a href="#">BC-ILM-WP</a>	<a href="#">SAP BASIS</a>
21	<a href="#">ILM_CHANGE_RET</a>	Change Expiration Date	<a href="#">BC-ILM-ACA</a>	<a href="#">SAP BASIS</a>

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
22	<a href="#">ILM_DESTRU CTION</a>	Data Destruction	<a href="#">BC-ILM- DST</a>	<a href="#">SAP BASIS</a>
23	<a href="#">ILM_DL_REF</a>	Set ArchiveLink References (DL)	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
24	<a href="#">ILM_LHM</a>	Legal Hold Management	<a href="#">BC-ILM- LCM</a>	<a href="#">SAP BASIS</a>
25	<a href="#">ILM_LH_ADK</a>	Legal Hold Propagation (ADK)	<a href="#">BC-ILM- LCM</a>	<a href="#">SAP BASIS</a>
26	<a href="#">ILM_LH_AL</a>	Legal Hold Propagation (ArchiveLink)	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
27	<a href="#">ILM_SARI</a>	BTCI Report SARI Browser	<a href="#">BC-ILM- WP</a>	<a href="#">SAP BASIS</a>
28	<a href="#">ILM_SB</a>	ILM Store Browser	<a href="#">BC-ILM- SRS</a>	<a href="#">SAP BASIS</a>
29	<a href="#">ILM_SN_EXT ENSION</a>	SN Extension Tool (Swiss Knife)	<a href="#">BC-ILM- CDE</a>	<a href="#">SAP BASIS</a>
30	<a href="#">ILM_TRANS_ ADMIN</a>	Transfer of Archive Administration	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
31	<a href="#">ILM_TRANS_ ADMIN_ONL Y</a>	Transfer Administration Data Only	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
32	<a href="#">ILM_TRANS_ ADMIN_PAR M</a>	Call ILM_TRANS_ADMIN	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
33	<a href="#">ILM_TRANS_ ALDL</a>	Transfer Attachments and Print Lists	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
34	<a href="#">ILM_TRANS_ CONST</a>	Convert and Store Data	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
35	<a href="#">ILM_TRANS_ CREP</a>	Transfer Content Repository Def.	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
36	<a href="#">ILM_TRANS_ META_ADMI N</a>	Administration Data for SN_META Only	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
37	<a href="#">ILM_TRANS_ META_CONST</a>	Convert and Store Metadata	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
38	<a href="#">ILM_TRANS_ OBJECTS</a>	Transfer Transaction Data to RW	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
39	<a href="#">ILM_TRANS_ OBJ_CONST</a>	Convert and Store Transaction Data	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
40	<a href="#">ILM_TRANS_ SN</a>	Context Data/Snapshots to RW	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>
41	<a href="#">ILM_TRANS_ SN_CONST</a>	Convert and Store Context Data/SN	<a href="#">BC-ILM- ACA</a>	<a href="#">SAP BASIS</a>

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
42	<a href="#">ILM_TRANSN_META</a>	Transfer Metadata to RW	<a href="#">BC-ILM-ACA</a>	<a href="#">SAP BASIS</a>
43	<a href="#">IRMPOL</a>	ILM Policies	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP BASIS</a>
44	<a href="#">IRM_CAT</a>	IRM Policies	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
45	<a href="#">IRM_CUST</a>	IRM Customizing	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
46	<a href="#">IRM_CUST_BS</a>	IRM Customizing (Business Suite)	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
47	<a href="#">IRM_CUST_CSS</a>	IRM: Customer-Specific Settings	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
48	<a href="#">IRM_SIM</a>	IRM Simulator	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP BASIS</a>
49	<a href="#">IRWCCUST</a>	ILM Cockpit Reporting Customization	<a href="#">BC-ILM-WP</a>	<a href="#">SAP BASIS</a>
50	<a href="#">IWP01</a>	Audit Package Handling	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
51	<a href="#">IWP_AREA</a>	Define Audit Area	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
52	<a href="#">IWP_BORKEY_DEFINE</a>	Define BOR Keys	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
53	<a href="#">IWP_CALLBACK_DEFINE</a>	Define Callback Destination	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
54	<a href="#">IWP_COMPARE_AREA</a>	Compare Audit Area with Meta-Data	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
55	<a href="#">IWP_CREP</a>	Content Repos. Retention Warehouse	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
56	<a href="#">IWP_DATA_TRANSFER</a>	Transfer Data	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
57	<a href="#">IWP_IMG</a>	IMG of Retention Warehouse	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
58	<a href="#">IWP_LOAD_REPO</a>	Load Repositors from Metadata	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
59	<a href="#">IWP_LOG_DISPLAY</a>	Display Logs	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
60	<a href="#">IWP_LOG_DISPLAY_EXT</a>	Display Logs - extended	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
61	<a href="#">IWP_LPD_AP_ADM</a>	Launchpad for AP Administration	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
62	<a href="#">IWP_LPD_PROD_LIAB</a>	Launchpad for Product Liability	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
63	<a href="#">IWP_LPD_TAX</a>	Launchpad for Tax	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
64	<a href="#">IWP_OBJECTS_GENERATE</a>	Generate Objects	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
65	<a href="#">IWP_QUERY_EXPORT</a>	Export Query Results	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
66	<a href="#">IWP_REPOS</a>	Maintenance of Repository	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP_BASIS</a>
67	<a href="#">IWP_REPOS_OT</a>	Repository Structures f. Object Type	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP_BASIS</a>
68	<a href="#">IWP_REUSE_DEFINE</a>	Define InfoObjects to Be Reused	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
69	<a href="#">IWP_VC_AUDIT_A_SF</a>	Maintanance of the Audit Areas	<a href="#">BC-ILM-IRM</a>	<a href="#">SAP_BASIS</a>
70	<a href="#">IWP_VC_WPP</a>	Maintanance of the AuditP. Template	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
71	<a href="#">IWP_VIEWLOG</a>	Data View Files	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
72	<a href="#">IWP_VPROV_CREATE</a>	Create a VirtualProvider	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
73	<a href="#">IWP_VPROV_DEFINE</a>	Define Content of VirtualProvider	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
74	<a href="#">IWP_WP_DELETE</a>	Delete Content of an Audit Package	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
75	<a href="#">IWP_WP_GENERATE</a>	Generate Content for Audit Package	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
76	<a href="#">S_ABA_72000327</a>	S_ABA_72000327	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
77	<a href="#">S_ABA_72000328</a>	S_ABA_72000328	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
78	<a href="#">S_ABA_72000329</a>	S_ABA_72000329	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
79	<a href="#">S_ABA_72000330</a>	S_ABA_72000330	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
80	<a href="#">S_ABA_72000331</a>	S_ABA_72000331	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
81	<a href="#">S_ABA_72000332</a>	S_ABA_72000332	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
82	<a href="#">S_ABA_72000333</a>	S_ABA_72000333	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
83	<a href="#">S_ABA_72000334</a>	S_ABA_72000334	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
84	<a href="#">S_ABA_72000335</a>	S_ABA_72000335	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
85	<a href="#">S_ABA_72000336</a>	S_ABA_72000336	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
86	<a href="#">S_ABA_72000337</a>	S_ABA_72000337	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
87	<a href="#">S_ABA_72000338</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
88	<a href="#">S_ABA_72000339</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
89	<a href="#">S_ABA_72000360</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
90	<a href="#">S_ABA_72000370</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
91	<a href="#">S_ABA_72000373</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
92	<a href="#">S_ABA_72000374</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
93	<a href="#">S_ABA_72000375</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
94	<a href="#">S_ABA_72000376</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
95	<a href="#">S_ABA_72000377</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
96	<a href="#">S_ABA_72000378</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
97	<a href="#">S_ABA_72000380</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
98	<a href="#">S_ABA_72000381</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
99	<a href="#">S_ABA_72000382</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
100	<a href="#">S_ABA_72000383</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
101	<a href="#">S_ABA_72000384</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
102	<a href="#">S_ABA_72000385</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
103	<a href="#">S_ABA_72000386</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
104	<a href="#">S_ABA_72000387</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>

## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
105	<a href="#">S_ABA_72000411</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
106	<a href="#">S_ABA_72000412</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
107	<a href="#">S_ABA_72000413</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
108	<a href="#">S_ABA_72000414</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
109	<a href="#">S_ABA_72000415</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
110	<a href="#">S_ABA_72000429</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
111	<a href="#">S_ABA_72000430</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
112	<a href="#">S_ABA_72000431</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
113	<a href="#">S_ABA_72000432</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
114	<a href="#">S_ABA_72000436</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
115	<a href="#">S_ABA_72000437</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
116	<a href="#">S_L1A_49000018</a>	(empty)	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP_BASIS</a>
117	<a href="#">S_L1B_76000013</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
118	<a href="#">S_L1B_76000014</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
119	<a href="#">S_L1B_76000015</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
120	<a href="#">S_L1B_76000016</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
121	<a href="#">S_L1B_76000017</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
122	<a href="#">S_L1B_76000018</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
123	<a href="#">S_L1B_76000019</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
124	<a href="#">S_L1B_76000022</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
125	<a href="#">S_L1B_76000023</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>



## BC-ILM - Information Lifecycle Management

#	T-Code	Description	Module	Component
126	<a href="#">S_L1B_76000024</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
127	<a href="#">S_SI2_16000007</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
128	<a href="#">S_SI2_16000008</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
129	<a href="#">S_SI3_21000025</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
130	<a href="#">S_SI3_21000028</a>	(empty)	<a href="#">BC-ILM-RW</a>	<a href="#">SAP_ABA</a>
131	<a href="#">S_YI3_39000063</a>	(empty)	<a href="#">BC-ILM-LCM</a>	<a href="#">SAP_BASIS</a>
132	<a href="#">S_YI3_390000172</a>	(empty)	<a href="#">BC-ILM-IRM-RT</a>	<a href="#">SAP_BASIS</a>

## SAP TCodes in Module

# BC-INS

## Installation Tools

## BC-INS - Installation Tools

#	T-Code	Description	Module	Component
1	<a href="#">STC01</a>	Task Manager for Tech. Configuration	<a href="#">BC-INS-TC-RT</a>	<a href="#">SAP BASIS</a>
2	<a href="#">STC02</a>	Task List Run Monitor	<a href="#">BC-INS-TC-RT</a>	<a href="#">SAP BASIS</a>
3	<a href="#">STC_API</a>	Start Task Manager Application	<a href="#">BC-INS-TC-RT</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-MID

## Middleware

## BC-MID - Middleware

#	T-Code	Description	Module	Component
1	<a href="#">ACO_PROXY</a>	SAP ACO Proxy generation	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
2	<a href="#">AMC_LOG_ADMIN</a>	Administration of ABAP Messaging Cha	<a href="#">BC-MID-AC</a>	<a href="#">SAP BASIS</a>
3	<a href="#">AMC_LOG_PROCESSING</a>	Selection of AMC Log Entries	<a href="#">BC-MID-AC</a>	<a href="#">SAP BASIS</a>
4	<a href="#">AMC_SHOW_LOG_LIST</a>	Show List of activated AMC Logs	<a href="#">BC-MID-AC</a>	<a href="#">SAP BASIS</a>
5	<a href="#">BALD</a>	ALE Development	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
6	<a href="#">BALE</a>	Area Menu for Administration	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
7	<a href="#">BAPI</a>	BAPI Explorer	<a href="#">BC-MID-API</a>	<a href="#">SAP BASIS</a>
8	<a href="#">BAPIW</a>	BAPI Explorer	<a href="#">BC-MID-API</a>	<a href="#">SAP BASIS</a>
9	<a href="#">BASIS_CL01</a>	Call CL01 (if it exists)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
10	<a href="#">BASIS_CL02</a>	Call CL02 (if it exists)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
11	<a href="#">BASIS_O1CL</a>	Call O1CL (if it exists)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
12	<a href="#">BD100</a>	IDoc display object channel view	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
13	<a href="#">BD101</a>	Consistency check	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
14	<a href="#">BD102</a>	Outbound registry	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
15	<a href="#">BD102_EOIO</a>	Registry Outbound EOIO	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
16	<a href="#">BD103</a>	Inbound registry	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
17	<a href="#">BD103_EOIO</a>	Registry Inbound EOIO	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
18	<a href="#">BD104</a>	maintain tbd53	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
19	<a href="#">BD105</a>	Maintain Supported Business Objects	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
20	<a href="#">BD106_EOIO</a>	Activation Sequence EOIO Inbound	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
21	<a href="#">BD20</a>	IDoc passed to application	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
22	<a href="#">BD21</a>	Select change pointer	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
23	<a href="#">BD22</a>	Delete change pointers	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
24	<a href="#">BD23</a>	Delete serialization data	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
25	<a href="#">BD40</a>	Read change pointer for group	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
26	<a href="#">BD41</a>	Dispatch IDocs for group	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
27	<a href="#">BD42</a>	Check IDocs for group	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
28	<a href="#">BD43</a>	Post IDocs for group	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
29	<a href="#">BD44</a>	Assign Message Types to Serlz. Group	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
30	<a href="#">BD47</a>	Dependencies between methods	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
31	<a href="#">BD48</a>	Dependency method - message	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
32	<a href="#">BD50</a>	Activate Change Ptrs for Mess. Type	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
33	<a href="#">BD51</a>	Maintain function modules (inbound)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
34	<a href="#">BD52</a>	Activ.change pointer per chng.doc.it	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
35	<a href="#">BD53</a>	Reduction of Message Types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
36	<a href="#">BD54</a>	Maintaining Logical Systems	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
37	<a href="#">BD55</a>	Maintain IDoc Conversion	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
38	<a href="#">BD55OLD</a>	Maintain IDoc Conversion	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
39	<a href="#">BD56</a>	Maintain IDoc Segment Filters	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
40	<a href="#">BD57</a>	Maintain link and serialization ty.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
41	<a href="#">BD58</a>	Convert organizational units	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
42	<a href="#">BD59</a>	Allocation object type -> IDoc type	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
43	<a href="#">BD60</a>	Additional data for message type	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
44	<a href="#">BD61</a>	Activate Change Pointers - Generally	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
45	<a href="#">BD62</a>	Define Segment Conversion Rule	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
46	<a href="#">BD62OLD</a>	Define Segment Conversion Rule	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
47	<a href="#">BD63</a>	Transport ALE Tables of Message Type	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
48	<a href="#">BD64</a>	Maintenance of Distribution Model	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
49	<a href="#">BD65</a>	Maintain IDoc type required fields	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
50	<a href="#">BD66</a>	IDoc type field -> change doc.field	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
51	<a href="#">BD67</a>	Maintain methods (inbound)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
52	<a href="#">BD68</a>	Maintain Lists	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
53	<a href="#">BD68OLD</a>	Maintain Lists	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
54	<a href="#">BD69</a>	Assignment of Message Type to IDoc	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
55	<a href="#">BD70</a>	Synchronize Number Ranges	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
56	<a href="#">BD71</a>	Define FM for dependent bus. object	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
57	<a href="#">BD72</a>	Activate Events	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
58	<a href="#">BD73</a>	Reposting of IDocs (ALE)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
59	<a href="#">BD75</a>	Convert IDoc Status	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
60	<a href="#">BD77</a>	Distribution of control data	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
61	<a href="#">BD78</a>	Monitoring control data distribution	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
62	<a href="#">BD79</a>	Maintain IDoc Conversion Rules	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
63	<a href="#">BD79OLD</a>	Maintain IDoc Conversion Rules	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
64	<a href="#">BD81</a>	Filter objects parameter filtering	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
65	<a href="#">BD82</a>	Generate Partner Profiles	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
66	<a href="#">BD83</a>	Send IDocs after an ALE error	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
67	<a href="#">BD84</a>	Post IDocs after ALE error	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
68	<a href="#">BD87</a>	Status Monitor for ALE Messages	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
69	<a href="#">BD89</a>	Control data model. - initial screen	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
70	<a href="#">BD95</a>	Specify ALE object types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
71	<a href="#">BD96</a>	filter objects of receiver determin.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
72	<a href="#">BD97</a>	Assign RFC dest. to Logical Systems	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
73	<a href="#">BD98</a>	Consistency Check Workflow Connectn.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
74	<a href="#">BD99</a>	Message type dependencies	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
75	<a href="#">BDA1</a>	Call RSARFCEX	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
76	<a href="#">BDA4</a>	Specify ALE object types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
77	<a href="#">BDBG</a>	Create ALE Interface for BAPI	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
78	<a href="#">BDBP</a>	Hierarchy maintenance of BAPI param.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
79	<a href="#">BDBS</a>	Generate coding for mapping	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
80	<a href="#">BDC5</a>	Consistency of Customizing Data	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
81	<a href="#">BDCCC</a>	Check Center: ALE Basis Cust. Data	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
82	<a href="#">BDCCV</a>	Maintain Items	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
83	<a href="#">BDCCP</a>	Number Range Maintenance: ALE_CP	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
84	<a href="#">BDCPMIG</a>	Migrate Change Pointers	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>



## BC-MID - Middleware

#	T-Code	Description	Module	Component
85	<a href="#">BDFG</a>	ALE Interfaces from Function Module	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
86	<a href="#">BDLS</a>	Convert Logical System Names	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
87	<a href="#">BDLSC</a>	Objects for Special Treatment	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
88	<a href="#">BDLSM</a>	Definition of Conversion Matrix	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
89	<a href="#">BDLSS</a>	Conversion of Logical System Names	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
90	<a href="#">BDLST</a>	Start Conversion Process	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
91	<a href="#">BDM2</a>	Monitoring: IDocs in Receiving Sys.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
92	<a href="#">BDM5</a>	Technical Consistency Check	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
93	<a href="#">BDM6</a>	Monitor: Check input workflow	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
94	<a href="#">BDM7</a>	ALE Audit: statistical analyses	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
95	<a href="#">BDM8</a>	ALE Audit: Sending the confirmations	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
96	<a href="#">BDM9</a>	Reorganizing the audit database	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
97	<a href="#">BDMO</a>	ALE CCMS Group Administration	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
98	<a href="#">BDMONIC</a>	ALE CCMS Monitoring Objects (Detail)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
99	<a href="#">BDMONIC2</a>	ALE CCMS Monitor Objects (General)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
100	<a href="#">BDMONIC3</a>	ALE CCMS Monitor Branch	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
101	<a href="#">BDR1</a>	Display application log for recovery	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
102	<a href="#">BDR2</a>	Reorganization of recovery data	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
103	<a href="#">BDRC</a>	ALE: Determine Recovery Objects	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
104	<a href="#">BDRL</a>	ALE: Process recovery objects	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
105	<a href="#">BDTP</a>	Business Process- Maintain Templates	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
106	<a href="#">BDWE02</a>	Call we02	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
107	<a href="#">BDWE02_2</a>	Empty Input Field in SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
108	<a href="#">BDXA</a>	Distribution of Distribution Groups	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
109	<a href="#">BDXD</a>	Import of ALE Requests	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
110	<a href="#">BDXE</a>	Generation of ALE Requests	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
111	<a href="#">BDXI</a>	Model Display (Specific)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
112	<a href="#">BDXJ</a>	Maintenance of Distribution Groups	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
113	<a href="#">BDXK</a>	Convert CONDAT Objects in Dist. Grp	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
114	<a href="#">BDXL</a>	Forward ALE Requests	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
115	<a href="#">BDXM</a>	Analysis of Log Table	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
116	<a href="#">BDXN</a>	Analyze Inbound Log Table	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
117	<a href="#">BDXQ</a>	IMG Display of Distribution Groups	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
118	<a href="#">BMV0</a>	Manage Data Transfers	<a href="#">BC-MID-ALE-UTI</a>	<a href="#">SAP ABA</a>
119	<a href="#">BMVN</a>	Number Range Maintenance: DI_JOBID	<a href="#">BC-MID-ALE-UTI</a>	<a href="#">SAP ABA</a>
120	<a href="#">EMAIL</a>	SAPconnect Easy EMail	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
121	<a href="#">HTTP_WHL_TMP</a>	Help Transaction HTTP_WHITEILIST_S	<a href="#">BC-MID-ICEF</a>	<a href="#">SAP BASIS</a>
122	<a href="#">IDOC</a>	IDoc: Repair and check programs	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
123	<a href="#">IDX1</a>	Port Maintenance in IDoc Adapter	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
124	<a href="#">IDX2</a>	Meta Data Overview in IDoc Adapter	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
125	<a href="#">IMCDISPATC H</a>	Forward IMC Event	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
126	<a href="#">IMCTST</a>	IMC Test Monitor	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
127	<a href="#">IMCTX</a>	Intermode Communication	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
128	<a href="#">OBDU</a>	Job Names for Data Transfers	<a href="#">BC-MID-ALE-UTI</a>	<a href="#">SAP ABA</a>
129	<a href="#">OYEA</a>	IDoc administration	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
130	<a href="#">OYEB</a>	Event coupling for IDoc inbound	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
131	<a href="#">OYEC</a>	Delete codes for process technology	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
132	<a href="#">OYED</a>	Conversion EDIS -> EDIR	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
133	<a href="#">OYSM</a>	Number Range tRFC Port	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
134	<a href="#">OYSN</a>	Number Range IDoc	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
135	<a href="#">OYSO</a>	Number Range R/2 Mailbag	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
136	<a href="#">OYSP</a>	Process codes <-> standard tasks	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
137	<a href="#">OYSQ</a>	Number range for R/2-R/3 linkage	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
138	<a href="#">PROCESS_ADMIN_SERVICES</a>	Processing of ICF Admin Services	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
139	<a href="#">RBDAPP01</a>	Variante for RBDAPP01	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
140	<a href="#">RBDCONCH</a>	Variant for RBDCONCH	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
141	<a href="#">RBDPCCLR</a>	Variant for RBDPCCLR	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
142	<a href="#">RBDMANI2</a>	Variant for RBDMANI2	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
143	<a href="#">RBDMIDOC</a>	Variant for RBDMIDOC	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
144	<a href="#">RBDMOIND</a>	Variant for RBDMOIND	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
145	<a href="#">RBDSER01</a>	Variant for RBDSER01	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
146	<a href="#">RBDSTATE</a>	Variant for RBDSTATE	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
147	<a href="#">REASSIGN_ADMIN_SERVICES</a>	Reassignment of Admin ICF Services	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
148	<a href="#">RSARFCEX</a>	Variant for RSARFCEX	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
149	<a href="#">RSEIDOCA</a>	Active IDoc Monitoring with Workflow	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
150	<a href="#">RSEIDOCM</a>	Variant for RSEIDOCA	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
151	<a href="#">RSEOUT00</a>	Variant for RSEOUT00	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
152	<a href="#">SABAP_CHANNELS</a>	Unified Connectivity AMC APC Browser	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
153	<a href="#">SALE</a>	Display ALE Customizing	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
154	<a href="#">SAMC</a>	ABAP Messaging Channel Browser	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
155	<a href="#">SAPC</a>	ABAP Messaging Channel Browser	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
156	<a href="#">SAPC_CROSS_ORIGIN</a>	Processing of APC Cross Origin table	<a href="#">BC-MID-AC</a>	<a href="#">SAP BASIS</a>
157	<a href="#">SBGRFCCONF</a>	bgRFC Configuration	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
158	<a href="#">SBGRFCHIST</a>	Display Unit History	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
159	<a href="#">SBGRFCMON</a>	bgRFC Monitor	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
160	<a href="#">SBGRFCPERFMON</a>	bgRFC Performance Monitor	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
161	<a href="#">SBGRFCSCHEDMON</a>	bgRFC Scheduler Monitor	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
162	<a href="#">SBPT</a>	Administration Process Technology	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
163	<a href="#">SICF</a>	HTTP Service Hierarchy Maintenance	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
164	<a href="#">SICFRECORDER</a>	ICF: Display Recorded Objects	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
165	<a href="#">SICFREC_SHOW</a>	Display ICFRECORDER Entry	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
166	<a href="#">SICF_INST</a>	Activate Service During Installation	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
167	<a href="#">SLDQMON</a>	LDQ Monitor	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
168	<a href="#">SM58</a>	Asynchronous RFC Error Log	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
169	<a href="#">SM580</a>	Transaction for Drag & Relate	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
170	<a href="#">SM59</a>	RFC Destinations (Display/Maintain)	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
171	<a href="#">SM59_TEST</a>	Test destination maintenance	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
172	<a href="#">SMQ1</a>	qRFC Monitor (Outbound Queue)	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
173	<a href="#">SMQ2</a>	qRFC Monitor (Inbound Queue)	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
174	<a href="#">SMQ3</a>	qRFC Monitor (Saved E-Queue)	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
175	<a href="#">SMQA</a>	tRFC/qRFC: Confirm. status & data	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
176	<a href="#">SMQE</a>	qRFC Administration	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
177	<a href="#">SMQR</a>	Registration of Inbound Queues	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
178	<a href="#">SMQS</a>	Registration of Destinations	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
179	<a href="#">SMT1</a>	Trusted-Trusting Connections	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
180	<a href="#">SMT2</a>	Trusted-Trusting Connections	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
181	<a href="#">SMTACL</a>	Trust Relationship Access Control	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
182	<a href="#">SMTACL_HIS T</a>	Change Documents for SMTACL	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
183	<a href="#">SPBM</a>	Monitoring parallel background tasks	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
184	<a href="#">SPBT</a>	Test: Parallel background tasks	<a href="#">BC-MID-RFC</a>	<a href="#">SAP BASIS</a>
185	<a href="#">SRTIDOC</a>	Inbound SOAP: Register Service	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
186	<a href="#">S_B6A_520000 03</a>	(empty)	<a href="#">BC-MID-ICEF</a>	<a href="#">SAP BASIS</a>
187	<a href="#">S_B6A_520000 04</a>	IMG Activity: SICF	<a href="#">BC-MID-ICEF</a>	<a href="#">SAP BASIS</a>
188	<a href="#">S_B9R_990000 06</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
189	<a href="#">S_BCE_680002 94</a>	IMG Activity: OALE_RBDSERCHECK	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
190	<a href="#">S_BCE_68000295</a>	IMG Activity: OALE_MAINTAIN_TBD55	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
191	<a href="#">S_BCE_68000296</a>	IMG Activity: OALE_MAINTAIN_TBD56	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
192	<a href="#">S_BCE_68000297</a>	IMG Activity: OALE_SERDIST_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
193	<a href="#">S_BCE_68000299</a>	IMG Activity: OALE_INPUTVAR_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
194	<a href="#">S_BCE_68000300</a>	IMG Activity: OALE_STATUSJOB_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
195	<a href="#">S_BCE_68000301</a>	IMG Activity: OALE_SENDDVARMMSG_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
196	<a href="#">S_BCE_68000302</a>	IMG Activity: OALE_LISTMODELL_BD64	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
197	<a href="#">S_BCE_68000303</a>	IMG Activity: OALE_LISTINGS_BD68	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
198	<a href="#">S_BCE_68000304</a>	IMG Activity: OALE_SERDIST_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
199	<a href="#">S_BCE_68000305</a>	IMG Activity: OALE_IDOCRED_BD53	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
200	<a href="#">S_BCE_68000306</a>	IMG Activity: OALE_VARIANTMSG_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
201	<a href="#">S_BCE_68000307</a>	IMG Activity: OALE_VARIANTMSG_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
202	<a href="#">S_BCE_68000308</a>	IMG Activity: OALE_CHGPNTMSGT_BD50	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
203	<a href="#">S_BCE_68000309</a>	IMG Activity: OALE_CHGPNTRALL_BD61	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
204	<a href="#">S_BCE_68000311</a>	IMG Activity: OALE_SERGRP_INBOUND	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
205	<a href="#">S_BCE_68000312</a>	IMG Activity: OALE_SERGRP_MODEL	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
206	<a href="#">S_BCE_68000313</a>	IMG Activity: OALE_SERGRP_ASSIGN	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
207	<a href="#">S_BCE_68000314</a>	IMG Activity: OALE_FILTEROUT_BD56	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
208	<a href="#">S_BCE_68000315</a>	IMG Activity: OALE_MSGTRANS_BD63	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
209	<a href="#">S_BCE_68000316</a>	IMG Activity: SIMG_CFMENUOEDIWE46	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
210	<a href="#">S_BCE_68000318</a>	IMG Activity: OALE_WFBASICS	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
211	<a href="#">S_BCE_68000319</a>	IMG Activity: OALE_ACTIVMONI_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
212	<a href="#">S_BCE_68000320</a>	IMG Activity: OALE_ACTIVMONI_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
213	<a href="#">S_BCE_68000321</a>	IMG Activity: OALE_ERRPROCEDURE_WE40	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
214	<a href="#">S_BCE_68000324</a>	IMG Activity: OALE_AUTOPARTN_BD82	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
215	<a href="#">S_BCE_68000325</a>	IMG Activity: OALE_PRTNRDEFOU_WE20	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
216	<a href="#">S_BCE_68000326</a>	IMG Activity: OALE_MODMAINT_BD64	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
217	<a href="#">S_BCE_68000327</a>	IMG Activity: OALE_AUDITJOB_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
218	<a href="#">S_BCE_68000328</a>	IMG Activity: OALE_IDOCONVOUT_BD55	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
219	<a href="#">S_BCE_68000332</a>	IMG Activity: OALE_INPUTJOB_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
220	<a href="#">S_BCE_68000333</a>	IMG Activity: OALE_CUSPARTCHK_BDM3	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
221	<a href="#">S_BCE_68000334</a>	IMG Activity: OALE_AUDITVAR_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
222	<a href="#">S_BCE_68000335</a>	IMG Activity: SVARA	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
223	<a href="#">S_BCE_68000336</a>	IMG Activity: OALE_CONSCHECK_SM36	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
224	<a href="#">S_BCE_68000337</a>	IMG Activity: OALE_CONSCHECK_SE38	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
225	<a href="#">S_BCE_68000338</a>	IMG Activity: OALE_COMPNRANGE_BD70	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
226	<a href="#">S_BCE_68000339</a>	IMG Activity: OALE_PORTDESCRP_WE21	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
227	<a href="#">S_BCE_68000340</a>	IMG Activity: OALE_USER_DIST_CENTR	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
228	<a href="#">S_BCE_68000341</a>	IMG Activity: OALE_USER_DIST_FIELD	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
229	<a href="#">S_BCE_68000342</a>	IMG Activity: OALE_LOGSYSDEST_BD97	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
230	<a href="#">S_BCE_68000343</a>	IMG Activity: OALE_USER_DIST_NEW	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
231	<a href="#">S_BCE_68000344</a>	IMG Activity: OALE_RFCDEST_SM59	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
232	<a href="#">S_BCE_680003</a> <a href="#">45</a>	IMG Activity: OALE_USER_DIST_MODEL	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
233	<a href="#">S_BCE_680003</a> <a href="#">48</a>	IMG Activity: OALE_STATUSJOB_SM36	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
234	<a href="#">S_BCE_680003</a> <a href="#">49</a>	IMG Activity: OALE_ISOCODES	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
235	<a href="#">S_BCE_680003</a> <a href="#">50</a>	IMG Activity: OALE_STATUSVAR_SE38	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
236	<a href="#">S_BCE_680003</a> <a href="#">53</a>	IMG Activity: OBIL-ALE-11	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
237	<a href="#">S_BCE_680003</a> <a href="#">54</a>	IMG Activity: OALE_CHECKCONTRMODEL	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
238	<a href="#">S_BCE_680003</a> <a href="#">56</a>	IMG Activity: OALE_AUTHOR_SU03	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
239	<a href="#">S_BCE_680003</a> <a href="#">58</a>	IMG Activity: OALE_NUMCHGPNTR_BDCP	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
240	<a href="#">S_BCE_680003</a> <a href="#">59</a>	IMG Activity: OALE_PORTNUMR_OYSM	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
241	<a href="#">S_BCE_680003</a> <a href="#">60</a>	IMG Activity: OALE_LSYS_RENAME	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
242	<a href="#">S_BCE_680003</a> <a href="#">61</a>	IMG Activity: OBIL-ALE-12	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
243	<a href="#">S_BCE_680003</a> <a href="#">62</a>	IMG Activity: OALE_CONTROLMOD_BD64	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
244	<a href="#">S_BCE_680003</a> <a href="#">63</a>	IMG Activity: SIMG_OBPTAUTOCUSTOM	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
245	<a href="#">S_BCE_680003</a> <a href="#">64</a>	IMG Activity: SIMG_OBPTEVENTCOUP	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
246	<a href="#">S_BCE_680003</a> <a href="#">65</a>	IMG Activity: SIMG_CFMENUOEDIWE46	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
247	<a href="#">S_BCE_680003</a> <a href="#">66</a>	IMG Activity: SIMG_OBPTDEFAULT	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
248	<a href="#">S_BCE_680003</a> <a href="#">67</a>	IMG Activity: SIMG_OBPTIMAGING	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
249	<a href="#">S_BCE_680003</a> <a href="#">68</a>	IMG Activity: EDI-03	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
250	<a href="#">S_BCE_680003</a> <a href="#">69</a>	IMG Activity: SIMG_OBPTNUMBERRANGE	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
251	<a href="#">S_BCE_680003</a> <a href="#">70</a>	IMG Activity: SIMG_OBPTFEHLER	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>
252	<a href="#">S_BCE_680003</a> <a href="#">71</a>	IMG Activity: SIMG_OBPTEDISEDIR	<a href="#">BC-MID- ALE</a>	<a href="#">SAP BASIS</a>



## BC-MID - Middleware

#	T-Code	Description	Module	Component
253	<a href="#">S_BCE_68000372</a>	IMG Activity: SIMG_OBPTDELOLDAPPL	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
254	<a href="#">S_BCE_68000394</a>	S_BCE_68000394	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
255	<a href="#">S_BCE_68000542</a>	S_BCE_68000542	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
256	<a href="#">S_BCE_68000561</a>	S_BCE_68000561	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
257	<a href="#">S_BCE_68000562</a>	S_BCE_68000562	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
258	<a href="#">S_BCE_68000565</a>	S_BCE_68000565	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
259	<a href="#">S_BCE_68000614</a>	S_BCE_68000614	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
260	<a href="#">S_BCE_68000615</a>	S_BCE_68000615	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
261	<a href="#">S_BCE_68000650</a>	S_BCE_68000650	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
262	<a href="#">S_BCE_68000651</a>	S_BCE_68000651	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
263	<a href="#">S_BCE_68000657</a>	S_BCE_68000657	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
264	<a href="#">S_BCE_68000659</a>	S_BCE_68000659	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
265	<a href="#">S_BCE_68000661</a>	S_BCE_68000661	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
266	<a href="#">S_BCE_68000662</a>	S_BCE_68000662	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
267	<a href="#">S_BCE_68000663</a>	S_BCE_68000663	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
268	<a href="#">S_BCE_68001272</a>	S_BCE_68001272	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
269	<a href="#">S_BCE_68001451</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
270	<a href="#">S_BCE_68001581</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
271	<a href="#">S_BCE_68001598</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
272	<a href="#">S_BCE_68001610</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
273	<a href="#">S_BCE_68001611</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
274	<a href="#">S_BCE_680019</a> <a href="#">12</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
275	<a href="#">S_BCE_680019</a> <a href="#">13</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
276	<a href="#">S_BCE_680019</a> <a href="#">15</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
277	<a href="#">S_BCE_680019</a> <a href="#">16</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
278	<a href="#">S_BCE_680019</a> <a href="#">17</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
279	<a href="#">S_BCE_680019</a> <a href="#">19</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
280	<a href="#">S_BCE_680019</a> <a href="#">20</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
281	<a href="#">S_BCE_680019</a> <a href="#">21</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
282	<a href="#">S_BCE_680019</a> <a href="#">22</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
283	<a href="#">S_BCE_680019</a> <a href="#">30</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
284	<a href="#">S_BCE_680019</a> <a href="#">31</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
285	<a href="#">S_BCE_680019</a> <a href="#">32</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
286	<a href="#">S_BCE_680019</a> <a href="#">80</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
287	<a href="#">S_BCE_680019</a> <a href="#">81</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
288	<a href="#">S_BCE_680019</a> <a href="#">82</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
289	<a href="#">S_BCE_680019</a> <a href="#">83</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
290	<a href="#">S_BCE_680019</a> <a href="#">84</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
291	<a href="#">S_BCE_680020</a> <a href="#">02</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
292	<a href="#">S_BCE_680020</a> <a href="#">03</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
293	<a href="#">S_BCE_680020</a> <a href="#">04</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
294	<a href="#">S_BCE_680020</a> <a href="#">05</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
295	<a href="#">S_BCE_68002006</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
296	<a href="#">S_BCE_68002100</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
297	<a href="#">S_BCE_68002101</a>	(empty)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
298	<a href="#">S_BIE_59000235</a>	x	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
299	<a href="#">S_BIE_59000236</a>	x	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
300	<a href="#">S_BIN_67000029</a>	IMG Activity: SICF_INST	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
301	<a href="#">S_BIN_67000032</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
302	<a href="#">S_BIN_67000033</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
303	<a href="#">S_BIN_67000034</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
304	<a href="#">S_BIN_67000035</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
305	<a href="#">S_BIN_67000036</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
306	<a href="#">S_BIN_67000037</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
307	<a href="#">S_BIN_67000038</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
308	<a href="#">S_BIN_67000039</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
309	<a href="#">S_BIN_67000040</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
310	<a href="#">S_BIN_67000041</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
311	<a href="#">S_BIN_67000042</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
312	<a href="#">S_BIN_67000043</a>	(empty)	<a href="#">BC-MID-RFC-BG</a>	<a href="#">SAP BASIS</a>
313	<a href="#">UCONCOCKPIT</a>	Unified Connectivity Cockpit	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
314	<a href="#">UCONCONF</a>	Unified Connectivity Configuration	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
315	<a href="#">UCONMON</a>	UCON relevant Statistic Records	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
316	<a href="#">UCONPHTL</a>	Phase Tool Unified Connectivity	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
317	<a href="#">UCONROLE</a>	Unified Connectivity Role Builder	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
318	<a href="#">UCON_CHG_DOCUMENTS</a>	Change Documents for UCON entities	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
319	<a href="#">UCON_CHG_DOC_SIMPLE</a>	Simple Selection for UCON Change Doc	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
320	<a href="#">UCON_WORK_LIST</a>	Worlist for UCON	<a href="#">BC-MID-ICF</a>	<a href="#">SAP BASIS</a>
321	<a href="#">WE02</a>	Display IDoc	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
322	<a href="#">WE05</a>	IDoc Lists	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
323	<a href="#">WE06</a>	Active IDoc monitoring	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
324	<a href="#">WE07</a>	IDoc statistics	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
325	<a href="#">WE08</a>	Status File Interface	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
326	<a href="#">WE09</a>	Search for IDocs by Content	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
327	<a href="#">WE10</a>	Search for IDocs by Content	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
328	<a href="#">WE11</a>	Delete IDocs	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
329	<a href="#">WE12</a>	Test Modified Inbound File	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
330	<a href="#">WE14</a>	Test Outbound Processing	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
331	<a href="#">WE15</a>	Test Outbound Processing from MC	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
332	<a href="#">WE16</a>	Test Inbound File	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
333	<a href="#">WE17</a>	Test Status File	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
334	<a href="#">WE18</a>	Generate Status File	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
335	<a href="#">WE19</a>	Test tool	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
336	<a href="#">WE20</a>	Partner Profiles	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
337	<a href="#">WE20BGRFC</a>	Settings for Inb. Proc. Using bgRFC	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
338	<a href="#">WE21</a>	Port definition	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
339	<a href="#">WE23</a>	Verification of IDoc processing	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
340	<a href="#">WE24</a>	DefaultValuesForOutboundParameters	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
341	<a href="#">WE27</a>	DefaultValues for Inbound Parameters	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
342	<a href="#">WE30</a>	IDoc Type Development	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
343	<a href="#">WE31</a>	Development IDoc Segment	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
344	<a href="#">WE32</a>	Development IDoc View	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
345	<a href="#">WE34</a>	Object for Display of XML IDocs	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
346	<a href="#">WE35</a>	Mapping of IDoc Types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
347	<a href="#">WE36</a>	Mapping of Segments	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
348	<a href="#">WE40</a>	IDoc Administration	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
349	<a href="#">WE41</a>	Process codes, outbound	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
350	<a href="#">WE42</a>	Process codes, inbound	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
351	<a href="#">WE43</a>	Funct.module: Status record display	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
352	<a href="#">WE44</a>	Partner Types and Checks	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
353	<a href="#">WE45</a>	Forward (inbound) (V3, EDILOGADR)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
354	<a href="#">WE46</a>	Error and Status Processing	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
355	<a href="#">WE47</a>	Status Maintenance	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
356	<a href="#">WE50</a>	System process codes: Texts	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
357	<a href="#">WE51</a>	System process codes: Change texts	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
358	<a href="#">WE54</a>	FMs for changing file names	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
359	<a href="#">WE55</a>	Function Module for Path Names	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
360	<a href="#">WE56</a>	IDoc Administration	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
361	<a href="#">WE57</a>	Assignment Messages for Appl. Objs	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
362	<a href="#">WE58</a>	Status process codes: Texts	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
363	<a href="#">WE59</a>	Change status process codes	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
364	<a href="#">WE60</a>	Documentation for IDoc types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
365	<a href="#">WE61</a>	Documentation for IDoc record types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
366	<a href="#">WE62</a>	Documentation for segments	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
367	<a href="#">WE63</a>	Documentation	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
368	<a href="#">WE64</a>	Documentation message types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
369	<a href="#">WE70</a>	Conversion: Basic types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
370	<a href="#">WE71</a>	Conversion: Extensions	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
371	<a href="#">WE72</a>	Conversion: IDoc types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
372	<a href="#">WE73</a>	Conversion: Logical messages	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
373	<a href="#">WE81</a>	Logical message types	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
374	<a href="#">WE82</a>	Assign Messages for IDoc Type	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
375	<a href="#">WE84</a>	Assignment of IDoc and appl. fields	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
376	<a href="#">WE85</a>	Create Rule Names	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
377	<a href="#">WE85 EOIO</a>	Rule Name Creation IDOC EOIO	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
378	<a href="#">WE85 INBOUND</a>	Rule Name Creation for Inbound Proc.	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

## BC-MID - Middleware

#	T-Code	Description	Module	Component
379	<a href="#">WE86</a>	Assignment Segm.Type and Lang.Field	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
380	<a href="#">WE87</a>	Load MDMP Information	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
381	<a href="#">WEADM</a>	ALE Debugging Control	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
382	<a href="#">WECHECK</a>	Structure Check IDoc	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
383	<a href="#">WECO</a>	System Process Codes	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
384	<a href="#">WECP</a>	Status CPIC Interface	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
385	<a href="#">WECRYPTDISPLAY</a>	Fields for Encrypted Display	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
386	<a href="#">WEDI</a>	EDI Basis	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
387	<a href="#">WEIDOCDAAG</a>	IDoc Residence Times	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
388	<a href="#">WEINBQUEUE</a>	IDoc Inbound Queue	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
389	<a href="#">WEL0</a>	Forward (inbound) (EDILOGADR)	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
390	<a href="#">WELI</a>	Maintain Status Groups	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
391	<a href="#">WENOLINKS</a>	Deactivate Link	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
392	<a href="#">WEOUTQUEUE</a>	IDoc Outbound Queue	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
393	<a href="#">WEQDEL</a>	Delete Inbound IDoc Queue	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
394	<a href="#">WEWL</a>	Maintain Positive Lists for Ports	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>
395	<a href="#">WPIE</a>	Inbound modified IDocs	<a href="#">BC-MID-ALE</a>	<a href="#">SAP BASIS</a>

**SAP TCodes in Module**

**BC-MOB**

**SAP NetWeaver Mobile - Use  
subcomponents**



## BC-MOB - SAP NetWeaver Mobile - Use subcomponents

#	T-Code	Description	Module	Component
1	<a href="#">ALRTMON</a>	Alert Monitor	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
2	<a href="#">DEVICE_CON FIG</a>	Device Configuration	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
3	<a href="#">MCD</a>	MI:Process Mobile Component	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
4	<a href="#">MEMON_CUS T</a>	Activating monitoring for RC-monitor	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
5	<a href="#">MEMPADELI M</a>	Maintain Delimiters for Message	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
6	<a href="#">MEREP_BWA FDEL</a>	delivery of BWAFMAPP entries	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
7	<a href="#">MEREP_DISP DQ</a>	DSD Transaction - Download Queue	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
8	<a href="#">MEREP_DISP UQ</a>	DSD Transaction - Upload Queue	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
9	<a href="#">MEREP_DWN L_T01</a>	Initial download T01	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
10	<a href="#">MEREP_DWN L_T01_MOD</a>	Download T01 with modifications	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
11	<a href="#">MEREP_EMU LATE</a>	Calls the Report MEREP_EMULATOR	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
12	<a href="#">MEREP_EX_R EPLIC</a>	Execute Replicator	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
13	<a href="#">MEREP_GEN ALL</a>	Transaction to generate all	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
14	<a href="#">MEREP_LOG</a>	Activity Log	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
15	<a href="#">MEREP_MBL</a>	deletion of obsolete mobile ids	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
16	<a href="#">MEREP_MIG</a>	Migration	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
17	<a href="#">MEREP_MON</a>	Mobile Monitor	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
18	<a href="#">MEREP_PD</a>	Profile Dialog	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
19	<a href="#">MEREP_PURG E</a>	Purge Tool	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
20	<a href="#">MEREP_REPA IR</a>	Repair critical tables in MI	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
21	<a href="#">MEREP_SBUI LDER</a>	SyncBO Builder	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
22	<a href="#">ME_RTRACE</a>	Client Trace Settings	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
23	<a href="#">ME_WIZARD</a>	ME: Registration and Generation	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
24	<a href="#">MGMT</a>	Device Configuration	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
25	<a href="#">MGMT_ADMI N</a>	Device Configuration	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
26	<a href="#">MGMT_AUTH ORITY</a>	Edit Authorizations	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>

## BC-MOB - SAP NetWeaver Mobile - Use subcomponents

#	T-Code	Description	Module	Component
27	<a href="#">MGMT_CUST OMIZING</a>	Screen Control for Device Config.	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
28	<a href="#">MGMT_DEV_I DTXT</a>	Assign Text to Device ID	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
29	<a href="#">MGMT_PARA</a>	Assign Configuration Parameters	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
30	<a href="#">MGMT_PARA _COND</a>	Parameter Conditions	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
31	<a href="#">MGMT_PARA _PATT</a>	Set Device Configuration Parameters	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
32	<a href="#">MGMT_PARA _PROP</a>	Get Parameter Properties	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
33	<a href="#">MGMT_SERVI CE</a>	Assign Agents to Monitoring Function	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
34	<a href="#">MGMT_TYPE S</a>	Device Configuration - Types	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
35	<a href="#">MI_ALBACK</a>	Back Up CCMS Alerts for MI	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
36	<a href="#">MI_ALMON</a>	Alert Monitor for MI Alerts	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
37	<a href="#">MI_CLOGMO N</a>	Client Log Analysis	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
38	<a href="#">MI_CONFIG C LIENTS</a>	Configuration of MI Client	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
39	<a href="#">MI_MCD</a>	MI:Process Mobile Component	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
40	<a href="#">MI_MSD</a>	MI:Process Mobile Component	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
41	<a href="#">MI_SYNEWS</a>	MI SystemNews	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
42	<a href="#">MPACONTAC T</a>	MPA with MEREP_CONTACT (sample app.)	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
43	<a href="#">MPAMSGTEM PL</a>	Maintain Message Template	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
44	<a href="#">MPA_REPLY_ CUST</a>	MPA Reply Handling	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SMOMO</a>	Mobile Engine	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
46	<a href="#">S_ABA_72000 157</a>	Alert Customizing	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
47	<a href="#">S_BCE_680022 33</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
48	<a href="#">S_BCE_680022 34</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
49	<a href="#">S_BCE_680022 35</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
50	<a href="#">S_MID_660000 01</a>	IMG	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>
51	<a href="#">S_MID_660000 02</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP BASIS</a>

## BC-MOB - SAP NetWeaver Mobile - Use subcomponents

#	T-Code	Description	Module	Component
52	<a href="#">S_MID_66000003</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP_BASIS</a>
53	<a href="#">S_MID_66000010</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP_BASIS</a>
54	<a href="#">S_MID_66000011</a>	(empty)	<a href="#">BC-MOB</a>	<a href="#">SAP_BASIS</a>

## SAP TCodes in Module

# BC-MUS

## Musing Tools

## BC-MUS - Musing Tools

#	T-Code	Description	Module	Component
1	<a href="#">APB_ISR_CUS T</a>	ISR Scenario Customizing	<a href="#">BC-MUS- LP</a>	<a href="#">SAP BASIS</a>
2	<a href="#">APB_ISR_CUS T_OVS</a>	ISR OVS Customizing	<a href="#">BC-MUS- LP</a>	<a href="#">SAP BASIS</a>
3	<a href="#">APB_LPD_CA LL_B_I_TXN</a>	Call Transaction via Batch Input	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
4	<a href="#">APB_LPD_CA LL_ISQ</a>	Launch an Infoset Query	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
5	<a href="#">APB_LPD_CA LL_TRANS</a>	APB_LPD_CALL_TRANSACTION	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
6	<a href="#">APB_LPD_RR MXP_REMOT E</a>	Call Transaction RRMXP in a remote s	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
7	<a href="#">FPB_CHANGE _APPLFIELD</a>	Change Comb. of applid fieldnam	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
8	<a href="#">FPB_DELETE PERS_DATA</a>	Delete Selected Personalization Data	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
9	<a href="#">FPB_MAINTAI N_DIALOG</a>	Personalization: Dialog Maintenance	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
10	<a href="#">FPB_MAINTAI N_HIER</a>	Personalization: Hierarchy Maint.	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
11	<a href="#">FPB_MAINTAI N_PERS_M</a>	Collective Processing of Pers. Data	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
12	<a href="#">FPB_MAINTAI N_PERS_S</a>	Individual Processing of Pers. Data	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
13	<a href="#">FPB_SHOW_P ERS_DATA</a>	Display Personalization Data	<a href="#">BC-MUS- FPB</a>	<a href="#">SAP BASIS</a>
14	<a href="#">KFM_REPORT _DETAIL</a>	Detail Display for Key Figure	<a href="#">BC-MUS- KFM</a>	<a href="#">SAP BASIS</a>
15	<a href="#">LPD_CUST</a>	Launchpad customizing	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
16	<a href="#">LPD_CUST_DI SPLAY</a>	Launchpad customizing	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
17	<a href="#">LPD_CUST_P ARAM</a>	Start Launchpad parametrized	<a href="#">BC-MUS- LP</a>	<a href="#">SAP_UI</a>
18	<a href="#">POWL_CAT</a>	Maintain POWL categories	<a href="#">BC-MUS- POW</a>	<a href="#">SAP BASIS</a>
19	<a href="#">POWL_CHIP CONFIG</a>	Maintain POWL Chip Details	<a href="#">BC-MUS- POW</a>	<a href="#">SAP BASIS</a>
20	<a href="#">POWL_COCK PIT</a>	POWL Administrator Cockpit	<a href="#">BC-MUS- POW</a>	<a href="#">SAP BASIS</a>
21	<a href="#">POWL_EASY</a>	Easy-POWL Feeder Builder	<a href="#">BC-MUS- POW</a>	<a href="#">SAP BASIS</a>

## BC-MUS - Musing Tools

#	T-Code	Description	Module	Component
22	<a href="#">POWL_QUERY</a>	Maintain POWL Query definition	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
23	<a href="#">POWL_QUERYR</a>	Maintain POWL Query role assignment	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
24	<a href="#">POWL_QUERYU</a>	Maintain POWL Query user assignment	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
25	<a href="#">POWL_TYPE</a>	Maintain POWL Type definition	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
26	<a href="#">POWL_TYPER</a>	Maintain POWL Type role assignment	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
27	<a href="#">POWL_TYPEU</a>	Maintain POWL Type user assignment	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SQ_REPORT_INFOSSET</a>	Maintenance of Report Infosets	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
29	<a href="#">S_ABA_72000251</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
30	<a href="#">S_ABA_72000252</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
31	<a href="#">S_ABA_72000253</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
32	<a href="#">S_ABA_72000254</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
33	<a href="#">S_ABA_72000255</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
34	<a href="#">S_ABA_72000256</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
35	<a href="#">S_ABA_72000257</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
36	<a href="#">S_ABA_72000258</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
37	<a href="#">S_ABA_72000259</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
38	<a href="#">S_ABA_72000260</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
39	<a href="#">S_ABA_72000261</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
40	<a href="#">S_ABA_72000262</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
41	<a href="#">S_ABA_72000263</a>	(empty)	<a href="#">BC-MUS-FPB</a>	<a href="#">SAP BASIS</a>
42	<a href="#">S_ABA_72000264</a>	(empty)	<a href="#">BC-MUS-FPB</a>	<a href="#">SAP BASIS</a>

## BC-MUS - Musing Tools

#	T-Code	Description	Module	Component
43	<a href="#">S_ABA_72000265</a>	(empty)	BC-MUS-FPB	SAP BASIS
44	<a href="#">S_ABA_72000266</a>	(empty)	BC-MUS-FPB	SAP BASIS
45	<a href="#">S_ABA_72000267</a>	(empty)	BC-MUS-FPB	SAP BASIS
46	<a href="#">S_ABA_72000268</a>	(empty)	BC-MUS-FPB	SAP BASIS
47	<a href="#">S_ABA_72000269</a>	(empty)	BC-MUS-FPB	SAP BASIS
48	<a href="#">S_ABA_72000270</a>	(empty)	BC-MUS-FPB	SAP BASIS
49	<a href="#">S_ABA_72000271</a>	(empty)	BC-MUS-FPB	SAP BASIS
50	<a href="#">S_ABA_72000272</a>	(empty)	BC-MUS-FPB	SAP BASIS
51	<a href="#">S_ABA_72000273</a>	(empty)	BC-MUS-FPB	SAP BASIS
52	<a href="#">S_ABA_72000405</a>	(empty)	BC-MUS-LP	SAP BASIS
53	<a href="#">S_ABA_72000406</a>	(empty)	BC-MUS-LP	SAP BASIS
54	<a href="#">S_ABA_72000407</a>	(empty)	BC-MUS-LP	SAP BASIS
55	<a href="#">S_B20_88000165</a>	(empty)	BC-MUS-LP	SAP_UI
56	<a href="#">S_B20_88000166</a>	(empty)	BC-MUS-LP	SAP_UI
57	<a href="#">S_B20_88000167</a>	(empty)	BC-MUS-LP	SAP_UI
58	<a href="#">S_B20_88000168</a>	(empty)	BC-MUS-LP	SAP_UI
59	<a href="#">S_B20_88000169</a>	(empty)	BC-MUS-LP	SAP_UI
60	<a href="#">S_B20_88000170</a>	(empty)	BC-MUS-LP	SAP_UI
61	<a href="#">S_B20_88000171</a>	(empty)	BC-MUS-LP	SAP_UI
62	<a href="#">S_L1B_76000020</a>	(empty)	BC-MUS-POW	SAP BASIS
63	<a href="#">S_L1B_76000021</a>	(empty)	BC-MUS-POW	SAP BASIS

## BC-MUS - Musing Tools

#	T-Code	Description	Module	Component
64	<a href="#">S_S7B_680000_35</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
65	<a href="#">S_S7B_680000_36</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
66	<a href="#">S_S7B_680000_37</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
67	<a href="#">S_S7B_680000_38</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
68	<a href="#">S_S7B_680000_39</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
69	<a href="#">S_S7B_680000_40</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
70	<a href="#">S_S7B_680000_41</a>	(empty)	<a href="#">BC-MUS-POW</a>	<a href="#">SAP BASIS</a>
71	<a href="#">S_S7B_680000_48</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
72	<a href="#">S_S7B_680000_49</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
73	<a href="#">S_S7B_680000_50</a>	(empty)	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
74	<a href="#">S_S7B_680000_56</a>	IMG Activity: SIMG_GKFM_KF_SOURCE	<a href="#">BC-MUS-KFM</a>	<a href="#">SAP BASIS</a>
75	<a href="#">WDKQ_ACTI ON_REG</a>	WDKQ InfoSet POWL type action maint.	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
76	<a href="#">WDKQ_DERE GISTER</a>	Deregister InfoSet Query @ POWL	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
77	<a href="#">WDKQ_MAIN</a>	Maintain Reporting POWL	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
78	<a href="#">WDKQ_REGIS TER</a>	Register InfoSet Query @ POWL	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
79	<a href="#">WDKQ_SEL C_RIT</a>	Maintain selection criteria	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
80	<a href="#">WDK_APPL_R EG</a>	WDK application registration	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
81	<a href="#">WDK_APPNA V</a>	Define application navigation	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
82	<a href="#">WDK_APPNA V_CHECK</a>	Check ext. appl. navigation custom.	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
83	<a href="#">WDK_EASY_S CRIPT</a>	WDK easy script creation	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>
84	<a href="#">WDK_T_SE91</a>	Variant Transaction for SE91	<a href="#">BC-MUS</a>	<a href="#">SAP_ABA</a>



## SAP TCodes in Module

# BC-PER

## SAP Screen Personas

## BC-PER - SAP Screen Personas

#	T-Code	Description	Module	Component
1	<a href="#">PERSONAS</a>	SAP Screen Personas Administration	<a href="#">BC-PER-DR</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-RRR

## Ready-to-Run R/3

## BC-RRR - Ready-to-Run R/3

#	T-Code	Description	Module	Component
1	<a href="#">CSPC</a>	Customer Specifications	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
2	<a href="#">SSAA</a>	System Administration Assistant	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
3	<a href="#">SSAA_TOP</a>	System Administration Assistant	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
4	<a href="#">SSPC</a>	SAP DEFAULT Specifications	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
5	<a href="#">SYSADM_CALL_DOCU</a>	Documentation on Task	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
6	<a href="#">SYSADM_CALL_TA</a>	Execute Task	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SYSADM_TASK</a>	System Administration: Task List	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">S_B9R_99000001</a>	System Administration Assistant	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>
9	<a href="#">S_B9R_99000002</a>	System Administration Assistant	<a href="#">BC-RRR-SAA</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-SEC

## Security

## BC-SEC - Security

#	T-Code	Description	Module	Component
1	<a href="#">OREP</a>	Start of program, etc. from IMG	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP_APPL</a>
2	<a href="#">AUTH_ASSISTANT</a>	Role Authorization Assistant	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
3	<a href="#">AUTH_DISPLAY_OBJECTS</a>	Display Active Authorization Objects	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
4	<a href="#">AUTH_SWITCH_OBJECTS</a>	Switch on/off authorizations	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
5	<a href="#">CERTMAP</a>	Certificate Assignment	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
6	<a href="#">CERTREQ</a>	Certificate enrollment	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
7	<a href="#">CERTRULE</a>	Rule based Certificate Mapping	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
8	<a href="#">CERTRULE_MIG</a>	Rule based Cert. Mapping Migration	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
9	<a href="#">CRCONFIG</a>	Certificate Revocation Configuration	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
10	<a href="#">CUSTMON1</a>	Objects in Customer Namespace	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP_BASIS</a>
11	<a href="#">EXTID_DN</a>	External Identification Type DN	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP_BASIS</a>
12	<a href="#">EXTID_ID</a>	External Identification Type ID	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP_BASIS</a>
13	<a href="#">GLOBAL_TEMPLATES</a>	Global authorization templates	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
14	<a href="#">IDM_INTEG_CUST</a>	Customizing of SPML Configuration	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP_BASIS</a>
15	<a href="#">IDM_INTEG_CUST_I</a>	Maintain SPML Configuration	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP_BASIS</a>
16	<a href="#">LDAP</a>	LDAP Customizing and Test	<a href="#">BC-SEC-DIR</a>	<a href="#">SAP_BASIS</a>
17	<a href="#">LDAPLOG</a>	Analyze LDAP Log	<a href="#">BC-SEC-DIR</a>	<a href="#">SAP_BASIS</a>
18	<a href="#">LDAPMAP</a>	Maintain LDAP Attribute Assignment	<a href="#">BC-SEC-DIR</a>	<a href="#">SAP_BASIS</a>
19	<a href="#">MENU_MIGRATION</a>	Menu Migration into New Hierarchy	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
20	<a href="#">NODE_TYPE_DEFINITION</a>	Maintain Table URL_EXITS	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP_BASIS</a>
21	<a href="#">O07C</a>	Obsolete transaction	<a href="#">BC-SEC-SSF</a>	<a href="#">SAP_BASIS</a>
22	<a href="#">OA2C_CONFIG</a>	OAuth 2.0 Configuration	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
23	<a href="#">OA2C_GRANT</a>	OAuth 2.0 Configuration	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>
24	<a href="#">OA2C_TYPES</a>	OAuth 2.0 Client Types	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
25	<a href="#">PERSREG</a>	Personalization object	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
26	<a href="#">PERS_DEFI</a>	Define Personalization Objects	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
27	<a href="#">PFCG</a>	Role Maintenance	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
28	<a href="#">PFCG_EASY</a>	Profile Generator (Easy Version)	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
29	<a href="#">PFCG_EASY_NEW</a>	saplprgn_catt	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
30	<a href="#">PFCG_OLD</a>	Maintain Old Roles	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
31	<a href="#">PFCG_OLD_M INIAPPS</a>	Maintain Table SSM_CUST	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
32	<a href="#">PFUD</a>	User Master Data Reconciliation	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
33	<a href="#">PSEMAINT</a>	PSE Management	<a href="#">BC-SEC- SSF</a>	<a href="#">SAP BASIS</a>
34	<a href="#">RBDAUD01</a>	Statistical Evaluations for AL	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
35	<a href="#">RBDCONCH BCE</a>	Consistency Check with WF Connection	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
36	<a href="#">RDDDDATC AUDIT_DISP</a>	View	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
37	<a href="#">RDDPRCHK AUDIT</a>	Customer Tables without Log	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
38	<a href="#">RDDTDDAT BCE</a>	Check Table Logging	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
39	<a href="#">RFAUDI06_BC E</a>	RFAUDI06_BCE	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
40	<a href="#">RFAUDI20_BC E</a>	Where-Used List: Authorization Obj.	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
41	<a href="#">RFTBPROT_B CE_AISFIBU</a>	AIS Financial Accounting	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
42	<a href="#">RFTBPROT_B CE_AIS_BIL</a>	AIS Financial Statements	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
43	<a href="#">RFTBPROT_B CE_AIS_FIN</a>	AIS Finances	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
44	<a href="#">RFTBPROT_B CE_AUDIT</a>	Standard Variant	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
45	<a href="#">ROLE_CMP</a>	Compare Roles	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
46	<a href="#">RSABAPSC</a>	Statistical Prog. Anal. for Search	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
47	<a href="#">RSABAUTH</a>	Transfer of Authorization Groups	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
48	<a href="#">RSABTPGP</a>	Authorization Groups	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
49	<a href="#">RSAUDITC_B CE</a>	Display Locked Transactions	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
50	<a href="#">RSAUDITM_B CE_IMPO</a>	Import Overview	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
51	<a href="#">RSAUDITM_B CE_SYSO</a>	System Overview	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
52	<a href="#">RSAUDITM_B CE_TPLGA</a>	Transport Monitor ALOG	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
53	<a href="#">RSAUDITM_B CE_TPLGS</a>	Transport Monitor SLOG	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
54	<a href="#">RSAUDIT_SY STEM_ENV</a>	Client and System Settings	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
55	<a href="#">RSAUDIT_SY STEM_ENV_X</a>	Client and System Settings	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
56	<a href="#">RSAU SELE T EVENTS</a>	Display Audit Events (Batch Proc.)	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
57	<a href="#">RSCSAUTH</a>	Maintain/Restore Authorization Group	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
58	<a href="#">RSEIDOC2</a>	IDoc List	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
59	<a href="#">RSGWLST</a>	Accessible Gateways	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
60	<a href="#">RSINFO00_BC E_AUD_MOD</a>	Customer Exits	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
61	<a href="#">RSLDAPSYNC _USER</a>	LDAP Synchronization of Users	<a href="#">BC-SEC-DIR</a>	<a href="#">SAP BASIS</a>
62	<a href="#">RSPFPAR</a>	Display profile parameter	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
63	<a href="#">RSPFPAR_AU TH</a>	Authorization All	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
64	<a href="#">RSPFPAR_CA LLSYSTEM</a>	Call System	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
65	<a href="#">RSPFPAR_GA TEWAY</a>	SAP Gateway	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
66	<a href="#">RSPFPAR_LO GIN</a>	Logon Rules	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>



## BC-SEC - Security

#	T-Code	Description	Module	Component
67	<a href="#">RSPFPAR_PR OFGEN</a>	Profile Generator	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
68	<a href="#">RSPFPAR_RF C</a>	Remote Function Call	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
69	<a href="#">RSPFPAR_SAP STAR</a>	Hardcoded SAP*	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
70	<a href="#">RSPFPAR_SN C</a>	SNC	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
71	<a href="#">RSPFPAR_SPO OL</a>	Spool Parameters	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
72	<a href="#">RSPFPAR_ST ATISTICS</a>	Workload Statistics	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
73	<a href="#">RSPFPAR_SYS LOG</a>	Syslog Parameters	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
74	<a href="#">RSPFPAR_TA BLEREC</a>	Table Recording	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
75	<a href="#">RSPFPAR_TA BLESTAT</a>	Table Access Statistics	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
76	<a href="#">RSPO0055</a>	Installation Check: Spool	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
77	<a href="#">RSRFCCHK</a>	RFC destinations with logon data	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
78	<a href="#">RSRFCSTX</a>	RFC statistics	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
79	<a href="#">RSRFCTRC</a>	RFC Trace	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
80	<a href="#">RSRSDEST</a>	System Overview Output	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
81	<a href="#">RSSCD100</a>	Display Change Documents	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
82	<a href="#">RSSCD100_P F CG</a>	Change Documents for Role Admin.	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
83	<a href="#">RSSCD100_P F CG USER</a>	For Role Assignment	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
84	<a href="#">RSSCD150</a>	Display Change Documents	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
85	<a href="#">RSSNCSR V</a>	SNC Status of Application Server	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
86	<a href="#">RSSTAT10</a>	Performance Analysis: Workload Anal.	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>
87	<a href="#">RSSTAT20</a>	Performance Analysis: Single Stats	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
88	<a href="#">RSSWOUSR</a>	List of Internet users	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
89	<a href="#">RSTBHIST</a>	Table history	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
90	<a href="#">RSTMSAMO</a>	TMS: Alert Viewer	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
91	<a href="#">RSTMSCON_VERBOSE</a>	Verbose	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
92	<a href="#">RSTMSDIC</a>	TMS: Display Configuration	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
93	<a href="#">RSUSR000</a>	Currently Active Users	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
94	<a href="#">RSUSR002_AU DIT_ABAP</a>	Users with ABAP Authorization	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
95	<a href="#">RSUSR002_AU DIT_CTS</a>	Users who can use CTS	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
96	<a href="#">RSUSR002_AU DIT_OSCL</a>	Users who can call OS commands	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
97	<a href="#">RSUSR002_AU DIT_RFC</a>	Users who can execute RFC functions	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
98	<a href="#">RSUSR002_AU DIT_UAP</a>	Update Accounting Periods	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
99	<a href="#">RSUSR002_AU DIT_UCA</a>	Update Chart of Accounts	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
100	<a href="#">RSUSR002_AU DIT_UCC</a>	Update Company Codes	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
101	<a href="#">RSUSR003</a>	Check standard user passwords	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
102	<a href="#">RSUSR007</a>	List Users	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
103	<a href="#">RSUSR200</a>	List of Users per Login Date	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
104	<a href="#">RSUSR200_INI TPASS</a>	Users with Initial Password	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
105	<a href="#">RSUSR200_P WDCHG180</a>	Unchanged for 180 Days	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
106	<a href="#">RSUSR200_UN USED30</a>	Not Logged On for 30 Days	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
107	<a href="#">RSUSR_SYS_L IC</a>	Cross-System License Data Info.	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
108	<a href="#">RSWBO004</a>	Set System Change Option	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
109	<a href="#">RSWBO040</a>	Search for Objects in Requests/Tasks	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
110	<a href="#">RSWBO040_A</a> <a href="#">UDIT_PA</a>	Requests with PA tables	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
111	<a href="#">RSWBO040_A</a> <a href="#">UDIT_USR</a>	Requests with USR tables	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
112	<a href="#">RSWBO050</a>	Analyze Objects in Orders/Tasks	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
113	<a href="#">RSWBOSSR</a>	RSWBOSSR	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
114	<a href="#">RZ27_SECURITY</a>	MiniApp CCMS Alerts Security	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
115	<a href="#">S000_OLD</a>	(empty)	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
116	<a href="#">SA38PARAMETER</a>	Schedule PFCG_TIME_DEPENDENCY	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
117	<a href="#">SACF</a>	Switchable Authorization Checks	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
118	<a href="#">SACF_COMPARE</a>	Compare Scenario-Based Checks	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
119	<a href="#">SACF_INFO</a>	Info. Sys. for Scenario-Based Checks	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
120	<a href="#">SACF_TRANSPORT</a>	Transport Scenarios (Files)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
121	<a href="#">SACM</a>	Access Control Management (CDS/DDDL)	<a href="#">BC-SEC-AUT</a>	<a href="#">SAP BASIS</a>
122	<a href="#">SACM_ADMIN_USER</a>	ACM User Administration	<a href="#">BC-SEC-AUT</a>	<a href="#">SAP BASIS</a>
123	<a href="#">SAIS</a>	AIS - Workplace	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
124	<a href="#">SAIS_ADM</a>	AIS - Log Administration	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
125	<a href="#">SAIS_LOG</a>	AIS - Log Analysis	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
126	<a href="#">SAIS_ROOT</a>	Root Node of an Audit Structure	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
127	<a href="#">SAIS_SE54_VC</a>	Show View Cluster Definition	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
128	<a href="#">SAIS_SEARCH_APPL</a>	Search for Applications	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
129	<a href="#">SAIS_SHOW_DOKU</a>	Document Module Display	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
130	<a href="#">SALE_CUA</a>	Display ALE Customizing for CUA	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
131	<a href="#">SAML2</a>	SAML 2.0 Configuration	<a href="#">BC-SEC-LGN-SML</a>	<a href="#">SAP BASIS</a>
132	<a href="#">SCUA</a>	Central User Administration	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
133	<a href="#">SCUC</a>	CUA: Synchronize company addresses	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
134	<a href="#">SCUG</a>	Transfer Users	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
135	<a href="#">SCUH</a>	Change Documents for CUA Landscape	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
136	<a href="#">SCUL</a>	Central User Administration Log	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
137	<a href="#">SCUM</a>	Central User Administration	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
138	<a href="#">SDMO</a>	Dynamic Menu (old)	<a href="#">BC-SEC-USR</a>	<a href="#">SAP BASIS</a>
139	<a href="#">SDW0_OLD</a>	ABAP Development WB Initial Screen	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
140	<a href="#">SE16RFCDESS ECU</a>	Data Browser RFCDESSECU	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
141	<a href="#">SE16T000</a>	Data Browser T000	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
142	<a href="#">SE16TXCOMS ECU</a>	Data Browser TXCOMSECU	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
143	<a href="#">SE16USR40</a>	Data Browser USR40	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
144	<a href="#">SE16USRACL</a>	Data Browser USRACL	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
145	<a href="#">SE16USRACL EXT</a>	Data Browser USRACLEXT	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
146	<a href="#">SE16V_T599R</a>	Data Browser V_T599R	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
147	<a href="#">SE16W3TREE S</a>	Data Browser W3TREES	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
148	<a href="#">SE16WWWFU NC</a>	Data Browser WWWFUNC	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
149	<a href="#">SE16WWWRE PS</a>	Data Browser WWWREPS	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
150	<a href="#">SE61D</a>	Display of SAPScript Text	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
151	<a href="#">SE97</a>	Maint. transaction call authorizatn	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
152	<a href="#">SECPOL</a>	Maintain Security Policies	<a href="#">BC-SEC-LGN</a>	<a href="#">SAP BASIS</a>
153	<a href="#">SECPOL_CHANGES</a>	Security Policy Change Documents	<a href="#">BC-SEC-LGN</a>	<a href="#">SAP BASIS</a>
154	<a href="#">SECR</a>	Obsolete: Audit Information System	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP_APPL</a>
155	<a href="#">SECSTORE</a>	Administration of Secure Storage	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
156	<a href="#">SICF_SESSIONS</a>	HTTP Session Management: Activation	<a href="#">BC-SEC-LGN</a>	<a href="#">SAP BASIS</a>
157	<a href="#">SLDW</a>	Maintain Whitelists (Workbench)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
158	<a href="#">SLDW_COMPARE</a>	Compare Generic Whitelists	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
159	<a href="#">SLDW_DEMO</a>	Generic Whitelists: Example	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
160	<a href="#">SLDW_INFO</a>	Info. System for Generic Whitelists	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
161	<a href="#">SLDW_TRANSFER</a>	Transport Whitelists (File)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
162	<a href="#">SLICENSE</a>	Administer SAP Licenses	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
163	<a href="#">SM05</a>	HTTP Session Management: Monitoring	<a href="#">BC-SEC-LGN</a>	<a href="#">SAP BASIS</a>
164	<a href="#">SM18</a>	Reorganize Security Audit Log	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
165	<a href="#">SM19</a>	Security Audit Configuration	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
166	<a href="#">SM20</a>	Analysis of Security Audit Log	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
167	<a href="#">SM20N</a>	Analysis of Security Audit Log	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
168	<a href="#">SM20_OLD</a>	Security Audit Log Evaluation (Old)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
169	<a href="#">SM30VSNCSYSACL</a>	Call of SM30 for Table VSNCSYSACL	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
170	<a href="#">SM30V_BRG</a>	Call of SM30 for View V_BRG	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
171	<a href="#">SM30V_DDAT</a>	Call of SM30 for View V_DDAT	<a href="#">BC-SEC-AIS</a>	<a href="#">SAP BASIS</a>
172	<a href="#">SM30_CUS_COUNT</a>	Maintain Table CUS_COUNT	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
173	<a href="#">SM30_CUS_INDU</a>	Maintain Table CUS_INDU	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
174	<a href="#">SM30_CUS_SYST</a>	Maintain Table CUS_SYST	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
175	<a href="#">SM30_PRGN_CUST</a>	Maintain Table SSM_CUST	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
176	<a href="#">SM30_SSM_CUST</a>	Maintain Table SSM_CUST	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
177	<a href="#">SM30_SSM_RFC</a>	Maintain Table SSM_RFC	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
178	<a href="#">SM30_SSM_V AR</a>	Maintain Table SSM_VAR	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
179	<a href="#">SM30_TVARV</a>	Call SM30 for Table TVARV	<a href="#">BC-SEC- AIS</a>	<a href="#">SAP APPL</a>
180	<a href="#">SM30_VAL_A KH</a>	Maintain Table VAL_AKH	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
181	<a href="#">SMEN</a>	Session Manager Menu Tree Display	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
182	<a href="#">SNC0</a>	SNC Access Control List: Systems	<a href="#">BC-SEC- SNC</a>	<a href="#">SAP BASIS</a>
183	<a href="#">SNC1</a>	Generate SNC name for user	<a href="#">BC-SEC- SNC</a>	<a href="#">SAP BASIS</a>
184	<a href="#">SNC2</a>	Export SNC name of user	<a href="#">BC-SEC- SNC</a>	<a href="#">SAP BASIS</a>
185	<a href="#">SNC3</a>	User initial control list 3.1-4.0	<a href="#">BC-SEC- SNC</a>	<a href="#">SAP BASIS</a>
186	<a href="#">SNC4</a>	Check canonical SNC names	<a href="#">BC-SEC- SNC</a>	<a href="#">SAP BASIS</a>
187	<a href="#">SNCCONFIG</a>	SNC Configuration	<a href="#">BC-SEC- LGN</a>	<a href="#">SAP BASIS</a>
188	<a href="#">SNCWIZARD</a>	SNC Configuration	<a href="#">BC-SEC- LGN</a>	<a href="#">SAP BASIS</a>
189	<a href="#">SOAUTH2</a>	OAuth 2.0 Configuration	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
190	<a href="#">SOAUTH2_RE VOCATION</a>	OAuth 2.0 Token Context Revocation	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
191	<a href="#">SOAUTH2_RE VOKE_ADM</a>	OAuth 2.0 Revocation - Admin Mode	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
192	<a href="#">SPERS_DIALO G</a>	Edit Personalization	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
193	<a href="#">SPERS_MAIN T</a>	Personalization object processing	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
194	<a href="#">SPERS_REUSE _DEMO</a>	Personalization Test Transaction	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
195	<a href="#">SPERS_TEST</a>	Test personalization objects	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
196	<a href="#">SPNEGO</a>	SPNego Configuration	<a href="#">BC-SEC- LGN</a>	<a href="#">SAP BASIS</a>
197	<a href="#">SRALCONFIG</a>	Read Access Logging Configuration	<a href="#">BC-SEC- RAL</a>	<a href="#">SAP BASIS</a>
198	<a href="#">SRALMANAG ER</a>	Read Access Logging Manager	<a href="#">BC-SEC- RAL</a>	<a href="#">SAP BASIS</a>
199	<a href="#">SRALMONITO R</a>	Read Access Logging Monitor	<a href="#">BC-SEC- RAL</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
200	<a href="#">SRAL_ADMIN</a>	Technical Settings for RAL	<a href="#">BC-SEC-RAL</a>	<a href="#">SAP BASIS</a>
201	<a href="#">SRAL_ALOG</a>	RAL Action log monitor	<a href="#">BC-SEC-RAL</a>	<a href="#">SAP BASIS</a>
202	<a href="#">SRAL_ELOG</a>	RAL Error Log Monitor	<a href="#">BC-SEC-RAL</a>	<a href="#">SAP BASIS</a>
203	<a href="#">SRAL_TRANS</a>	transportation of RAL configurations	<a href="#">BC-SEC-RAL</a>	<a href="#">SAP BASIS</a>
204	<a href="#">SROLE</a>	Export User Roles to XML doc.	<a href="#">BC-SEC-USR</a>	<a href="#">SAP BASIS</a>
205	<a href="#">SSFA</a>	SSF: Set Application Parameters	<a href="#">BC-SEC-SSF</a>	<a href="#">SAP BASIS</a>
206	<a href="#">SSFI</a>	IAC: Test: Browser Digital Signature	<a href="#">BC-SEC-SSF</a>	<a href="#">SAP BASIS</a>
207	<a href="#">SSFIDEMO DIGSIG</a>	Digital Signature Demo (ITS)	<a href="#">BC-SEC-SSF</a>	<a href="#">SAP BASIS</a>
208	<a href="#">SSO2</a>	Workplace Single Sign-On Admin.	<a href="#">BC-SEC</a>	<a href="#">PI BASIS</a>
209	<a href="#">SSO8</a>	Display Workplace Application Server	<a href="#">BC-SEC</a>	<a href="#">PI BASIS</a>
210	<a href="#">SSO9</a>	Maintain Workplace Applic. Server	<a href="#">BC-SEC</a>	<a href="#">PI BASIS</a>
211	<a href="#">START_AGR_GENERATOR</a>	Adjust all SAP roles	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
212	<a href="#">STAUTHTRACE</a>	Authorization Trace	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
213	<a href="#">STBRG</a>	Authorization Group Definitions	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
214	<a href="#">STBRG_GRP</a>	General Authorization Group Maint.	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
215	<a href="#">STRUST</a>	Trust Manager	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
216	<a href="#">STRUSTSSO2</a>	Trust Manager for Logon Ticket	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
217	<a href="#">STUSOBTRACE</a>	Evaluate Authorization Trace	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
218	<a href="#">SU0</a>	Maintain Own Fixed User Values	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
219	<a href="#">SU01</a>	User Maintenance	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
220	<a href="#">SU01D</a>	User Display	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
221	<a href="#">SU01_NAV</a>	User maint. to include in navigation	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
222	<a href="#">SU01_OLD</a>	User Maintenance	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
223	<a href="#">SU02</a>	Maintain Authorization Profiles	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
224	<a href="#">SU03</a>	Maintain Authorizations	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
225	<a href="#">SU05_OLD</a>	Maintain Internet Users	<a href="#">BC-SEC- USR</a>	<a href="#">SAP BASIS</a>
226	<a href="#">SU1</a>	Maintain Own User Address	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
227	<a href="#">SU10</a>	User Mass Maintenance	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
228	<a href="#">SU10_OLD</a>	User Mass Maintenance	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
229	<a href="#">SU12</a>	Mass Changes to User Master Records	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
230	<a href="#">SU2</a>	Maintain Own User Parameters	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
231	<a href="#">SU20</a>	Maintain Authorization Fields	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
232	<a href="#">SU20_BTCH</a>	Maintain Authorization Fields	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
233	<a href="#">SU21</a>	Maintain Authorization Objects	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
234	<a href="#">SU21_OLD</a>	Maintain Authorization Objects	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
235	<a href="#">SU22</a>	Maintain Authorization Defaults(SAP)	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
236	<a href="#">SU22_HISTOR Y</a>	Change Documents for Default Values	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
237	<a href="#">SU22_OLD</a>	Auth. Object Usage in Transactions	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
238	<a href="#">SU24</a>	Maintain Authorization Defaults	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
239	<a href="#">SU24_CHECK</a>	Switch Off Authorizations: Test	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
240	<a href="#">SU24_HISTOR Y</a>	Change Documents for Default Values	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
241	<a href="#">SU24_OLD</a>	Auth. Obj. Check Under Transactions	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
242	<a href="#">SU24_S_TABU _NAM</a>	SU24 for S_TABU_NAM Activation	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
243	<a href="#">SU25</a>	Upgrade Tool for Profile Generator	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
244	<a href="#">SU25_2A_SEL</a>	Authorization Defaults Comparison	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>



## BC-SEC - Security

#	T-Code	Description	Module	Component
245	<a href="#">SU25_OLD</a>	Upgrade Tool for Profile Generator	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
246	<a href="#">SU26</a>	Upgrade Tool for Profile Generator	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
247	<a href="#">SU3</a>	Maintain Users Own Data	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
248	<a href="#">SU3_OLD</a>	Maintain Users Own Data	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
249	<a href="#">SU50</a>	Own data	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
250	<a href="#">SU51</a>	Maintain Own User Address	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
251	<a href="#">SU52</a>	Maintain Own User Parameters	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
252	<a href="#">SU53</a>	Evaluate Authorization Check	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
253	<a href="#">SU55</a>	Call the Session Manager menus	<a href="#">BC-SEC-USR</a>	<a href="#">SAP BASIS</a>
254	<a href="#">SU56</a>	Analyze User Buffer	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
255	<a href="#">SU80</a>	Archive user change documents	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
256	<a href="#">SU81</a>	Archive user password change doc.	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
257	<a href="#">SU82</a>	Archive profile documents	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
258	<a href="#">SU83</a>	Archive authorization docs.	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
259	<a href="#">SU84</a>	Read Archived User Change Documents	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
260	<a href="#">SU85</a>	Read Archived Password Change Doc.	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
261	<a href="#">SU86</a>	Read Profile Change Documents	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
262	<a href="#">SU87</a>	Read Authorization Change Documents	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
263	<a href="#">SU96</a>	Table maint.: Change SUKRIA	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
264	<a href="#">SU97</a>	Table maint.: Display SUKRIA	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
265	<a href="#">SU98</a>	Call Report RSUSR008	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
266	<a href="#">SU99</a>	Call report RSUSR008	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
267	<a href="#">SUCOMP</a>	User company address maintenance	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
268	<a href="#">SUGR</a>	Maintain User Groups	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
269	<a href="#">SUGRD</a>	Display user groups	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
270	<a href="#">SUGRD_NAV</a>	Display User Groups	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
271	<a href="#">SUGR_NAV</a>	Maintain User Groups	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
272	<a href="#">SUID01</a>	Test Framework for Identity API	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
273	<a href="#">SUID10</a>	Test Framework for Ident. API (MASS)	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
274	<a href="#">SUIM</a>	User Information System	<a href="#">BC-SEC- USR-IS</a>	<a href="#">SAP BASIS</a>
275	<a href="#">SUIM_OLD</a>	Call AUTH Reporting Tree (Info Sys.)	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
276	<a href="#">SUPC</a>	Role Profiles	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
277	<a href="#">SUPN</a>	Number range maint.: PROF_VARIS	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
278	<a href="#">SUPO</a>	Maintain org. levels	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
279	<a href="#">SUPO_PREPARE</a>	Maintain Organizational Levels	<a href="#">BC-SEC- AUT-PFC</a>	<a href="#">SAP BASIS</a>
280	<a href="#">SUUM</a>	Global User Manager	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
281	<a href="#">SUUMD</a>	Display User Administration	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
282	<a href="#">SU_REFUSER_VARIABLE</a>	Maintain reference user variables	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
283	<a href="#">SU_VCUSRVARCOM_CHAN</a>	Maintain View Cluster VCUSRVARCOM	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
284	<a href="#">SU_VCUSRVARCOM_DISP</a>	Display View Cluster VCUSRVARCOM	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
285	<a href="#">SU_VCUSRVAR_CHANGE</a>	Maintain View Cluster VCUSRVAR	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
286	<a href="#">SU_VCUSRVAR_DISP</a>	Display View Cluster VCUSRVAR	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
287	<a href="#">S_BCE_680002</a> <a href="#">54</a>	IMG Activity: CFMENUSAPCFILE	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
288	<a href="#">S_BCE_680002</a> <a href="#">55</a>	IMG Activity: SIMG_CFMENUSAPCSF01	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
289	<a href="#">S_BCE_680002</a> <a href="#">56</a>	IMG Activity: SIMG_CFMENUSAPCSF07	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
290	<a href="#">S_BCE_680002</a> <a href="#">57</a>	IMG Activity: PROF_GEN_PFCG	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
291	<a href="#">S_BCE_680002</a> <a href="#">58</a>	IMG Activity: PROF_GEN_SSM1	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
292	<a href="#">S_BCE_680002</a> <a href="#">59</a>	IMG Activity: PROF_GEN_SU25	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
293	<a href="#">S_BCE_680002</a> <a href="#">60</a>	IMG Activity: PROF_GEN_PAR	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
294	<a href="#">S_BCE_680002</a> <a href="#">61</a>	IMG Activity: PROF_GEN_AUTH_OFF	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
295	<a href="#">S_BCE_680002</a> <a href="#">62</a>	IMG Activity: SIMG_APPL_LOG_NUMRA	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
296	<a href="#">S_BCE_680002</a> <a href="#">63</a>	IMG Activity: SIMG_CFMENUSAPCOY22	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
297	<a href="#">S_BCE_680002</a> <a href="#">64</a>	IMG Activity: SIMG_CFMENUSAPCOY20	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
298	<a href="#">S_BCE_680002</a> <a href="#">65</a>	IMG Activity: SIMG_CFMENUSAPCSUCU	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
299	<a href="#">S_BCE_680002</a> <a href="#">66</a>	IMG Activity: PROF_GEN_AUTH	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
300	<a href="#">S_BCE_680002</a> <a href="#">67</a>	IMG Activity: SIMG_SAPB_REC_CLIENT	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
301	<a href="#">S_BCE_680002</a> <a href="#">68</a>	IMG Activity: SIMG_SAPB_MAPPENREOR	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
302	<a href="#">S_BCE_680002</a> <a href="#">69</a>	IMG Activity: SIMG_SAPB_DUMPREORG	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
303	<a href="#">S_BCE_680002</a> <a href="#">70</a>	IMG Activity: SIMG_SAPB_SPOOLREORG	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
304	<a href="#">S_BCE_680002</a> <a href="#">71</a>	IMG Activity: USR40	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
305	<a href="#">S_BCE_680002</a> <a href="#">72</a>	IMG Activity: PROF_GEN_RHAUTUP1	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
306	<a href="#">S_BCE_680002</a> <a href="#">73</a>	IMG-Aktivität: BCDIGSI_ADMIN	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
307	<a href="#">S_BCE_680006</a> <a href="#">46</a>	S_BCE_68000646	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
308	<a href="#">S_BCE_68000647</a>	S_BCE_68000647	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
309	<a href="#">S_BCE_68001273</a>	S_BCE_68001273	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
310	<a href="#">S_BCE_68001393</a>	Users by address data	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
311	<a href="#">S_BCE_68001394</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
312	<a href="#">S_BCE_68001395</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
313	<a href="#">S_BCE_68001396</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
314	<a href="#">S_BCE_68001397</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
315	<a href="#">S_BCE_68001398</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
316	<a href="#">S_BCE_68001399</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
317	<a href="#">S_BCE_68001400</a>	Users According to Complex Criteria	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
318	<a href="#">S_BCE_68001401</a>	Critical Combinations of Auth.	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
319	<a href="#">S_BCE_68001402</a>	With Unsuccessful Logons	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
320	<a href="#">S_BCE_68001403</a>	With Critical Authorizations	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
321	<a href="#">S_BCE_68001404</a>	Profiles by Contained Profiles	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
322	<a href="#">S_BCE_68001405</a>	Profiles by Authorization Name	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
323	<a href="#">S_BCE_68001406</a>	Profiles by Values	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
324	<a href="#">S_BCE_68001407</a>	Profiles by Changes	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
325	<a href="#">S_BCE_68001408</a>	Profiles by Roles	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
326	<a href="#">S_BCE_68001409</a>	Profiles According to Complex Crit.	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
327	<a href="#">S_BCE_68001410</a>	Auth. Objects According to Complex	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
328	<a href="#">S_BCE_68001411</a>	Auth. Objects According to Complex	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
329	<a href="#">S_BCE_680014_12</a>	Auth. Objects According to Complex	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
330	<a href="#">S_BCE_680014_13</a>	Auth. Objects According to Complex	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
331	<a href="#">S_BCE_680014_14</a>	Auth. According to Complex Criteria	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
332	<a href="#">S_BCE_680014_15</a>	Authorizations by Values	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
333	<a href="#">S_BCE_680014_16</a>	Authorizations by Changes	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
334	<a href="#">S_BCE_680014_17</a>	Auth. According to Complex Criteria	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
335	<a href="#">S_BCE_680014_18</a>	Roles by Role Name	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
336	<a href="#">S_BCE_680014_19</a>	Roles by User Assignment	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
337	<a href="#">S_BCE_680014_20</a>	Roles by Transaction Assignment	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
338	<a href="#">S_BCE_680014_21</a>	Roles by Profile Assignment	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
339	<a href="#">S_BCE_680014_22</a>	Roles by Authorization Object	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
340	<a href="#">S_BCE_680014_23</a>	Roles by Authorization Values	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
341	<a href="#">S_BCE_680014_24</a>	Roles by Change Data	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
342	<a href="#">S_BCE_680014_25</a>	Roles by Complex Criteria	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
343	<a href="#">S_BCE_680014_26</a>	Transactions for User	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
344	<a href="#">S_BCE_680014_27</a>	Transactions for User	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
345	<a href="#">S_BCE_680014_28</a>	Transactions for User	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
346	<a href="#">S_BCE_680014_29</a>	Transactions for User	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
347	<a href="#">S_BCE_680014_30</a>	Compare Users	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
348	<a href="#">S_BCE_680014_31</a>	Compare Profiles	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
349	<a href="#">S_BCE_680014_32</a>	Compare Authorizations	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
350	<a href="#">S_BCE_680014</a> <a href="#">33</a>	Comparisons	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
351	<a href="#">S_BCE_680014</a> <a href="#">34</a>	Where-used lists	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
352	<a href="#">S_BCE_680014</a> <a href="#">35</a>	Where-used lists	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
353	<a href="#">S_BCE_680014</a> <a href="#">36</a>	Where-used lists	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
354	<a href="#">S_BCE_680014</a> <a href="#">37</a>	Where-used lists	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
355	<a href="#">S_BCE_680014</a> <a href="#">38</a>	Where-used lists	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
356	<a href="#">S_BCE_680014</a> <a href="#">39</a>	For user	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
357	<a href="#">S_BCE_680014</a> <a href="#">40</a>	For profiles	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
358	<a href="#">S_BCE_680014</a> <a href="#">41</a>	For authorizations	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
359	<a href="#">S_BCE_680014</a> <a href="#">47</a>	(empty)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
360	<a href="#">S_BCE_680017</a> <a href="#">67</a>	By Profile Name or Text	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
361	<a href="#">S_BCE_680017</a> <a href="#">77</a>	Compare Roles	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
362	<a href="#">S_BCE_680018</a> <a href="#">10</a>	(empty)	<a href="#">BC-SEC- DIR</a>	<a href="#">SAP BASIS</a>
363	<a href="#">S_BCE_680018</a> <a href="#">11</a>	(empty)	<a href="#">BC-SEC- DIR</a>	<a href="#">SAP BASIS</a>
364	<a href="#">S_BCE_680018</a> <a href="#">12</a>	(empty)	<a href="#">BC-SEC- DIR</a>	<a href="#">SAP BASIS</a>
365	<a href="#">S_BCE_680018</a> <a href="#">13</a>	(empty)	<a href="#">BC-SEC- DIR</a>	<a href="#">SAP BASIS</a>
366	<a href="#">S_BCE_680018</a> <a href="#">21</a>	.	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
367	<a href="#">S_BCE_680018</a> <a href="#">22</a>	.	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
368	<a href="#">S_BCE_680020</a> <a href="#">30</a>	Where-Used List for Authorization	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
369	<a href="#">S_BCE_680020</a> <a href="#">41</a>	Executable for Role	<a href="#">BC-SEC- USR-ADM</a>	<a href="#">SAP BASIS</a>
370	<a href="#">S_BCE_680020</a> <a href="#">48</a>	(empty)	<a href="#">BC-SEC- VIR</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
371	<a href="#">S_BCE_680020</a> <a href="#">63</a>	(empty)	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
372	<a href="#">S_BCE_680020</a> <a href="#">64</a>	(empty)	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
373	<a href="#">S_BCE_680020</a> <a href="#">66</a>	(empty)	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
374	<a href="#">S_BCE_680020</a> <a href="#">67</a>	(empty)	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
375	<a href="#">S_BCE_680021</a> <a href="#">11</a>	Users with Critical Authorizations	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
376	<a href="#">S_BCE_680023</a> <a href="#">11</a>	Change Documents for Users	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
377	<a href="#">S_BIE_590001</a> <a href="#">42</a>	S_BIE_59000142	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
378	<a href="#">S_BIE_590001</a> <a href="#">43</a>	S_BIE_59000143	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
379	<a href="#">S_BIE_590001</a> <a href="#">97</a>	Report cross-system information	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
380	<a href="#">S_BIE_590001</a> <a href="#">98</a>	Report cross-system information	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
381	<a href="#">S_BIE_590001</a> <a href="#">99</a>	Report cross-system information	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
382	<a href="#">S_BIE_590002</a> <a href="#">47</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
383	<a href="#">S_BIE_590002</a> <a href="#">49</a>	Roles By MiniApp	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
384	<a href="#">S_BIN_670000</a> <a href="#">01</a>	IMG-Aktivität: SIMG_BCSNC_SM54	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
385	<a href="#">S_BIN_670000</a> <a href="#">02</a>	IMG-Aktivität: SIMG_BCSNC_RFCDESSEC	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
386	<a href="#">S_BIN_670000</a> <a href="#">03</a>	IMG-Aktivität: SIMG_BCSNC_SM59	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
387	<a href="#">S_BIN_670000</a> <a href="#">04</a>	IMG-Aktivität: SIMG_BCSNC_SPAD	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
388	<a href="#">S_BIN_670000</a> <a href="#">05</a>	IMG-Aktivität: SIMG_BCSNC_SNCYSACL	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
389	<a href="#">S_BIN_670000</a> <a href="#">06</a>	IMG-Aktivität: SIMG_BCSNC_USRACLEXT	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
390	<a href="#">S_BIN_670000</a> <a href="#">07</a>	IMG-Aktivität: SIMG_BCSNC_EXTID_DN	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
391	<a href="#">S_BIN_670000</a> <a href="#">08</a>	IMG-Aktivität: SIMG_BCSNC_EXTID_ID	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
392	<a href="#">S_BIN_67000009</a>	IMG-Aktivität: SIMG_BCSNC_EXTID	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
393	<a href="#">S_BIN_67000010</a>	IMG-Aktivität: SIMG_BCSNC_RSSNCCHK	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
394	<a href="#">S_BIN_67000011</a>	IMG-Aktivität: SIMG_BCSNC_RSUSR402	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
395	<a href="#">S_BIN_67000012</a>	IMG-Aktivität: SIMG_BCSNC_TXCOMSECU	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
396	<a href="#">S_BIN_67000013</a>	IMG-Aktivität: SIMG_BCSNC_USRACL	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
397	<a href="#">S_BIN_67000014</a>	IMG-Aktivität: SIMG_BCSNC_SSF_USER	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
398	<a href="#">S_BIN_67000015</a>	IMG-Aktivität: SIMG_BCSNC_SSF_APPL	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
399	<a href="#">S_BIN_67000016</a>	IMG-Aktivität: SIMG_BCSNC_SU01	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
400	<a href="#">S_BIN_67000017</a>	IMG-Aktivität: SIMG_BCSNC_RSSNC40A	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
401	<a href="#">S_BIN_67000018</a>	IMG-Aktivität: SIMG_BCSNC_RSUSR300	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
402	<a href="#">S_BIN_67000019</a>	IMG-Aktivität: SIMG_BCSNC_RFCUSRACL	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
403	<a href="#">S_BIN_67000020</a>	IMG-Aktivität: SIMG_BCSNC_PARAM	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
404	<a href="#">S_BIN_67000021</a>	IMG-Aktivität: SIMG_BCSNC_RSSNCIMP	<a href="#">BC-SEC-SNC</a>	<a href="#">SAP BASIS</a>
405	<a href="#">S_BIN_67000045</a>	(empty)	<a href="#">BC-SEC-LGN</a>	<a href="#">SAP BASIS</a>
406	<a href="#">S_BIO_23000010</a>	(empty)	<a href="#">BC-SEC-SSF</a>	<a href="#">SAP BASIS</a>
407	<a href="#">S_BJA_09000008</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
408	<a href="#">S_BJA_09000009</a>	(empty)	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
409	<a href="#">S_BJA_09000010</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
410	<a href="#">S_BJA_09000011</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
411	<a href="#">S_BJA_09000012</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
412	<a href="#">S_BJA_09000026</a>	x	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>



## BC-SEC - Security

#	T-Code	Description	Module	Component
413	<a href="#">S_L1A_49000013</a>	(empty)	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
414	<a href="#">S_L1A_49000014</a>	(empty)	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
415	<a href="#">S_L1A_49000015</a>	(empty)	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
416	<a href="#">S_L1A_49000016</a>	(empty)	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
417	<a href="#">S_YI3_390000067</a>	Where-Used List for Sec. Policies	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
418	<a href="#">S_YI3_390000082</a>	Where-Used List for Sec. Policies	<a href="#">BC-SEC-USR-IS</a>	<a href="#">SAP BASIS</a>
419	<a href="#">S_YI3_390000102</a>	(empty)	<a href="#">BC-SEC</a>	<a href="#">SAP BASIS</a>
420	<a href="#">S_YI3_390000143</a>	(empty)	<a href="#">BC-SEC-RAL</a>	<a href="#">SAP BASIS</a>
421	<a href="#">S_YI3_390000160</a>	(empty)	<a href="#">BC-SEC-USR-ADM</a>	<a href="#">SAP BASIS</a>
422	<a href="#">URL_DEFINIT ION</a>	Create Global URLs	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
423	<a href="#">URL_EXIT_DE FINITION</a>	Maintain Table URL_EXITS	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
424	<a href="#">VSCAN</a>	Configuration of Virus Scan Servers	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
425	<a href="#">VSCANGROU P</a>	Configuration of Virus Scan Groups	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
426	<a href="#">VSCANPROFI LE</a>	Configuration of Virus Scan Profiles	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
427	<a href="#">VSCANTEST</a>	Test for Virus Scan Interface	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
428	<a href="#">VSCANTRAC E</a>	Memory Trace for Virus Scan Servers	<a href="#">BC-SEC-VIR</a>	<a href="#">SAP BASIS</a>
429	<a href="#">WIZ_DEFINE</a>	Define a Wizard	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
430	<a href="#">WIZ_DEFINE SHOW</a>	Define a Wizard - Display	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
431	<a href="#">WIZ_MODUL</a>	Wizard Module	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
432	<a href="#">WIZ_MODUL SHOW</a>	Wizard Module - Display	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>
433	<a href="#">WI_BCE_56183338</a>	Wizard WIZARDS_DEFINITION	<a href="#">BC-SEC-AUT-PFC</a>	<a href="#">SAP BASIS</a>

## BC-SEC - Security

#	T-Code	Description	Module	Component
434	<a href="#">WP3R</a>	Follow-Up Processes for Portal Roles	<a href="#">BC-SEC- USR</a>	<a href="#">PI BASIS</a>
435	<a href="#">WPI</a>	Workplace Implementation Guide	<a href="#">BC-SEC</a>	<a href="#">PI BASIS</a>
436	<a href="#">WSSPROFILE</a>	Edit Web Services Security Profile	<a href="#">BC-SEC</a>	<a href="#">SAP_BASIS</a>

## SAP TCodes in Module

# BC-SRV

## Basis Services / Communication Interfaces

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
1	<a href="#">/SAPDMC/LSMW</a>	LSM Workbench: Initial Screen	<a href="#">BC-SRV-DX-LSM</a>	<a href="#">SAP BASIS</a>
2	<a href="#">0817_CHG</a>	Change Object	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
3	<a href="#">0817_CUST</a>	SAP ArchiveLink: Bar Code Entry	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
4	<a href="#">0817_DIS</a>	Display Object	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
5	<a href="#">0817_INS</a>	Create Object	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
6	<a href="#">ALRTCATDEF</a>	Editing Alert Categories	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
7	<a href="#">ALRTCATDEF_SEL</a>	Define Alert Category	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
8	<a href="#">ALRTDISP</a>	Display Alerts	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
9	<a href="#">ALRTINBOX</a>	Alert Inbox	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
10	<a href="#">ALRTPERS</a>	Personalize Alert Delivery	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
11	<a href="#">ALRTPROC</a>	Process Alerts	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
12	<a href="#">ALRTSUBSCR</a>	Subscribe to Alert Categories	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ALVIEWER</a>	ArchiveLink Viewer in the Web	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
14	<a href="#">BDBR</a>	Register BAPI for Data Transfer	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
15	<a href="#">BDLR</a>	Registration of transfer program	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
16	<a href="#">BPOMEAS</a>	BPO Application Measurement	<a href="#">BC-SRV-LIM</a>	<a href="#">SAP BASIS</a>
17	<a href="#">BRF</a>	Business Rule Framework - Workbench	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
18	<a href="#">BRF+</a>	BRFplus Workbench	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
19	<a href="#">BRFACS01</a>	BRF: Create Abstract Action	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
20	<a href="#">BRFACS02</a>	BRF: Change Abstract Action	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
21	<a href="#">BRFACS03</a>	BRF: Display Abstract Action	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
22	<a href="#">BRFACT01</a>	BRF: Create Concrete Actions	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
23	<a href="#">BRFACT02</a>	BRF: Change Concrete Actions	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
24	<a href="#">BRFACT03</a>	BRF: Display Concrete Actions	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
25	<a href="#">BRFAPC01</a>	BRF: Create Features for Appl.Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
26	<a href="#">BRFAPC02</a>	BRF: Change Features for Appl. Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
27	<a href="#">BRFAPC03</a>	BRF: Display Features for Appl.Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
28	<a href="#">BRFAPL01</a>	BRF: Create Application Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
29	<a href="#">BRFAPL02</a>	BRF: Change Application Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
30	<a href="#">BRFAPL03</a>	BRF: Display Application Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
31	<a href="#">BRFCTX01</a>	BRF: Create Context	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
32	<a href="#">BRFCTX02</a>	BRF: Change Context	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
33	<a href="#">BRFCTX03</a>	BRF: Display Context	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
34	<a href="#">BRFEVT01</a>	BRF: Create Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
35	<a href="#">BRFEVT02</a>	BRF: Change Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
36	<a href="#">BRFEVT03</a>	BRF: Display Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
37	<a href="#">BRFEXP01</a>	BRF: Create Expression	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
38	<a href="#">BRFEXP02</a>	BRF: Change Expression	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
39	<a href="#">BRFEXP03</a>	BRF: Display Expression	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
40	<a href="#">BRFIMC01</a>	BRF: Create Impl. Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
41	<a href="#">BRFIMC02</a>	BRF: Change Impl. Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
42	<a href="#">BRFIMC03</a>	BRF: Display Impl. Class	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
43	<a href="#">BRFMIG</a>	BRF Migration Cockpit	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_ABA</a>
44	<a href="#">BRFPLUS</a>	BRFplus Workbench	<a href="#">BC-SRV-BR</a>	<a href="#">SAP_BASIS</a>
45	<a href="#">BRFRLS01</a>	BRF: Create Rule Set	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
46	<a href="#">BRFRLS02</a>	BRF: Change Rule Set	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
47	<a href="#">BRFRLS03</a>	BRF: Display Rule Set	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
48	<a href="#">BRFRUL01</a>	BRF: Create Rule for Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
49	<a href="#">BRFRUL02</a>	BRF: Change Rule for Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
50	<a href="#">BRFRUL03</a>	BRF: Display Rule for Event	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
51	<a href="#">BRFU01</a>	BRF: Compare SAPscript Texts	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
52	<a href="#">BRF_FILL_TB RF185</a>	Automatic Population of TBRF185	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
53	<a href="#">BRF_OVERVI EW</a>	Overview of BRF Objects	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP_BASIS</a>
54	<a href="#">BWCA</a>	SAPoffice: Internet Calendar	<a href="#">BC-SRV-COM</a>	<a href="#">SAP_BASIS</a>
55	<a href="#">BWSP</a>	SAPoffice: WWW	<a href="#">BC-SRV-COM</a>	<a href="#">SAP_BASIS</a>
56	<a href="#">BWWF_WI_D ECI</a>	Execute User Decisions	<a href="#">BC-SRV-COM</a>	<a href="#">SAP_BASIS</a>
57	<a href="#">BWWI_EXEC UTE</a>	Executing a work item (WEBgui)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP_BASIS</a>
58	<a href="#">CLB_APPLI</a>	Collaboration: Applications	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>
59	<a href="#">CLB_APPLI_P LATE</a>	Collaboration: Application Settings	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>
60	<a href="#">CLB_AUTH_C ONT</a>	Collaboration: Authorization Context	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>
61	<a href="#">CLB_AUTH_M ETH</a>	Collaboration: Authorization Methods	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>
62	<a href="#">CLB_GW_SRV _C</a>	SAIL: OData Service Registry	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>
63	<a href="#">CLB_IC_DISP</a>	Collaboration: Dispatcher	<a href="#">BC-SRV-STW</a>	<a href="#">SAP_BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
64	<a href="#">CLB_PLATF</a>	Collaboration: Server Settings	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
65	<a href="#">CLB_PLATF_DEF</a>	Collaboration: Server Definitions	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
66	<a href="#">CLB_PTYPE</a>	Collaboration: Service Provider	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
67	<a href="#">CLB_TOKEN_DEL</a>	Delete User Access Token	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
68	<a href="#">CLB_TOKEN_MOD</a>	Collaboration: Modify Access Token	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
69	<a href="#">CM_TEST_0</a>	Control Tests (Internal)	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
70	<a href="#">CM_TEST_1</a>	Test for Single IO Test	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
71	<a href="#">CM_TEST_2</a>	Test Program for KW Document Bridge	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
72	<a href="#">CM_TEST_3</a>	Demo Program for Composite Control	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
73	<a href="#">CM_TEST_4</a>	Test for single IO test	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
74	<a href="#">CREATE_EPM_IBC</a>	Create IBC's for the EPM Scenario	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
75	<a href="#">CSADMIN</a>	Content Server Administration	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
76	<a href="#">CSMONITOR</a>	Knowledge Provider Monitor	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
77	<a href="#">CUNI</a>	Units of measure	<a href="#">BC-SRV-ASF-UOM</a>	<a href="#">SAP BASIS</a>
78	<a href="#">DMC</a>	Start DMC Interface	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
79	<a href="#">DMCAPP</a>	Maintain Applications in DMC Tool	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
80	<a href="#">DMCCONF</a>	DMC Configuration	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
81	<a href="#">DMCDIGEN</a>	Generate Runtime Objects for DI-2	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
82	<a href="#">DMCGEN1</a>	Generate Runtime Object	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
83	<a href="#">DMCGUI</a>	DMC_L_GUI	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
84	<a href="#">DMCISB</a>	Maintain Direct Input 2	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
85	<a href="#">DMCRULE</a>	Maintain Global Transfer Rules	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
86	<a href="#">DMCUMSCHL</a>	DMC: Recoding	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
87	<a href="#">DMCWB</a>	Workbench for DMC Development	<a href="#">BC-SRV-DMC</a>	<a href="#">SAP BASIS</a>
88	<a href="#">DMWB</a>	Document Modeling Workbench	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
89	<a href="#">DRB_SHOW_CALL_DUMMY</a>	DRB Call for Layout Maintenance	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
90	<a href="#">ECKE_BCE68001685</a>	(empty)	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
91	<a href="#">F00</a>	SAPoffice: Short Message	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
92	<a href="#">FDT_DEPLOYMENT_LOG</a>	Display BRfplus deployment logs	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
93	<a href="#">FDT_HELPER_S</a>	BRfplus Utilities	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
94	<a href="#">FDT_LEAN_TRACE</a>	Transaction to generate lean trace	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
95	<a href="#">FDT_PROCESS_LOG</a>	Display BRfplus process logs	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
96	<a href="#">FDT_RESERVED</a>	Reserved ID Patterns	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
97	<a href="#">FDT_SHOW_DB</a>	BRfplus - Show Object DB Entries	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
98	<a href="#">FDT_TEST_PROFILE</a>	Create entries in FDT_TEST_PROFILE	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
99	<a href="#">FDT_TEST_SUITE</a>	Profile-Based Test Execution	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
100	<a href="#">FDT_TRANSEMEX</a>	BRf+: Emergency Transport Attribute	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
101	<a href="#">FDT_WD_ADMIN_TOOL</a>	BRfplus: AdminTool (WD ABAP)	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
102	<a href="#">FDT_WORKBENCH</a>	BRfplus Workbench	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
103	<a href="#">FDT_WORKBENCH_DEPLOY</a>	BRfplus Workbench	<a href="#">BC-SRV-BR</a>	<a href="#">SAP BASIS</a>
104	<a href="#">FPLOGADMI</a>	Log Administration Form Processing	<a href="#">BC-SRV-FP</a>	<a href="#">SAP BASIS</a>
105	<a href="#">GFSRFW</a>	Fastsearch Replication Monitor	<a href="#">BC-SRV-ESI</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
106	<a href="#">GFSWB</a>	Generic Fast Search Workbench	<a href="#">BC-SRV- FSI</a>	<a href="#">SAP BASIS</a>
107	<a href="#">GVAR</a>	Maintenance of Fiscal Year Variants	<a href="#">BC-SRV- ASF-FYV</a>	<a href="#">SAP BASIS</a>
108	<a href="#">KPRO</a>	KPRO Administration	<a href="#">BC-SRV- KPR-CMS</a>	<a href="#">SAP BASIS</a>
109	<a href="#">LICENSE_AD MIN</a>	License Administration Workbench	<a href="#">BC-SRV- LIM</a>	<a href="#">SAP BASIS</a>
110	<a href="#">LICENSE_ATT RIBUTES</a>	Maintain License Attributes of Roles	<a href="#">BC-SRV- LIM</a>	<a href="#">SAP BASIS</a>
111	<a href="#">LSMW</a>	Legacy System Migration Workbench	<a href="#">BC-SRV- DX-LSM</a>	<a href="#">SAP BASIS</a>
112	<a href="#">OAA1</a>	SAP ArchiveLink: Maint. user st.syst	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
113	<a href="#">OAA3</a>	SAP ArchiveLink protocols	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
114	<a href="#">OAA4</a>	SAP ArchiveLink applic. maintenance	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
115	<a href="#">OAAD</a>	ArchiveLink Administration Documents	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
116	<a href="#">OAA1</a>	SAP ArchiveLink: Create ILQBATC	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
117	<a href="#">OAB4</a>	SAP ArchiveLink: Create batch job	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
118	<a href="#">OABA</a>	SAP ArchiveLink: Batch job	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
119	<a href="#">OABO</a>	Displaying Open Bar Codes	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
120	<a href="#">OAC0</a>	CMS Customizing Content Repositories	<a href="#">BC-SRV- KPR-CMS</a>	<a href="#">SAP BASIS</a>
121	<a href="#">OAC2</a>	SAP ArchiveLink: Global doc. types	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
122	<a href="#">OAC3</a>	SAP ArchiveLink: Links	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
123	<a href="#">OAC5</a>	SAP ArchiveLink: Bar code entry	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
124	<a href="#">OACA</a>	SAP ArchiveLink workflow parameters	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
125	<a href="#">OACH</a>	SAP ArchiveLink: Link Check	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
126	<a href="#">OACHP</a>	SAP ArchiveLink: Link Check	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
127	<a href="#">OACI</a>	Send RFC Info (CINF)	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
128	<a href="#">OACK</a>	SAP ArchiveLink: Syntax check	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
129	<a href="#">OACK_FRONT_END</a>	Customizing Check Front End	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
130	<a href="#">OACT</a>	Maintain Categories	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
131	<a href="#">OAD0</a>	SAP ArchiveLink: Object links	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
132	<a href="#">OAD2</a>	SAP ArchiveLink document classes	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
133	<a href="#">OAD3</a>	SAP ArchiveLink: Link tables	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
134	<a href="#">OAD4</a>	SAP ArchiveLink: Bar code types	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
135	<a href="#">OAD5</a>	ArchiveLink: Customizing Wizard	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
136	<a href="#">OADD</a>	ArchiveLink: Print List Display	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
137	<a href="#">OADFFCUST</a>	DF Framework Customizing	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
138	<a href="#">OADI</a>	Maintain KPro Distribution Tables	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
139	<a href="#">OADOCSP</a>	SAP ArchiveLink Document Area	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
140	<a href="#">OADR</a>	SAP ArchiveLink: Print list search	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
141	<a href="#">OAER</a>	SAP ArchiveLink: Document search	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
142	<a href="#">OAG1</a>	SAP ArchiveLink Basic Settings	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
143	<a href="#">OAG2</a>	SAP ArchiveLink Basic Settings	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
144	<a href="#">OAG3</a>	SAP ArchiveLink Basic Settings	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
145	<a href="#">OAG4</a>	SAP ArchiveLink Basic Settings	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
146	<a href="#">OAGO</a>	ArchiveLink:Gen. Obj.Key Maintenance	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
147	<a href="#">OAHT</a>	Send Certificate	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
148	<a href="#">OAIA</a>	Customizing Application Attributes	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
149	<a href="#">OAIA2</a>	Customizing Application Attributes	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
150	<a href="#">OAIMC_VIEW</a>	Document Viewer using IMC	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
151	<a href="#">OAKPRO</a>	SAP ArchiveLink KPRO Archivelink	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
152	<a href="#">OALO</a>	Maintain KPro Locations	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
153	<a href="#">OALOGCUST</a>	Customizing Logging	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
154	<a href="#">OAM1</a>	ArchiveLink: Monitoring	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
155	<a href="#">OAM3</a>	ArchiveLink: Monitoring	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
156	<a href="#">OANR</a>	Number Range Maintenance: ARCHIVELNK	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
157	<a href="#">OAOH</a>	ArchiveLink: Create Documents	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
158	<a href="#">OAOR</a>	Business Document Service: Documents	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
159	<a href="#">OAQI</a>	SAP ArchiveLink: Create Queues	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
160	<a href="#">OAR1</a>	SAP ArchiveLink: Request Management	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
161	<a href="#">OARE</a>	SAP ArchiveLink:St.syst.return codes	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
162	<a href="#">OATASK</a>	ArchiveLink Customizing transaction	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
163	<a href="#">OAUP_LINK</a>	Update Links	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
164	<a href="#">OAVIEW_IMC</a>	IMC Viewer for ArchiveLink	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
165	<a href="#">OAWD</a>	SAP ArchiveLink: Store documents	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
166	<a href="#">OAWS</a>	Maintain presettings	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
167	<a href="#">OAWW</a>	ArchiveLink: Workflow Wizard	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
168	<a href="#">OA_FIND</a>	SAP ArchiveLink: Document search	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
169	<a href="#">OA_LOG_VIEW_DOC</a>	Display Log of Documents	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
170	<a href="#">OA_LOG_VIEW_PRI</a>	Display Log of Print Lists	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
171	<a href="#">OB07</a>	C FI Maintain table TCURV	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
172	<a href="#">OB08</a>	C FI Maintain table TCURR	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
173	<a href="#">OB29</a>	C FI Fiscal Year Variants	<a href="#">BC-SRV-ASF-FYV</a>	<a href="#">SAP BASIS</a>
174	<a href="#">OBBS</a>	C FI Maintain Table TCURF	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
175	<a href="#">OBD6</a>	C FI Maintain Table TCURS	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
176	<a href="#">OCI1</a>	Maintain TCUSC	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
177	<a href="#">ONOT</a>	Maintain Quotation Types	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
178	<a href="#">OPRF</a>	Maintain Quotation Prefixes	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
179	<a href="#">ORGANIZER</a>	Records Management	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
180	<a href="#">OSC1</a>	Appointment Type Maintenance	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
181	<a href="#">OSC2</a>	Appoint. diary: Maint. destination	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
182	<a href="#">OSC3</a>	Appointment Calendar:Priority Maint.	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
183	<a href="#">OSC4</a>	Maintenance of Appointment Type Grps	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
184	<a href="#">OSC_WF_REPLY</a>	Customizing for WF appt. replies	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
185	<a href="#">OSSC</a>	Appt. Calendar: Appt. Type Maint.	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
186	<a href="#">OVK2</a>	C SD Table T005S "Regions"	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
187	<a href="#">OY03</a>	Define currencies	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
188	<a href="#">OY04</a>	C Decimal Places for Currencies	<a href="#">BC-SRV-BSF-CUR</a>	<a href="#">SAP BASIS</a>
189	<a href="#">OY07</a>	C Configure Countries (T005 - Basis)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
190	<a href="#">OY09</a>	Countries: Mobile Phone Properties	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
191	<a href="#">OY20</a>	Authorizations Customizing	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
192	<a href="#">OY21</a>	User profiles Customizing	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
193	<a href="#">OY24</a>	Client maintenance	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
194	<a href="#">OY25</a>	CS BC: Set Up Client	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
195	<a href="#">OY27</a>	Create super user Customizing	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
196	<a href="#">OY28</a>	Deactivate SAP* Customizing	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
197	<a href="#">OY29</a>	Technical Writer	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
198	<a href="#">OY30</a>	Technical writer	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
199	<a href="#">OYC1</a>	C SAPcomm: Server location T164O	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
200	<a href="#">OYC2</a>	C SAPcomm: Server selection T164P	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
201	<a href="#">OYC3</a>	C SAPcomm: exceptions T164U	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
202	<a href="#">OYC4</a>	C T005K country dialling code	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
203	<a href="#">OYC5</a>	C SAPcomm: Server assignment T164C	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
204	<a href="#">OYC6</a>	C SAPcomm: Inbox distributor T164Y	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
205	<a href="#">RSADRTC70T</a> <a href="#">OADR11</a>	Conversion of table TC70 in ADR11	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
206	<a href="#">RSIR_DELTAT</a> <a href="#">RACK</a>	Delta Tracking KPRO	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
207	<a href="#">S00</a>	Short Message	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
208	<a href="#">SA01</a>	Number range maintenance: ADRNR	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
209	<a href="#">SA02</a>	Academic Title (Bus. Addr. Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
210	<a href="#">SA03</a>	Titles (Business Address Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
211	<a href="#">SA04</a>	Name Prefixes (Bus. Addr. Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
212	<a href="#">SA05</a>	Name Suffix (Bus. Address Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
213	<a href="#">SA06</a>	Address or personal data source	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
214	<a href="#">SA07</a>	Address Groups (Bus. Addr. Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
215	<a href="#">SA08</a>	Person Groups (Bus. Addr. Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
216	<a href="#">SA09</a>	Internat. versions address admin.	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
217	<a href="#">SA10</a>	Address admin. communication type	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
218	<a href="#">SA11</a>	Number range maintenance: ADRV	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
219	<a href="#">SA12</a>	Number Range Maintenance: ADRV	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
220	<a href="#">SA13</a>	Name format rules	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
221	<a href="#">SA14</a>	Pager Services (Bus. Addr. Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
222	<a href="#">SA15</a>	Address screen variants	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
223	<a href="#">SA15V</a>	Version-Specific Address Masks	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
224	<a href="#">SA16</a>	Transport zones	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
225	<a href="#">SA17</a>	Index pools for duplicate check	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
226	<a href="#">SA18</a>	Reasons for Nondelivery (BAS)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
227	<a href="#">SA19</a>	Titles (Business Address Services)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
228	<a href="#">SA20</a>	Conversion of Street Sections	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
229	<a href="#">SA21</a>	Customizing Regional Structure (BAS)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
230	<a href="#">SA22</a>	Deactivate Specific Corrections	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
231	<a href="#">SA23</a>	Address Version Regional Structure	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
232	<a href="#">SA24</a>	Limit for Duplicate List	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
233	<a href="#">SAD0</a>	(Obsolete) Address Management Call	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
234	<a href="#">SADC</a>	(Obsolete) Communication Types	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
235	<a href="#">SADP</a>	Contact person addr.maint. init.scr.	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
236	<a href="#">SADQ</a>	Private address maint. initial scrn	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
237	<a href="#">SADR</a>	Address maint. - Group required!	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
238	<a href="#">SADV</a>	(Obsolete) Intern. Address Versions	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
239	<a href="#">SALRT01</a>	Maintain RFC Dest. for Alert Server	<a href="#">BC-SRV</a>	<a href="#">PI BASIS</a>
240	<a href="#">SALRT02</a>	Maintain Events for Alert Framework	<a href="#">BC-SRV</a>	<a href="#">PI BASIS</a>
241	<a href="#">SALRT1</a>	Maintain RFC Dest. for Alert Server	<a href="#">BC-SRV-GBT-ALM</a>	<a href="#">SAP BASIS</a>
242	<a href="#">SALV_BO_PARAMS</a>	BOBJ Parameters	<a href="#">BC-SRV-ALV</a>	<a href="#">SAP UI</a>
243	<a href="#">SALV_CRL</a>	ALV Crystal Layout Administration	<a href="#">BC-SRV-ALV</a>	<a href="#">SAP UI</a>
244	<a href="#">SALV_GUI_CUST</a>	ALV Settings for SAP GUI	<a href="#">BC-SRV-ALV</a>	<a href="#">SAP BASIS</a>
245	<a href="#">SALV_GUI_PARAMS</a>	SALV_GUI Runtime Parameter Maint.	<a href="#">BC-SRV-ALV</a>	<a href="#">SAP BASIS</a>
246	<a href="#">SARP</a>	Reporting (Tree Structure): Execute	<a href="#">BC-SRV-REP</a>	<a href="#">SAP BASIS</a>
247	<a href="#">SART</a>	Display Report Tree	<a href="#">BC-SRV-REP</a>	<a href="#">SAP BASIS</a>
248	<a href="#">SBAL_TEST_REPORT</a>	Application Log: Internal Test	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
249	<a href="#">SBCA</a>	Routing Server Administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
250	<a href="#">SBCS_ADDR</a>	BCS: Where-Used List for Addresses	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
251	<a href="#">SBCS_ADDRUP</a>	BCS: Delete Duplicate Addresses	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
252	<a href="#">SBCS_ADRVP</a>	BCS: Delete Addresses	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
253	<a href="#">SBCS_DFRE</a>	BCS: Delete from Dark Folder	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
254	<a href="#">SBCS_DLI</a>	BCS: Consistency of Dist. Lists	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
255	<a href="#">SBCS_EXTCOM</a>	BCS: Agent and Mail System Group	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
256	<a href="#">SBCS_FOLID</a>	BCS: Delete SOFM Without Folder ID	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
257	<a href="#">SBCS_IFREC</a>	BCS: Delete BCST_CAM/BCST_BOR	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
258	<a href="#">SBCS_MIME</a>	BCS: Set MIME Store	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
259	<a href="#">SBCS_MIMED EL</a>	BCS: Delete MIME Documents	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
260	<a href="#">SBCS_NUM</a>	BCS: Consistency of Number Ranges	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
261	<a href="#">SBCS_PRIV</a>	BCS: Delete from Private Folders	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
262	<a href="#">SBCS_PRRP</a>	BCS: Repair SAPoffice Profile	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
263	<a href="#">SBCS_QUEUE</a>	BCS: Delete from Queue	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
264	<a href="#">SBCS_REORG</a>	BCS: Reorganization	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
265	<a href="#">SBCS_RESTO RE</a>	BCS: Restore from Backup	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
266	<a href="#">SBCS_SOC3</a>	BCS: Consistency SOC3 and SOOD	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
267	<a href="#">SBCS_USCO</a>	BCS: Consistency of Users	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
268	<a href="#">SBCS_USFD</a>	BCS: Create Private Root Maps	<a href="#">BC-SRV- COM</a>	<a href="#">SAP BASIS</a>
269	<a href="#">SBDS1</a>	Displaying Open Bar Codes	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
270	<a href="#">SBDS2</a>	Open Internal Bar Codes	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
271	<a href="#">SBDS3</a>	Open External Bar Codes	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
272	<a href="#">SBDS4</a>	Open Bar Codes with Keep Flag	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
273	<a href="#">SBDS5</a>	Internal Bar Codes with Keep Flag	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
274	<a href="#">SBDS6</a>	External Bar Codes with Keep Flag	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
275	<a href="#">SBDS7</a>	Compare Open Bar Codes	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
276	<a href="#">SBDSV1</a>	Maintenance View for BDS_LOCL	<a href="#">BC-SRV- BDS</a>	<a href="#">SAP BASIS</a>
277	<a href="#">SBDSV2</a>	Maintenance View for BDS_LOCL	<a href="#">BC-SRV- BDS</a>	<a href="#">SAP BASIS</a>
278	<a href="#">SBDSV3</a>	Maintenance View for BDS_LOCL	<a href="#">BC-SRV- BDS</a>	<a href="#">SAP BASIS</a>
279	<a href="#">SBIZCLOG</a>	Business Content: Application Log	<a href="#">BC-SRV- NBC</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
280	<a href="#">SBIZCT</a>	BizContent Framework Test	<a href="#">BC-SRV-NBC</a>	<a href="#">SAP BASIS</a>
281	<a href="#">SBIZCTC</a>	BizContent Configuration Test	<a href="#">BC-SRV-NBC</a>	<a href="#">SAP BASIS</a>
282	<a href="#">SBIZCTO</a>	BizContent Framework Test	<a href="#">BC-SRV-NBC</a>	<a href="#">SAP BASIS</a>
283	<a href="#">SBIZC_CFGT</a>	Display Configuration Templates	<a href="#">BC-SRV-NBC</a>	<a href="#">SAP BASIS</a>
284	<a href="#">SBRAC</a>	Catalog of Routing Attributes	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
285	<a href="#">SBRREORG</a>	Routing Server Reorganization	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
286	<a href="#">SBRT</a>	BCOM RBR: Test Interface	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
287	<a href="#">SBRT2</a>	Routing Test	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
288	<a href="#">SBRT3</a>	RBR Test Server - Configuration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
289	<a href="#">SBWP</a>	SAP Business Workplace	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
290	<a href="#">SC38</a>	Start Report (Remote)	<a href="#">BC-SRV-REP</a>	<a href="#">SAP BASIS</a>
291	<a href="#">SCA1</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
292	<a href="#">SCA2</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
293	<a href="#">SCA3</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
294	<a href="#">SCA4_D</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
295	<a href="#">SCA4_U</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
296	<a href="#">SCA5_D</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
297	<a href="#">SCA5_U</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
298	<a href="#">SCA6_D</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
299	<a href="#">SCA6_U</a>	Cannot be executed directly	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
300	<a href="#">SCAL</a>	Factory Calendar with GUI	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
301	<a href="#">SCAL_TCONVC</a>	Customizing: Techn. Calendar Conv.	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
302	<a href="#">SCASE</a>	Case Management	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
303	<a href="#">SCASE_ARCHIVIVE</a>	SCMG : Case Archiving	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
304	<a href="#">SCASE_CUSTOMIZING</a>	Customizing Case Management	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
305	<a href="#">SCASE_NUMBERRANGE</a>	Number Range Maintenance: SCMGCASEID	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
306	<a href="#">SCDN</a>	Change Documents: Number Ranges	<a href="#">BC-SRV-ASF-CHD</a>	<a href="#">SAP BASIS</a>
307	<a href="#">SCDO</a>	Display Change Document Objects	<a href="#">BC-SRV-ASF-CHD</a>	<a href="#">SAP BASIS</a>
308	<a href="#">SCDO_NEW</a>	Change Document Objects	<a href="#">BC-SRV-ASF-CHD</a>	<a href="#">SAP BASIS</a>
309	<a href="#">SCMGVIEWGEN</a>	View Generator	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
310	<a href="#">SCMSCA</a>	Caches	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
311	<a href="#">SCMSHO</a>	Locations of Hosts	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
312	<a href="#">SCMSIP</a>	Locations of IP Subnets	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
313	<a href="#">SCMSLP</a>	Location Path for Caching	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
314	<a href="#">SCMSMO</a>	Knowledge Provider Monitor	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
315	<a href="#">SCMSPL</a>	Additional Locations for CS Alias	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
316	<a href="#">SCMSPLD</a>	Cache Preload	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
317	<a href="#">SCMSPX</a>	Content Server Aliases	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
318	<a href="#">SCON</a>	SAPconnect - Administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
319	<a href="#">SCOT</a>	SAPconnect - Administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
320	<a href="#">SDOK_QUEUE01</a>	Test Transaction for KPRO Queueing	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
321	<a href="#">SDV</a>	Document Viewer	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
322	<a href="#">SE71</a>	SAPscript form	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
323	<a href="#">SE72</a>	SAPscript Styles	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
324	<a href="#">SE73</a>	SAPscript Font Maintenance	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
325	<a href="#">SE74</a>	SAPscript format conversion	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
326	<a href="#">SE75</a>	SAPscript Settings	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
327	<a href="#">SE75TTDTGC</a>	SAPscript: Change standard symbols	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
328	<a href="#">SE75TTDTGD</a>	SAPscript: Display standard symbols	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
329	<a href="#">SE76</a>	SAPscript: Form Translation	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
330	<a href="#">SE77</a>	SAPscript Styles Translation	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
331	<a href="#">SE78</a>	Administration of Form Graphics	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
332	<a href="#">SECATT_CC</a> <a href="#">EDIT_VLSS</a>	Edit Value Snapshot	<a href="#">BC-SRV-PS</a>	<a href="#">SAP BASIS</a>
333	<a href="#">SEPMH_DG_PAL</a>	EPM datagenerator for HANA based PAL	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
334	<a href="#">SEPM_DG</a>	EPM: Data Generator	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
335	<a href="#">SEPM_DG_OIA</a>	EPM: Data Generator for HANA/OIA	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
336	<a href="#">SEPM_DG_OIA_NEW</a>	New Transaction for EPM OIA Data Gen	<a href="#">BC-SRV-NWD-XBR</a>	<a href="#">SAP BASIS</a>
337	<a href="#">SEPM_OIA</a>	Open Item Analysis	<a href="#">BC-SRV-NWD-XBR</a>	<a href="#">SAP BASIS</a>
338	<a href="#">SEPM_OIA_CUST</a>	Customizing for Open Item Analysis	<a href="#">BC-SRV-NWD-XBR</a>	<a href="#">SAP BASIS</a>
339	<a href="#">SEPM_OIA_DUN_CUST</a>	Customizing for Dunning Run	<a href="#">BC-SRV-NWD-XBR</a>	<a href="#">SAP BASIS</a>
340	<a href="#">SEPM_OIA_SMOKETEST</a>	EPM OIA: System Smoke Test	<a href="#">BC-SRV-NWD-XBR</a>	<a href="#">SAP BASIS</a>
341	<a href="#">SEPM_PD</a>	EPM: Classic Dynpro For Product Data	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
342	<a href="#">SEPM_RUN_EXCE_UNIT_T</a>	Run all unit tests	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
343	<a href="#">SEPM_SO</a>	EPM: Classic Dynpro For Sales Orders	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
344	<a href="#">SERP</a>	Reporting: Change Tree Structure	<a href="#">BC-SRV-REP</a>	<a href="#">SAP BASIS</a>
345	<a href="#">SET_EPM_EX_TN</a>	Sets the Extension fields for the BP	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
346	<a href="#">SFP</a>	Form Builder	<a href="#">BC-SRV-FP</a>	<a href="#">SAP BASIS</a>
347	<a href="#">SFP_ZCI_UPD_ATE</a>	Interactive Forms: ZCI Update	<a href="#">BC-SRV-FP</a>	<a href="#">SAP BASIS</a>
348	<a href="#">SFSQB</a>	Fast Search Query Builder	<a href="#">BC-SRV-FSI</a>	<a href="#">SAP BASIS</a>
349	<a href="#">SFSSETUP</a>	Fast Search Initial Setup	<a href="#">BC-SRV-FSI</a>	<a href="#">SAP BASIS</a>
350	<a href="#">SFT1</a>	Maintain Public Holidays	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
351	<a href="#">SFT2</a>	Maintain Public Holiday Calendar	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
352	<a href="#">SFT3</a>	Maintain Factory Calendar	<a href="#">BC-SRV-ASF-CAL</a>	<a href="#">SAP BASIS</a>
353	<a href="#">SFTRACE</a>	SAP Smart Forms: Trace	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
354	<a href="#">SGOS</a>	Customizing Generic Object Services	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
355	<a href="#">SGOSHI</a>	Object History	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
356	<a href="#">SGOSM</a>	Definition of Generic Services	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
357	<a href="#">SGOSTEST</a>	Test Tool Generic Object Services	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
358	<a href="#">SGOSTEST2</a>	Test Service Components	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
359	<a href="#">SGOS_OBJ_DI_SP</a>	Default Method of Object	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
360	<a href="#">SIN1</a>	SAPBPT: Inbox	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
361	<a href="#">SINA</a>	SAPBPT: Maintain Standard Config.	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
362	<a href="#">SKPR02</a>	Maintain Document Areas	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
363	<a href="#">SKPR03</a>	Display Document Areas	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
364	<a href="#">SKPR04</a>	Maintaining Physical Document Class	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
365	<a href="#">SKPR06</a>	Index Activation of Document Area	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
366	<a href="#">SKPR07</a>	Monitoring for KPRO Retrieval	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
367	<a href="#">SKPR08</a>	Category for Document Class	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
368	<a href="#">SKPR09</a>	Test Content Repositories	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
369	<a href="#">SKPR12</a>	Maintain MIME Content-Types	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
370	<a href="#">SKPR13</a>	File Name Extensions	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
371	<a href="#">SKPR14</a>	Web Server for Document Areas	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
372	<a href="#">SKPR15</a>	Web Servers for Document Classes	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
373	<a href="#">SKPRM01</a>	Copy Model Entities	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
374	<a href="#">SKPRM03</a>	Copy Class Links	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
375	<a href="#">SKPRM04</a>	Copy Instance Table Set	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
376	<a href="#">SKPRMC1</a>	Customizing Entity Attributes	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
377	<a href="#">SKPRMIC</a>	Invalidate Model Layer Caches	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
378	<a href="#">SKPR_INDEXING1</a>	Maintenance Transact. Kpro Indexing	<a href="#">BC-SRV-KPR-DMS</a>	<a href="#">SAP BASIS</a>
379	<a href="#">SKPR_MULINDEXING</a>	Multiple Indexing	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
380	<a href="#">SKWFIVC</a>	Invalidate all SKWF Caches	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
381	<a href="#">SKWR01</a>	Taxonomy Tree Management	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
382	<a href="#">SKWR02</a>	Restore Index	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
383	<a href="#">SKWR03</a>	Classify Documents	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
384	<a href="#">SKWS</a>	CM: Status Management	<a href="#">BC-SRV-KPR-DMF</a>	<a href="#">SAP BASIS</a>
385	<a href="#">SLAW</a>	License Administration Workbench	<a href="#">BC-SRV-LIM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
386	<a href="#">SLAW2</a>	License Administration Workbench	<a href="#">BC-SRV-LIM</a>	<a href="#">SAP BASIS</a>
387	<a href="#">SLG0</a>	Application Log: Object Maintenance	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
388	<a href="#">SLG1</a>	Application Log: Display Logs	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
389	<a href="#">SLG2</a>	Application Log: Delete logs	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
390	<a href="#">SLGD</a>	Display Logs with Selection Screen	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
391	<a href="#">SLGN</a>	Applic.log: Number range maintenance	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
392	<a href="#">SLGR</a>	Edit Residence Times for Appl. Log	<a href="#">BC-SRV-BAL</a>	<a href="#">SAP BASIS</a>
393	<a href="#">SM30_STXSFR_EPL</a>	Smart Styles: Replace Font	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
394	<a href="#">SMARTFORMS</a>	SAP Smart Forms	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
395	<a href="#">SMARTFORM_CODE</a>	SAP Smart Forms: Target Coding	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
396	<a href="#">SMARTFORM_TRACE</a>	SAP Smart Forms: Trace	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
397	<a href="#">SMARTSTYLE_S</a>	SAP Smart Styles	<a href="#">BC-SRV-SSF</a>	<a href="#">SAP BASIS</a>
398	<a href="#">SMCL</a>	CSL: Monitor	<a href="#">BC-SRV-CSL</a>	<a href="#">SAP BASIS</a>
399	<a href="#">SMY1</a>	Maintenance of nodes for MyObjects	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
400	<a href="#">SNRO</a>	Number Range Objects	<a href="#">BC-SRV-NUM</a>	<a href="#">SAP BASIS</a>
401	<a href="#">SNUM</a>	Number Range Driver	<a href="#">BC-SRV-NUM</a>	<a href="#">SAP BASIS</a>
402	<a href="#">SO00</a>	SAPoffice: Short Message	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
403	<a href="#">SO01</a>	SAPoffice: Inbox	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
404	<a href="#">SO01X</a>	SAPoffice: Inbox	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
405	<a href="#">SO02</a>	SAPoffice: Outbox	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
406	<a href="#">SO02X</a>	SAPoffice: Outbox	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
407	<a href="#">SO03</a>	SAPoffice: Private Folders	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
408	<a href="#">SO03X</a>	SAPoffice: Private Folders	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
409	<a href="#">SO04</a>	SAPoffice: Shared Folders	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
410	<a href="#">SO04X</a>	SAPoffice: Shared Folders	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
411	<a href="#">SO05</a>	SAPoffice: Private Trash	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
412	<a href="#">SO05X</a>	SAPoffice: Private Trash	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
413	<a href="#">SO06</a>	SAPoffice: Substitution on/off	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
414	<a href="#">SO07</a>	SAPoffice: Resubmission	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
415	<a href="#">SO07X</a>	SAPoffice: Resubmission	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
416	<a href="#">SO10</a>	SAPscript: Standard Texts	<a href="#">BC-SRV-SCR</a>	<a href="#">SAP BASIS</a>
417	<a href="#">SO12</a>	SAPoffice: User Master	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
418	<a href="#">SO13</a>	SAPoffice: Substitute	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
419	<a href="#">SO15</a>	SAPoffice: Distribution Lists	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
420	<a href="#">SO16</a>	SAPoffice: Profile	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
421	<a href="#">SO17</a>	SAPoffice: Delete Shared Trash	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
422	<a href="#">SO18</a>	SAPoffice: Shared Trash	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
423	<a href="#">SO19</a>	SAPoffice: Default Documents	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
424	<a href="#">SO20</a>	SAPoffice: Private Default Document	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
425	<a href="#">SO21</a>	Maintain PC Work Directory	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
426	<a href="#">SO22</a>	SAPoffice: Delete PC Temp. Files	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
427	<a href="#">SO23</a>	SAPoffice: Distribution Lists	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
428	<a href="#">SO24</a>	SAPoffice: Maintenance of default PC	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
429	<a href="#">SO28</a>	Maintain SOGR	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
430	<a href="#">SO30</a>	Business Workplace: Reorg.	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
431	<a href="#">SO31</a>	Reorganization (daily)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
432	<a href="#">SO36</a>	Create Automatic Forwarding	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
433	<a href="#">SO38</a>	SAPoffice: Synchr. of Folder Auths.	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
434	<a href="#">SO40</a>	SAPoffice: Cust. Layout Set MAIL	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
435	<a href="#">SO41</a>	SAPoffice: Cust. Layout Set TELEFAX	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
436	<a href="#">SO42</a>	SAPoffice: Cust.Layout Set TELEFAX_K	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
437	<a href="#">SO43</a>	SAPoffice: Cust.Layout Set TELEFAX_M	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
438	<a href="#">SO44</a>	SAPoffice: Cust. Layout Set TELEX	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
439	<a href="#">SO50</a>	Rules for inbound distribution	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
440	<a href="#">SO52</a>	Deletes Address from User Master	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
441	<a href="#">SO55</a>	User consistency check	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
442	<a href="#">SOA</a>	SAP ArchiveLink	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
443	<a href="#">SOA0</a>	ArchiveLink Workflow document types	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
444	<a href="#">SOAD</a>	SAPoffice: External Addresses	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
445	<a href="#">SOADM</a>	BCS: Administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
446	<a href="#">SOBL_MODEL</a>	Model Data Object Relationships	<a href="#">BC-SRV-GBT-OBL</a>	<a href="#">SAP BASIS</a>
447	<a href="#">SOBN01</a>	Personal data	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
448	<a href="#">SOCP</a>	SAPoffice: External Addresses	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
449	<a href="#">SODIS</a>	BCS: Disclosures Communication	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
450	<a href="#">SODS</a>	SAPoffice: LDAP Browser	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
451	<a href="#">SOEX</a>	Express Message	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
452	<a href="#">SOFF</a>	SAPoffice: Area Menu	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
453	<a href="#">SOHI</a>	Object History	<a href="#">BC-SRV-GBT-GOS</a>	<a href="#">SAP BASIS</a>
454	<a href="#">SOIN</a>	BCS: Inbound Send Requests (SMTP)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
455	<a href="#">SOPE</a>	Exclude Document Classes	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
456	<a href="#">SOSA</a>	SAPconnect Send Requests	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
457	<a href="#">SOSB</a>	Send Request Overview (Users)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
458	<a href="#">SOSG</a>	Send Request Overview (Groups)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
459	<a href="#">SOST</a>	SAPconnect Send Requests	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
460	<a href="#">SOSV</a>	SAPconnect Send Requests	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
461	<a href="#">SOTD</a>	SAPoffice: Maintain Object Types	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
462	<a href="#">SOTR</a>	Test transaction for API1 (received)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
463	<a href="#">SOTR_EDIT</a>	Editor for OTR Texts	<a href="#">BC-SRV-OTR</a>	<a href="#">SAP BASIS</a>
464	<a href="#">SOUD</a>	BCS: User Management	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
465	<a href="#">SOY1</a>	SAPoffice: Mass Maint. Users	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
466	<a href="#">SOY2</a>	SAPoffice: Collect Statistics Data	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
467	<a href="#">SOY3</a>	SAPoffice: Statistics Evaluation	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
468	<a href="#">SOY4</a>	SAPoffice: Access Overview	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
469	<a href="#">SOY5</a>	SAPoffice: Inbox Overview	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
470	<a href="#">SOY6</a>	SAPoffice: Document overview	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
471	<a href="#">SOY7</a>	SAPoffice: Folder overview	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
472	<a href="#">SOY8</a>	SAPoffice: Mass Archiving	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
473	<a href="#">SOY9</a>	SAPoffice: Inbox Reorganization	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
474	<a href="#">SOYA</a>	SAPoffice: Change Folder Owner	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
475	<a href="#">SPH1</a>	Create and maintain telephony server	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
476	<a href="#">SPH2</a>	Maintain outgoing number change	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
477	<a href="#">SPH3</a>	Maintain incoming number change	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
478	<a href="#">SPH4</a>	Activ./deactiv. telephony in system	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
479	<a href="#">SPH5</a>	Define Address Data Areas	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
480	<a href="#">SPH6</a>	Language-dependent server descrip.	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
481	<a href="#">SPH7</a>	Language-dep. addr. data area texts	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
482	<a href="#">SPHA</a>	Telephony administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
483	<a href="#">SPHB</a>	SAPphone: System Administration	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
484	<a href="#">SPHD</a>	SAPphone: Own telephone number	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
485	<a href="#">SPHS</a>	SAPphone: Interface for Telephone	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
486	<a href="#">SPHSREMOTE</a>	Start Softphone remote	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
487	<a href="#">SPHT</a>	SAPphone Test Environment	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
488	<a href="#">SPHW</a>	Initiate Call in Web Applications	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
489	<a href="#">SPIA</a>	PMI Administration	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
490	<a href="#">SPIAPPLOG</a>	Call Application Log	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
491	<a href="#">SPIC01</a>	Process Information Repository	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
492	<a href="#">SPID</a>	Display Process Repository	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
493	<a href="#">SPIG</a>	Maintain Process Groups	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
494	<a href="#">SPIM</a>	Process Monitoring: Meta Data	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
495	<a href="#">SPIO</a>	Process Monitoring Overview	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
496	<a href="#">SPIP</a>	PMI: Self-Monitoring Logs	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
497	<a href="#">SPIS</a>	Start User Interface for Monitoring	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
498	<a href="#">SPI_ALE01</a>	ALE monitoring	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
499	<a href="#">SPI_BOR01</a>	BOR Monitoring	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
500	<a href="#">SPI_DEMO</a>	PMI Demo: Beverage Wholesaler	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
501	<a href="#">SPI_TRFC01</a>	tRFC Monitoring	<a href="#">BC-SRV-PMI</a>	<a href="#">SAP BASIS</a>
502	<a href="#">SPPFC</a>	PPF: Initial Screen in Customizing	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
503	<a href="#">SPPFCADM</a>	PPF: Administration	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
504	<a href="#">SPPFCONCREATE1</a>	Edit Schedule Conditions	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
505	<a href="#">SPPFCONCREATE2</a>	Edit Start Conditions	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
506	<a href="#">SPPFCONS</a>	PPF: Check Consistency	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
507	<a href="#">SPPFCONSISTENCY</a>	PPF: Consistency in Customizing	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
508	<a href="#">SPPFCWIZARD</a>	PPF: Actions Definition Using Wizard	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
509	<a href="#">SPPFDEMO</a>	PPF: Demo application	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
510	<a href="#">SPPFDET</a>	PPF: Condition definition	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>
511	<a href="#">SPPFDETCRM</a>	PPF: Action Profile with Conditions	<a href="#">BC-SRV-GBT-PPE</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
512	<a href="#">SPPFP</a>	Process Actions	<a href="#">BC-SRV-GBT-PPF</a>	<a href="#">SAP BASIS</a>
513	<a href="#">SPPF PRPR</a>	Print Profile Maintenance	<a href="#">BC-SRV-GBT-PPF</a>	<a href="#">SAP BASIS</a>
514	<a href="#">SQ00</a>	SAP Query: Start queries	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
515	<a href="#">SQ00_DEL_PR OT</a>	SAP Query: Delete log data	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
516	<a href="#">SQ01</a>	SAP Query: Maintain queries	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
517	<a href="#">SQ02</a>	SAP Query: Maintain InfoSet	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
518	<a href="#">SQ03</a>	SAP Query: Maintain user groups	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
519	<a href="#">SQ07</a>	SAP Query: Language comparison	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
520	<a href="#">SQ09</a>	SAP Query: Maintain additional func.	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
521	<a href="#">SQ10</a>	SAP Query: Role Administration	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
522	<a href="#">SQ11</a>	SAP Query: Web reporting (Admin)	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
523	<a href="#">SQBWPROP</a>	BW Settings for Classic InfoSets	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
524	<a href="#">SQDEMO_AD HOC</a>	Starts InfoSet Query for Ad Hoc rep.	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
525	<a href="#">SQVI</a>	QuickViewer	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
526	<a href="#">SQ_DEMO_A DHOC</a>	Demo: Start InfoSet Query (Ad Hoc)	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
527	<a href="#">SQ_DEMO_DE V</a>	Demo: Start InfoSet Query (Dev.)	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
528	<a href="#">SQ_DEMO_DE VELOP</a>	Startet InfoSet Query wth InfoSet	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
529	<a href="#">SR10</a>	Create City	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
530	<a href="#">SR11</a>	Change city	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
531	<a href="#">SR12</a>	Display city	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
532	<a href="#">SR20</a>	Create street	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
533	<a href="#">SR21</a>	Change street	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
534	<a href="#">SR22</a>	Display street	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
535	<a href="#">SR30</a>	Create postal code	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
536	<a href="#">SR31</a>	Change postal code	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
537	<a href="#">SR32</a>	Display postal code	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
538	<a href="#">SRCN</a>	Delete Country-Specific Reports	<a href="#">BC-SRV-REP</a>	<a href="#">SAP BASIS</a>
539	<a href="#">SRELADM</a>	SREL: Administration	<a href="#">BC-SRV-GBT-OBL</a>	<a href="#">SAP BASIS</a>
540	<a href="#">SREL_MODEL</a>	ModelDataForBORObjectRelationships	<a href="#">BC-SRV-GBT-OBL</a>	<a href="#">SAP BASIS</a>
541	<a href="#">SRET06</a>	Dummy Transaction	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
542	<a href="#">SRET07</a>	Monitoring for Indexing: Non-KPRO	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
543	<a href="#">SRIP</a>	Import of Training Indexes	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
544	<a href="#">SRMBROWSE R</a>	Records Browser	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
545	<a href="#">SRMCALLMO N</a>	Monitor for Call Handler	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
546	<a href="#">SRMCMCREA TE</a>	Create Content Models	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
547	<a href="#">SRMCMEDIT</a>	Edit Content Models	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
548	<a href="#">SRMCUSTOMI ZING</a>	Customizing Records Management	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
549	<a href="#">SRMCUSTSRV</a>	SRM: Maintain Custom Services	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
550	<a href="#">SRMEXPORT</a>	Starts Selection Report SRM_EXPORT	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
551	<a href="#">SRMMODELE R</a>	Records Modeler	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
552	<a href="#">SRMO</a>	SAP Retrieval - Monitor	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>
553	<a href="#">SRMO1</a>	Call of IMS Monitoring	<a href="#">BC-SRV-KPR-RET</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
554	<a href="#">SRMORGTYP</a>	BC-SRV-RM : Type Maint. Organizer	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
555	<a href="#">SRMPCR</a>	POID Content Repository	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
556	<a href="#">SRMPCR_CLN T</a>	POID Content Repository (Client)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
557	<a href="#">SRMPLANER</a>	Records (File) Planner	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
558	<a href="#">SRMPROTOVI EW</a>	Records Management Log Viewer	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
559	<a href="#">SRMRECORD SCREATE</a>	Create Personnel Records	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
560	<a href="#">SRMREFRULE</a>	Generation Rules for Record Numbers	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
561	<a href="#">SRMREGEDIT</a>	SRM Registry Maintenance	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
562	<a href="#">SRMREGEDIT C</a>	Maintain SRM Registry (Cust. View)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
563	<a href="#">SRMSTART</a>	Records Management	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
564	<a href="#">SRMVIEWGE N</a>	View Generator	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
565	<a href="#">SRM_APPL_L OG</a>	Application Log Settings	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
566	<a href="#">SRM_DISP_N O</a>	Number Range Maintenance: SRMDPDPID	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
567	<a href="#">SRM_DOCFIN DER</a>	SRM: Maintain DocFinder Settings	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
568	<a href="#">SRM_DOC_TE MPLATE</a>	SRM: Maintain Status Network	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
569	<a href="#">SRM_KC_AD MIN</a>	Administration Keyword Catalog	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
570	<a href="#">SRM_KC EDI T</a>	Maintain Keyword Catalog	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
571	<a href="#">SRM_PROFIL</a>	SRM: Maintain Status Profile	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
572	<a href="#">SRM_PROP_P ERSPUBLISH</a>	Generate Attribute Properties	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
573	<a href="#">SRM_RECTES T1</a>	Test BO RECORD Methods	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
574	<a href="#">SRM_RECTES T2</a>	Test BO RECORD Dialog Methods	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
575	<a href="#">SRM_STATUS</a>	SRM: Maintain Status	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
576	<a href="#">SRM_STATUS _NET</a>	SRM: Maintain Status Network	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
577	<a href="#">SRM_WFPAT H_NO</a>	Number Range Maintenance: SRMWFPATH	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
578	<a href="#">SRM_WF_PAT H_MAINT</a>	Maintain Process Route	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
579	<a href="#">SRN1</a>	Number range maintenance: ADRCITY	<a href="#">BC-SRV- ADR</a>	<a href="#">SAP BASIS</a>
580	<a href="#">SRN2</a>	Number range maintenance: ADRSTREET	<a href="#">BC-SRV- ADR</a>	<a href="#">SAP BASIS</a>
581	<a href="#">SRN3</a>	Number range maintenance: ADRPSTCODE	<a href="#">BC-SRV- ADR</a>	<a href="#">SAP BASIS</a>
582	<a href="#">SRSE</a>	Test Search for the IMS	<a href="#">BC-SRV- KPR-RET</a>	<a href="#">SAP BASIS</a>
583	<a href="#">SRTV</a>	Text Retrieval: Customizing	<a href="#">BC-SRV- SEN</a>	<a href="#">SAP BASIS</a>
584	<a href="#">SSC</a>	SAP Appointment Calendar (internal)	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
585	<a href="#">SSC0</a>	SAP Appointment Calendar (Employee)	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
586	<a href="#">SSC0X</a>	SAP Appointment Calendar (Employee)	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
587	<a href="#">SSC1</a>	SAP (own) Appointment Calendar	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
588	<a href="#">SSC1X</a>	SAP (own) Appointment Calendar	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
589	<a href="#">SSCA</a>	Appointment Calendar: Auth. Maint.	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
590	<a href="#">SSCA1</a>	Appointment calendar: Administration	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
591	<a href="#">SSCV</a>	Appoint. diary: VisualBasic frontend	<a href="#">BC-SRV- GBT-CAL</a>	<a href="#">SAP BASIS</a>
592	<a href="#">SSUB1</a>	Subscription Settings	<a href="#">BC-SRV- GBT-GOS</a>	<a href="#">SAP BASIS</a>
593	<a href="#">SSUB2</a>	Text Maintenance for Subscription	<a href="#">BC-SRV- GBT-GOS</a>	<a href="#">SAP BASIS</a>
594	<a href="#">STSN</a>	Customizing Number Ranges TimeStream	<a href="#">BC-SRV- TIM-TS</a>	<a href="#">SAP BASIS</a>
595	<a href="#">STZAC</a>	Maintain time zone act. in client	<a href="#">BC-SRV- TIM-TZ</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
596	<a href="#">STZAD</a>	Disp.time zone activat.in client	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
597	<a href="#">STZBC</a>	Maintain time zones in Basis Cust.	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
598	<a href="#">STZBD</a>	Display time zones (Basis Cust.)	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
599	<a href="#">STZEC</a>	Time zone mapping in ext. systems	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
600	<a href="#">STZED</a>	Time zone mapping in ext. systems	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
601	<a href="#">STZGC</a>	Time zones: Maintain geo.data	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
602	<a href="#">STZGD</a>	Time zone cust.: Disp.geo.data	<a href="#">BC-SRV-TIM-TZ</a>	<a href="#">SAP BASIS</a>
603	<a href="#">SXDA</a>	Data Transfer Workbench	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
604	<a href="#">SXDA_TOOLS</a>	DX Workbench: tools	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
605	<a href="#">SXDB</a>	Data Transfer Workbench	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
606	<a href="#">SZGEOCD_CO STOMZVERIF</a>	Verify Customizing (Analysis)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
607	<a href="#">SZGEOCD_GE OCD2CLS</a>	Register Geocoder in System	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
608	<a href="#">SZGEOCD_GE OCDRLFLD</a>	Relevant Address Fields for Geocoder	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
609	<a href="#">SZGEOCD_GE OCODERS</a>	Assign Geocoding Tools to Countries	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
610	<a href="#">SZGEOCD_GE OT005</a>	Maintain Geodata for Countries	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
611	<a href="#">SZGEOCD_GE OT005S</a>	Maintain Geodata for Country/Region	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
612	<a href="#">SZGEOCD_M ASS</a>	Mass Assignment: Geocoder to Country	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
613	<a href="#">SZGEOCD_TE ST</a>	Geocoding Test Program	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
614	<a href="#">S_ABA_72000 168</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
615	<a href="#">S_ABA_72000 170</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
616	<a href="#">S_ABA_72000 171</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
617	<a href="#">S_ABA_72000172</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
618	<a href="#">S_ABA_72000173</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
619	<a href="#">S_ABA_72000174</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
620	<a href="#">S_ABA_72000175</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
621	<a href="#">S_ABA_72000203</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
622	<a href="#">S_AUT01</a>	Maintain Logging Setting	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
623	<a href="#">S_AUT02</a>	Maintain Navigation Help	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
624	<a href="#">S_AUT03</a>	Display Logging Setting	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
625	<a href="#">S_AUT04</a>	Maintain Long Text Logging	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
626	<a href="#">S_AUT05</a>	Delete Long Text Logs	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
627	<a href="#">S_AUT10</a>	Evaluate New Audit Trail	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
628	<a href="#">S_B5A_57000001</a>	IMG-Activity: CFMENUORFBWKST	<a href="#">BC-SRV-BSF</a>	<a href="#">SAP BASIS</a>
629	<a href="#">S_B5A_57000002</a>	IMG Activity: CFMENUORFBWKRT	<a href="#">BC-SRV-BSF</a>	<a href="#">SAP BASIS</a>
630	<a href="#">S_B5A_57000003</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
631	<a href="#">S_B5A_57000013</a>	(empty)	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
632	<a href="#">S_B5T_17000001</a>	IMG Activity: SRM_CUST_02	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
633	<a href="#">S_B5T_17000004</a>	IMG Activity: SRMCMCREATE	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
634	<a href="#">S_B6A_52000002</a>	(empty)	<a href="#">BC-SRV-ARL</a>	<a href="#">SAP BASIS</a>
635	<a href="#">S_B6A_52000010</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
636	<a href="#">S_B6A_52000015</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
637	<a href="#">S_B7A_13000001</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
638	<a href="#">S_BCE_680001</a> <a href="#">95</a>	IMG Activity: SIMG_CFMENUORFBOBD5	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
639	<a href="#">S_BCE_680001</a> <a href="#">96</a>	IMG Activity: SIMG_CFORFBOAC5	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
640	<a href="#">S_BCE_680002</a> <a href="#">01</a>	IMG Activity: SIMG_SALWFPARAMOACA	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
641	<a href="#">S_BCE_680002</a> <a href="#">02</a>	IMG Activity: SIMG_SALWFDOKARTSOA0	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
642	<a href="#">S_BCE_680002</a> <a href="#">03</a>	IMG Activity: SIMGSIMG_WORKFLOW	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
643	<a href="#">S_BCE_680002</a> <a href="#">04</a>	IMG Activity: SIMG_SALCUCHECKOACK	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
644	<a href="#">S_BCE_680002</a> <a href="#">05</a>	IMG Activity: SIMG_SALABLAGEOAC0	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
645	<a href="#">S_BCE_680002</a> <a href="#">06</a>	IMG Activity: SIMG_SALPROTOOAA3	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
646	<a href="#">S_BCE_680002</a> <a href="#">07</a>	IMG Activity: SIMG_SALAPPLIKOAA4	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
647	<a href="#">S_BCE_680002</a> <a href="#">14</a>	IMG Activity: SIMG_CFMENUSAPCOBC3	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
648	<a href="#">S_BCE_680002</a> <a href="#">15</a>	IMG Activity: SIMG_PHON220	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
649	<a href="#">S_BCE_680002</a> <a href="#">16</a>	IMG Activity: SIMG_PHON310	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
650	<a href="#">S_BCE_680002</a> <a href="#">17</a>	IMG Activity: SIMG_PHON320	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
651	<a href="#">S_BCE_680002</a> <a href="#">26</a>	IMG Activity: SIMG_SALWWIZOAWW	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
652	<a href="#">S_BCE_680002</a> <a href="#">27</a>	IMG Activity: SIMG_SALARCHGEROAD6	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
653	<a href="#">S_BCE_680002</a> <a href="#">28</a>	IMG Activity: SIMG_SALCUCHECKOACK	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
654	<a href="#">S_BCE_680002</a> <a href="#">29</a>	IMG Activity: SIMG_SALPROTOOAA3	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
655	<a href="#">S_BCE_680002</a> <a href="#">30</a>	IMG Activity: SIMG_SALAPPLIKOAA4	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
656	<a href="#">S_BCE_680002</a> <a href="#">31</a>	IMG Activity: SIMG_SALBENAROOA1	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
657	<a href="#">S_BCE_680002</a> <a href="#">32</a>	IMG Activity: SIMG_SALBARARCHOAC5	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
658	<a href="#">S_BCE_680002</a> <a href="#">33</a>	IMG Activity: SIMG_CMMENUOEDISU01	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
659	<a href="#">S_BCE_680002</a> <a href="#">34</a>	IMG Activity: SIMG_SALERGVERKNOABA	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
660	<a href="#">S_BCE_680002</a> <a href="#">35</a>	IMG Activity: SIMG_SALGRUNDOAG1	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
661	<a href="#">S_BCE_680002</a> <a href="#">36</a>	IMG Activity: SIMG_SALABLAGEOAC0	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
662	<a href="#">S_BCE_680002</a> <a href="#">37</a>	IMG Activity: SIMG_CFMENUOEDIOAC3	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
663	<a href="#">S_BCE_680002</a> <a href="#">38</a>	IMG Activity: SIMG_SALQUEUEOQA1	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
664	<a href="#">S_BCE_680002</a> <a href="#">39</a>	IMG Activity: SIMG_SALJOBSSOAT	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
665	<a href="#">S_BCE_680002</a> <a href="#">40</a>	IMG Activity: SIMG_SALNUMMOANR	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
666	<a href="#">S_BCE_680002</a> <a href="#">41</a>	IMG Activity: SIMG_SALVERPRÜFOACH	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
667	<a href="#">S_BCE_680002</a> <a href="#">42</a>	IMG Activity: SIMG_CMMENUOEDISU03	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
668	<a href="#">S_BCE_680002</a> <a href="#">43</a>	IMG Activity: SIMG_SALCUCHECKOACK	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
669	<a href="#">S_BCE_680002</a> <a href="#">44</a>	IMG Activity: SIMG_SALVOREINOAWS	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
670	<a href="#">S_BCE_680002</a> <a href="#">45</a>	IMG Activity: SIMG_SALVERKNTABOARD3	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
671	<a href="#">S_BCE_680002</a> <a href="#">46</a>	IMG Activity: SIMG_SALDOKARTENOAC2	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
672	<a href="#">S_BCE_680002</a> <a href="#">47</a>	IMG Activity: SIMG_SALDOKTYPENOAD2	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
673	<a href="#">S_BCE_680002</a> <a href="#">48</a>	IMG Activity: SIMG_SALBARCODEOAD4	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
674	<a href="#">S_BCE_680002</a> <a href="#">49</a>	IMG Activity: SIMG_SALCUCHECKOACK	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
675	<a href="#">S_BCE_680002</a> <a href="#">50</a>	IMG Activity: SIMG_SALDOKWIZOAD5	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
676	<a href="#">S_BCE_680002</a> <a href="#">51</a>	IMG Activity: SIMG_CMMENUOEDISU02	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
677	<a href="#">S_BCE_680002</a> <a href="#">52</a>	IMG Activity: SIMG_OSC1	<a href="#">BC-SRV-</a> <a href="#">COM</a>	<a href="#">SAP BASIS</a>
678	<a href="#">S_BCE_680002</a> <a href="#">78</a>	IMG Activity: SIMG_SAPA_ADR_VERS	<a href="#">BC-SRV-</a> <a href="#">ADR</a>	<a href="#">SAP BASIS</a>
679	<a href="#">S_BCE_680002</a> <a href="#">79</a>	IMG Activity: SIMG_ADDRESSES_SA14	<a href="#">BC-SRV-</a> <a href="#">ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
680	<a href="#">S_BCE_680002</a> <a href="#">80</a>	IMG Activity: SIMG_REGSTRUC_SRN1	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
681	<a href="#">S_BCE_680002</a> <a href="#">81</a>	IMG Activity: SIMG_REGSTRUC_SRN2	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
682	<a href="#">S_BCE_680002</a> <a href="#">82</a>	IMG Activity: SIMG_REGSTRUC_SRN3	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
683	<a href="#">S_BCE_680002</a> <a href="#">83</a>	IMG Activity: SIMG_REGSTRUC_STTYPE	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
684	<a href="#">S_BCE_680002</a> <a href="#">84</a>	IMG Activity: SIMG_REGSTRUC_GROUP	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
685	<a href="#">S_BCE_680002</a> <a href="#">85</a>	IMG Activity: SIMG_ADDRESSES_SA01	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
686	<a href="#">S_BCE_680002</a> <a href="#">86</a>	IMG Activity: SIMG_ADDRESSES_SA03	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
687	<a href="#">S_BCE_680002</a> <a href="#">87</a>	IMG Activity: SIMG_ADDRESSES_SA02	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
688	<a href="#">S_BCE_680002</a> <a href="#">88</a>	IMG Activity: SIMG_ADDRESSES_SA04	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
689	<a href="#">S_BCE_680002</a> <a href="#">89</a>	IMG Activity: SIMG_ADDRESSES_SA13	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
690	<a href="#">S_BCE_680002</a> <a href="#">90</a>	IMG Activity: SIMG_ADDRESSES_SA05	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
691	<a href="#">S_BCE_680002</a> <a href="#">92</a>	IMG Activity: SIMG_GTFMCCOMMHIER	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
692	<a href="#">S_BCE_680003</a> <a href="#">84</a>	IMG Activity: SAPA_SXDA	<a href="#">BC-SRV-DX-DXW</a>	<a href="#">SAP BASIS</a>
693	<a href="#">S_BCE_680003</a> <a href="#">92</a>	Link Check	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
694	<a href="#">S_BCE_680012</a> <a href="#">85</a>	(empty)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
695	<a href="#">S_BCE_680012</a> <a href="#">86</a>	(empty)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
696	<a href="#">S_BCE_680012</a> <a href="#">87</a>	(empty)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
697	<a href="#">S_BCE_680012</a> <a href="#">88</a>	(empty)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
698	<a href="#">S_BCE_680012</a> <a href="#">89</a>	(empty)	<a href="#">BC-SRV-COM</a>	<a href="#">SAP BASIS</a>
699	<a href="#">S_BCE_680012</a> <a href="#">90</a>	Search Server Relation	<a href="#">BC-SRV</a>	<a href="#">SAP BASIS</a>
700	<a href="#">S_BCE_680012</a> <a href="#">93</a>	IMG activity: SIMG_ADDRESSES_SA15	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
701	<a href="#">S_BCE_680014</a> <a href="#">99</a>	(empty)	BC-SRV- ADR	<a href="#">SAP BASIS</a>
702	<a href="#">S_BCE_680015</a> <a href="#">23</a>	(empty)	BC-SRV- KPR-CMS	<a href="#">SAP BASIS</a>
703	<a href="#">S_BCE_680015</a> <a href="#">24</a>	(empty)	BC-SRV- KPR-CMS	<a href="#">SAP BASIS</a>
704	<a href="#">S_BCE_680015</a> <a href="#">25</a>	(empty)	BC-SRV- KPR-CMS	<a href="#">SAP BASIS</a>
705	<a href="#">S_BCE_680015</a> <a href="#">26</a>	(empty)	BC-SRV- KPR-DMS	<a href="#">SAP BASIS</a>
706	<a href="#">S_BCE_680015</a> <a href="#">46</a>	(empty)	BC-SRV- GBT-CAL	<a href="#">SAP BASIS</a>
707	<a href="#">S_BCE_680015</a> <a href="#">74</a>	(empty)	BC-SRV- GBT-CAL	<a href="#">SAP BASIS</a>
708	<a href="#">S_BCE_680016</a> <a href="#">13</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
709	<a href="#">S_BCE_680016</a> <a href="#">14</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
710	<a href="#">S_BCE_680016</a> <a href="#">15</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
711	<a href="#">S_BCE_680016</a> <a href="#">16</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
712	<a href="#">S_BCE_680016</a> <a href="#">17</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
713	<a href="#">S_BCE_680016</a> <a href="#">18</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
714	<a href="#">S_BCE_680016</a> <a href="#">19</a>	(empty)	BC-SRV- KPR-RET	<a href="#">SAP BASIS</a>
715	<a href="#">S_BCE_680016</a> <a href="#">20</a>	(empty)	BC-SRV- KPR-DMS	<a href="#">SAP BASIS</a>
716	<a href="#">S_BCE_680017</a> <a href="#">35</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
717	<a href="#">S_BCE_680017</a> <a href="#">36</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
718	<a href="#">S_BCE_680017</a> <a href="#">37</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
719	<a href="#">S_BCE_680017</a> <a href="#">38</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
720	<a href="#">S_BCE_680017</a> <a href="#">39</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>
721	<a href="#">S_BCE_680017</a> <a href="#">40</a>	(empty)	BC-SRV- ARL	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
722	<a href="#">S_BCE_680017</a> <a href="#">41</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
723	<a href="#">S_BCE_680017</a> <a href="#">42</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
724	<a href="#">S_BCE_680017</a> <a href="#">43</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
725	<a href="#">S_BCE_680017</a> <a href="#">44</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
726	<a href="#">S_BCE_680017</a> <a href="#">45</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
727	<a href="#">S_BCE_680017</a> <a href="#">46</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
728	<a href="#">S_BCE_680017</a> <a href="#">47</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
729	<a href="#">S_BCE_680017</a> <a href="#">48</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
730	<a href="#">S_BCE_680017</a> <a href="#">49</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
731	<a href="#">S_BCE_680017</a> <a href="#">52</a>	(empty)	<a href="#">BC-SRV- KPR-CMS</a>	<a href="#">SAP BASIS</a>
732	<a href="#">S_BCE_680017</a> <a href="#">54</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
733	<a href="#">S_BCE_680017</a> <a href="#">56</a>	(empty)	<a href="#">BC-SRV- KPR-DMS</a>	<a href="#">SAP BASIS</a>
734	<a href="#">S_BCE_680017</a> <a href="#">57</a>	(empty)	<a href="#">BC-SRV- KPR-DMS</a>	<a href="#">SAP BASIS</a>
735	<a href="#">S_BCE_680018</a> <a href="#">18</a>	(empty)	<a href="#">BC-SRV- GBT-ALM</a>	<a href="#">SAP BASIS</a>
736	<a href="#">S_BCE_680018</a> <a href="#">19</a>	(empty)	<a href="#">BC-SRV- KPR-RET</a>	<a href="#">SAP BASIS</a>
737	<a href="#">S_BCE_680018</a> <a href="#">23</a>	(empty)	<a href="#">BC-SRV- ARL</a>	<a href="#">SAP BASIS</a>
738	<a href="#">S_BCE_680019</a> <a href="#">43</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
739	<a href="#">S_BCE_680019</a> <a href="#">45</a>	(empty)	<a href="#">BC-SRV- GBT-DRB</a>	<a href="#">SAP BASIS</a>
740	<a href="#">S_BCE_680019</a> <a href="#">46</a>	(empty)	<a href="#">BC-SRV- GBT-DRB</a>	<a href="#">SAP BASIS</a>
741	<a href="#">S_BCE_680019</a> <a href="#">47</a>	(empty)	<a href="#">BC-SRV- GBT-DRB</a>	<a href="#">SAP BASIS</a>
742	<a href="#">S_BCE_680019</a> <a href="#">48</a>	(empty)	<a href="#">BC-SRV- GBT-DRB</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
743	<a href="#">S_BCE_680019</a> <a href="#">49</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
744	<a href="#">S_BCE_680019</a> <a href="#">50</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
745	<a href="#">S_BCE_680019</a> <a href="#">51</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
746	<a href="#">S_BCE_680019</a> <a href="#">52</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
747	<a href="#">S_BCE_680019</a> <a href="#">53</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
748	<a href="#">S_BCE_680019</a> <a href="#">54</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
749	<a href="#">S_BCE_680019</a> <a href="#">55</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
750	<a href="#">S_BCE_680019</a> <a href="#">56</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
751	<a href="#">S_BCE_680019</a> <a href="#">57</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
752	<a href="#">S_BCE_680019</a> <a href="#">58</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
753	<a href="#">S_BCE_680019</a> <a href="#">59</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
754	<a href="#">S_BCE_680019</a> <a href="#">61</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
755	<a href="#">S_BCE_680019</a> <a href="#">62</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
756	<a href="#">S_BCE_680019</a> <a href="#">63</a>	(empty)	<a href="#">BC-SRV-GBT-DRB</a>	<a href="#">SAP BASIS</a>
757	<a href="#">S_BCE_680020</a> <a href="#">15</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
758	<a href="#">S_BCE_680020</a> <a href="#">31</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
759	<a href="#">S_BCE_680020</a> <a href="#">33</a>	(empty)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
760	<a href="#">S_BCE_680020</a> <a href="#">39</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
761	<a href="#">S_BCE_680020</a> <a href="#">44</a>	(empty)	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
762	<a href="#">S_BCE_680020</a> <a href="#">46</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
763	<a href="#">S_BCE_680020</a> <a href="#">47</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
764	<a href="#">S_BCE_680020</a> <a href="#">49</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
765	<a href="#">S_BCE_680020</a> <a href="#">50</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
766	<a href="#">S_BCE_680020</a> <a href="#">51</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
767	<a href="#">S_BCE_680020</a> <a href="#">52</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
768	<a href="#">S_BCE_680020</a> <a href="#">53</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
769	<a href="#">S_BCE_680020</a> <a href="#">54</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
770	<a href="#">S_BCE_680020</a> <a href="#">55</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
771	<a href="#">S_BCE_680020</a> <a href="#">56</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
772	<a href="#">S_BCE_680020</a> <a href="#">57</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
773	<a href="#">S_BCE_680020</a> <a href="#">58</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
774	<a href="#">S_BCE_680020</a> <a href="#">59</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
775	<a href="#">S_BCE_680020</a> <a href="#">65</a>	(empty)	<a href="#">BC-SRV- CM</a>	<a href="#">SAP BASIS</a>
776	<a href="#">S_BCE_680020</a> <a href="#">68</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
777	<a href="#">S_BCE_680020</a> <a href="#">69</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
778	<a href="#">S_BCE_680020</a> <a href="#">71</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
779	<a href="#">S_BCE_680020</a> <a href="#">73</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
780	<a href="#">S_BCE_680020</a> <a href="#">84</a>	(empty)	<a href="#">BC-SRV- RM</a>	<a href="#">SAP BASIS</a>
781	<a href="#">S_BCE_680020</a> <a href="#">85</a>	(empty)	<a href="#">BC-SRV- CM</a>	<a href="#">SAP BASIS</a>
782	<a href="#">S_BCE_680020</a> <a href="#">86</a>	(empty)	<a href="#">BC-SRV- GBT-ALM</a>	<a href="#">SAP BASIS</a>
783	<a href="#">S_BCE_680020</a> <a href="#">87</a>	(empty)	<a href="#">BC-SRV- GBT-ALM</a>	<a href="#">SAP BASIS</a>
784	<a href="#">S_BCE_680020</a> <a href="#">90</a>	(empty)	<a href="#">BC-SRV- ADR</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
785	<a href="#">S_BCE_680020</a> <a href="#">92</a>	(empty)	BC-SRV- CM	<a href="#">SAP BASIS</a>
786	<a href="#">S_BCE_680021</a> <a href="#">03</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
787	<a href="#">S_BCE_680021</a> <a href="#">12</a>	(empty)	BC-SRV- ADR	<a href="#">SAP BASIS</a>
788	<a href="#">S_BCE_680021</a> <a href="#">48</a>	(empty)	BC-SRV- CM	<a href="#">SAP BASIS</a>
789	<a href="#">S_BCE_680021</a> <a href="#">49</a>	(empty)	BC-SRV- CM	<a href="#">SAP BASIS</a>
790	<a href="#">S_BCE_680021</a> <a href="#">50</a>	(empty)	BC-SRV- CM	<a href="#">SAP BASIS</a>
791	<a href="#">S_BCE_680021</a> <a href="#">60</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
792	<a href="#">S_BCE_680021</a> <a href="#">61</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
793	<a href="#">S_BCE_680021</a> <a href="#">72</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
794	<a href="#">S_BCE_680021</a> <a href="#">73</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
795	<a href="#">S_BCE_680021</a> <a href="#">74</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
796	<a href="#">S_BCE_680021</a> <a href="#">75</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
797	<a href="#">S_BCE_680021</a> <a href="#">76</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
798	<a href="#">S_BCE_680021</a> <a href="#">77</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
799	<a href="#">S_BCE_680022</a> <a href="#">05</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
800	<a href="#">S_BCE_680022</a> <a href="#">08</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
801	<a href="#">S_BCE_680022</a> <a href="#">09</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
802	<a href="#">S_BCE_680022</a> <a href="#">19</a>	(empty)	BC-SRV- CM	<a href="#">SAP BASIS</a>
803	<a href="#">S_BCE_680022</a> <a href="#">20</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
804	<a href="#">S_BCE_680022</a> <a href="#">37</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>
805	<a href="#">S_BCE_680022</a> <a href="#">56</a>	(empty)	BC-SRV- RM	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
806	<a href="#">S_BCE_68002259</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
807	<a href="#">S_BCE_68002286</a>	(empty)	<a href="#">BC-SRV-UKM</a>	<a href="#">SAP BASIS</a>
808	<a href="#">S_BCE_68002393</a>	(empty)	<a href="#">BC-SRV-UKM</a>	<a href="#">SAP BASIS</a>
809	<a href="#">S_BCE_68002394</a>	(empty)	<a href="#">BC-SRV-UKM</a>	<a href="#">SAP BASIS</a>
810	<a href="#">S_BCE_68002430</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
811	<a href="#">S_BCE_68002431</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
812	<a href="#">S_BCE_68002434</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
813	<a href="#">S_BCE_68002500</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
814	<a href="#">S_BIE_59000144</a>	Priorities for apt. management	<a href="#">BC-SRV-GBT-CAL</a>	<a href="#">SAP BASIS</a>
815	<a href="#">S_BIE_59000182</a>	IMG activity: SIMG_REGSTRUC_SR30	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
816	<a href="#">S_BIE_59000183</a>	IMG activity: SIMG_REGSTRUC_SR31	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
817	<a href="#">S_BIE_59000184</a>	IMG activity: SIMG_REGSTRUC_SR32	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
818	<a href="#">S_BIE_59000185</a>	IMG activity: SIMG_REGSTRUC_SR10	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
819	<a href="#">S_BIE_59000186</a>	IMG activity: SIMG_REGSTRUC_SR11	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
820	<a href="#">S_BIE_59000187</a>	IMG activity: SIMG_REGSTRUC_SR12	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
821	<a href="#">S_BIE_59000188</a>	IMG activity: SIMG_REGSTRUC_SR20	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
822	<a href="#">S_BIE_59000189</a>	IMG activity: SIMG_REGSTRUC_SR21	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
823	<a href="#">S_BIE_59000190</a>	IMG activity: SIMG_REGSTRUC_SR22	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
824	<a href="#">S_BIE_59000191</a>	IMG activity: SIMG_REGSTRUC_FILL	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
825	<a href="#">S_BIE_59000194</a>	IMG activity: SIMG_ADDRESSES_SA16	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
826	<a href="#">S_BIE_59000218</a>	x	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
827	<a href="#">S_BIE_59000219</a>	IMG activity: SIMG_ADDRESSES_SA17	<a href="#">BC-SRV-ADR</a>	<a href="#">SAP BASIS</a>
828	<a href="#">S_BIE_59000274</a>	(empty)	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
829	<a href="#">S_BIE_59000275</a>	(empty)	<a href="#">BC-SRV-KPR-CMS</a>	<a href="#">SAP BASIS</a>
830	<a href="#">S_BIE_59000302</a>	(empty)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
831	<a href="#">S_BIE_59000303</a>	(empty)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
832	<a href="#">S_BIE_59000304</a>	(empty)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
833	<a href="#">S_BIE_59000305</a>	(empty)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
834	<a href="#">S_BIE_59000306</a>	(empty)	<a href="#">BC-SRV-GEO</a>	<a href="#">SAP BASIS</a>
835	<a href="#">S_BIN_67000022</a>	IMG Activity: HTTPPROXY	<a href="#">BC-SRV-COM-FTP</a>	<a href="#">SAP BASIS</a>
836	<a href="#">S_BJA_09000018</a>	x	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
837	<a href="#">S_BJA_09000019</a>	x	<a href="#">BC-SRV-QUE</a>	<a href="#">SAP BASIS</a>
838	<a href="#">S_EKW_85000002</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
839	<a href="#">S_EKW_85000003</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
840	<a href="#">S_EKW_85000004</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
841	<a href="#">S_EKW_85000005</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
842	<a href="#">S_EKW_85000006</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
843	<a href="#">S_EKW_85000007</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
844	<a href="#">S_EKW_85000008</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
845	<a href="#">S_EKW_85000009</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
846	<a href="#">S_EKW_85000010</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
847	<a href="#">S_EKW_85000011</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
848	<a href="#">S_EKW_85000012</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
849	<a href="#">S_EKW_85000013</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
850	<a href="#">S_EKW_85000014</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
851	<a href="#">S_EKW_85000015</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
852	<a href="#">S_EKW_85000016</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
853	<a href="#">S_EKW_85000017</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
854	<a href="#">S_EKW_85000018</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
855	<a href="#">S_EKW_85000019</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
856	<a href="#">S_EKW_85000020</a>	(empty)	<a href="#">BC-SRV-RM</a>	<a href="#">SAP BASIS</a>
857	<a href="#">S_EKW_85000021</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
858	<a href="#">S_EKW_85000022</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
859	<a href="#">S_EKW_85000023</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
860	<a href="#">S_EKW_85000024</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
861	<a href="#">S_EKW_85000025</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
862	<a href="#">S_EKW_85000026</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
863	<a href="#">S_EKW_85000027</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
864	<a href="#">S_EKW_85000028</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
865	<a href="#">S_EKW_85000029</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
866	<a href="#">S_L1A_49000010</a>	(empty)	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
867	<a href="#">S_L1A_49000011</a>	(empty)	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>
868	<a href="#">S_L1A_49000012</a>	(empty)	<a href="#">BC-SRV-ASF-AT</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
869	<a href="#">S_NWDEMO_BP_SNRO</a>	Number range maintenance: SDEMO_BP	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
870	<a href="#">S_NWDEMO_DG</a>	Execute data generator for NW demo	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
871	<a href="#">S_NWDEMO_PO_SNRO</a>	Number range maintenance: SDEMO_PO	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
872	<a href="#">S_NWDEMO_SO_SNRO</a>	Number range maintenance: SDEMO_SO	<a href="#">BC-SRV-NWD</a>	<a href="#">SAP BASIS</a>
873	<a href="#">S_PAB_09000008</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
874	<a href="#">S_PAB_09000009</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
875	<a href="#">S_PAB_09000010</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
876	<a href="#">S_PAB_09000011</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
877	<a href="#">S_PAB_09000012</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
878	<a href="#">S_PAB_09000013</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
879	<a href="#">S_PAB_09000014</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
880	<a href="#">S_S7B_68000057</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
881	<a href="#">S_S7B_68000059</a>	IMG Activity: SIMG_BRF_BADIEXPRESS	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
882	<a href="#">S_S7B_68000060</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
883	<a href="#">S_S7B_68000061</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
884	<a href="#">S_S7B_68000062</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
885	<a href="#">S_S7B_68000063</a>	(empty)	<a href="#">BC-SRV-BRF</a>	<a href="#">SAP BASIS</a>
886	<a href="#">S_Y4H_68000004</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
887	<a href="#">S_Y4H_68000005</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
888	<a href="#">S_Y4H_68000006</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
889	<a href="#">S_Y4H_68000007</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
890	<a href="#">S_Y4H_68000008</a>	(empty)	BC-SRV-TFW	SAP BASIS
891	<a href="#">S_Y4H_68000010</a>	(empty)	BC-SRV-STW	SAP BASIS
892	<a href="#">S_Y6B_06000004</a>	(empty)	BC-SRV-CM	SAP BASIS
893	<a href="#">S_Y6B_06000005</a>	(empty)	BC-SRV-CM	SAP BASIS
894	<a href="#">S_Y6B_06000006</a>	(empty)	BC-SRV-CM	SAP BASIS
895	<a href="#">S_Y6B_06000007</a>	(empty)	BC-SRV-CM	SAP BASIS
896	<a href="#">S_Y7A_80000002</a>	(empty)	BC-SRV-CM	SAP BASIS
897	<a href="#">S_Y7A_80000003</a>	(empty)	BC-SRV-RM	SAP BASIS
898	<a href="#">S_YI2_53000001</a>	(empty)	BC-SRV-RM	SAP BASIS
899	<a href="#">S_YI2_53000002</a>	(empty)	BC-SRV-RM	SAP BASIS
900	<a href="#">S_YI2_53000003</a>	(empty)	BC-SRV-CM	SAP BASIS
901	<a href="#">S_YI2_53000004</a>	(empty)	BC-SRV-CM	SAP BASIS
902	<a href="#">S_YI2_53000005</a>	(empty)	BC-SRV-CM	SAP BASIS
903	<a href="#">S_YI2_53000006</a>	(empty)	BC-SRV-ASF-AT	SAP BASIS
904	<a href="#">S_YI2_53000009</a>	(empty)	BC-SRV-RM	SAP BASIS
905	<a href="#">S_YI3_390000015</a>	(empty)	BC-SRV-PCO	SAP BASIS
906	<a href="#">S_YI3_390000016</a>	(empty)	BC-SRV-PCO	SAP BASIS
907	<a href="#">S_YI3_390000017</a>	(empty)	BC-SRV-PCO	SAP BASIS
908	<a href="#">S_YI3_390000018</a>	(empty)	BC-SRV-PCO	SAP BASIS
909	<a href="#">S_YI3_390000019</a>	(empty)	BC-SRV-PCO	SAP BASIS
910	<a href="#">S_YI3_390000027</a>	(empty)	BC-SRV-PCO	SAP BASIS

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
911	<a href="#">S_YI3_3900009</a> <a href="#">6</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
912	<a href="#">S_YI3_3900009</a> <a href="#">7</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
913	<a href="#">S_YI3_3900009</a> <a href="#">8</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
914	<a href="#">S_YI3_3900009</a> <a href="#">9</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
915	<a href="#">S_YI3_3900010</a> <a href="#">0</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
916	<a href="#">S_YI3_3900010</a> <a href="#">1</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
917	<a href="#">S_YI3_3900010</a> <a href="#">2</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
918	<a href="#">S_YI3_3900010</a> <a href="#">3</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
919	<a href="#">S_YI3_3900010</a> <a href="#">4</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
920	<a href="#">S_YI3_3900010</a> <a href="#">5</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
921	<a href="#">S_YI3_3900010</a> <a href="#">7</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
922	<a href="#">S_YI3_3900010</a> <a href="#">8</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
923	<a href="#">S_YI3_3900013</a> <a href="#">4</a>	(empty)	<a href="#">BC-SRV-CM</a>	<a href="#">SAP BASIS</a>
924	<a href="#">S_YI3_3900013</a> <a href="#">8</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
925	<a href="#">S_YI3_3900013</a> <a href="#">9</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
926	<a href="#">S_YI3_3900014</a> <a href="#">0</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
927	<a href="#">S_YI3_3900014</a> <a href="#">1</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
928	<a href="#">S_YI3_3900014</a> <a href="#">7</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
929	<a href="#">S_YI3_3900014</a> <a href="#">8</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
930	<a href="#">S_YI3_3900014</a> <a href="#">9</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
931	<a href="#">S_YI3_3900015</a> <a href="#">0</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>

## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
932	<a href="#">S_YI3_3900015</a> <a href="#">1</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
933	<a href="#">S_YI3_3900015</a> <a href="#">2</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
934	<a href="#">S_YI3_3900015</a> <a href="#">3</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
935	<a href="#">S_YI3_3900015</a> <a href="#">4</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
936	<a href="#">S_YI3_3900015</a> <a href="#">6</a>	(empty)	<a href="#">BC-SRV-STW</a>	<a href="#">SAP BASIS</a>
937	<a href="#">S_YI3_3900016</a> <a href="#">1</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
938	<a href="#">S_YI3_3900016</a> <a href="#">2</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
939	<a href="#">S_YI3_3900016</a> <a href="#">3</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
940	<a href="#">S_YI3_3900016</a> <a href="#">4</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
941	<a href="#">S_YI3_3900016</a> <a href="#">5</a>	(empty)	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
942	<a href="#">T123</a>	Number Range Maintenance: TT123	<a href="#">BC-SRV-NUM</a>	<a href="#">SAP BASIS</a>
943	<a href="#">TCURMNT</a>	Maintain Exchange Rates	<a href="#">BC-SRV-BSF</a>	<a href="#">SAP BASIS</a>
944	<a href="#">TEST6999</a>	Number range maintenance: TEST38	<a href="#">BC-SRV-NUM</a>	<a href="#">SAP BASIS</a>
945	<a href="#">TFWCLEANU</a> <a href="#">P</a>	Cleanup the database	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
946	<a href="#">TFWFEAT</a>	Maintain features for rating	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
947	<a href="#">TFWKEYGEN</a>	Generate Table for Key Values	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
948	<a href="#">TFWPRED</a>	Maintain tag predicates	<a href="#">BC-SRV-TFW</a>	<a href="#">SAP BASIS</a>
949	<a href="#">TIMECUST</a>	Profile for Time Functions	<a href="#">BC-SRV-TIM-TR</a>	<a href="#">SAP BASIS</a>
950	<a href="#">TIMECUSTEV</a>	Symbolic Names for Dates	<a href="#">BC-SRV-TIM-TR</a>	<a href="#">SAP BASIS</a>
951	<a href="#">TIMEPROF</a>	Profile for Time Functions	<a href="#">BC-SRV-TIM-TR</a>	<a href="#">SAP BASIS</a>
952	<a href="#">USMM</a>	Customer Measurement	<a href="#">BC-SRV-LIM</a>	<a href="#">SAP BASIS</a>



## BC-SRV - Basis Services / Communication Interfaces

#	T-Code	Description	Module	Component
953	<a href="#">WCM_TEST_2</a>	Test program for KW document bridge	<a href="#">BC-SRV- KPR-DMF</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

**BC-TRX**

**TREX**

## BC-TRX - TREX

#	T-Code	Description	Module	Component
1	<a href="#">COM_SE_ADMIN</a>	Search Engine Service: Admin	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
2	<a href="#">COM_SE_NRO_CP</a>	Number Range Maintenance: COM_SE_CP	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
3	<a href="#">COM_SE_NRO_CP2</a>	Number range maintenance: COM_SE_CP2	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
4	<a href="#">SES_ADMIN</a>	Search Engine Service: Admin	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
5	<a href="#">S_MDX_75000_007</a>	(empty)	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
6	<a href="#">S_MDX_75000_009</a>	(empty)	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
7	<a href="#">S_MDX_75000_010</a>	(empty)	<a href="#">BC-TRX-SES</a>	<a href="#">SAP BASIS</a>
8	<a href="#">TREXADMIN</a>	TREX Administration Tool	<a href="#">BC-TRX-API</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-TWB

## Test Workbench

## BC-TWB - Test Workbench

#	T-Code	Description	Module	Component
1	<a href="#">ATC F</a>	ATC for FA	<a href="#">BC-TWB-TST-TCK</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ATC FA</a>	ATC for FA	<a href="#">BC-TWB-TST-TCK</a>	<a href="#">SAP BASIS</a>
3	<a href="#">CHECKMAN_F</a>	CheckMan for Final Assembly	<a href="#">BC-TWB-TST-TCK</a>	<a href="#">SAP BASIS</a>
4	<a href="#">DEMO_TCD</a>	DEMO of a TCD Recording	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
5	<a href="#">EC_TUTORIAL_AUTH</a>	eCATT Demo: Role Tests	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
6	<a href="#">EC_TUTORIAL_SAPGUI</a>	eCATT Tutorial: SAPGUI Command	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
7	<a href="#">EC_TUTORIAL_TCD</a>	eCATT Tutorial: TCD Command	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
8	<a href="#">EC_TUTORIAL_TESTDATA</a>	eCATT: Demo for Test Data Management	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
9	<a href="#">GDV_EDIT_SNAPSHOT</a>	Edit Value Snapshot	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SCAT</a>	Computer Aided Test Tool	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SCEM</a>	CATT - EM	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SCPM</a>	CATT - EM	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SECATT</a>	Extended Computer Aided Test Tool	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SECATT_HIST</a>	eCATT User History	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SECATT_ODATA_WIZARD</a>	eCATT OData Wizard	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SECATT_UTIL</a>	eCATT Utilities	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SMEC</a>	Measurement Environment Check	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
18	<a href="#">ST05</a>	Performance Trace	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
19	<a href="#">ST05ACC</a>	Barrier-Free Performance Trace	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
20	<a href="#">ST05SAVE</a>	Performance Analysis (Very Old ST05)	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
21	<a href="#">ST05_E2E</a>	Display Performance Trace	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>

## BC-TWB - Test Workbench

#	T-Code	Description	Module	Component
22	<a href="#">ST05_NEW</a>	Performance Trace	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
23	<a href="#">ST05_OLD</a>	Performance Trace	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
24	<a href="#">ST30</a>	Global Perf. Analysis: Execute	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
25	<a href="#">ST33</a>	Glob. Perf. Analysis: Display Data	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
26	<a href="#">ST34</a>	Glob. Perf. Analysis: Log IDs	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
27	<a href="#">ST35</a>	Glob. Perf. Analysis: Assign CATTs	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
28	<a href="#">ST36</a>	Glob. Perf. Analysis: Delete Data	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
29	<a href="#">ST37</a>	Global Perf. Analysis: Eval. Schema	<a href="#">BC-TWB-TST-P-GPA</a>	<a href="#">SAP BASIS</a>
30	<a href="#">STATS</a>	Performance Monitor	<a href="#">BC-TWB-TST-P-PA</a>	<a href="#">SAP BASIS</a>
31	<a href="#">STFB</a>	CATT function module test	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
32	<a href="#">STPFE</a>	eCATT Foreground Scheduler	<a href="#">BC-TWB-TST-ECA</a>	<a href="#">SAP BASIS</a>
33	<a href="#">STWBM</a>	Test Repository	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
34	<a href="#">STWB_1</a>	Test Catalog Management	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
35	<a href="#">STWB_2</a>	Test Plan Management	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
36	<a href="#">STWB_INFO</a>	Test Workbench Information System	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
37	<a href="#">STWB_SET</a>	Central Test Workbench settings	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
38	<a href="#">STWB_TC</a>	Test Case Management	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
39	<a href="#">STWB_WORK</a>	Tester worklist	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>
40	<a href="#">S_BCE_68000047</a>	IMG Activity: CATT_ETT	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
41	<a href="#">S_BCE_68000291</a>	IMG Activity: CATT_ETT	<a href="#">BC-TWB-TST-CAT</a>	<a href="#">SAP BASIS</a>
42	<a href="#">S_BCE_68002040</a>	Central Test Workbench Settings	<a href="#">BC-TWB-ORG</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-UPG

## Upgrade - General

## BC-UPG - Upgrade - General

#	T-Code	Description	Module	Component
1	<a href="#">ANST</a>	Automated Note Search Tool	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ANST_SEARCH_TOOL</a>	Automated Note Search Tool	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>
3	<a href="#">COFI</a>	Create Command Files	<a href="#">BC-UPG</a>	<a href="#">SAP BASIS</a>
4	<a href="#">CRR_CONTROL</a>	CRR Control	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
5	<a href="#">CRR_OVERVIEW</a>	CRR Overview	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
6	<a href="#">CRR_SHOW_LOG</a>	Show CRR Log	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
7	<a href="#">CRR_TFW_DT</a>	Test of dynamic tables	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
8	<a href="#">CRR_TFW_DT_N</a>	Test of dynamic tables	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
9	<a href="#">CRR_TFW_ID</a>	Test of dynamic tables	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
10	<a href="#">CRR_TFW_RUN</a>	Run_ISU_Testframework	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
11	<a href="#">CRR_TFW_STR</a>	Data Base Table Generation Level	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
12	<a href="#">IC37</a>	SM37 for Incremental Conversion Jobs	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
13	<a href="#">ICNV</a>	Incremental Conversion	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
14	<a href="#">IMIG</a>	Incremental Migration	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SAINT</a>	Add-On Installation Tool	<a href="#">BC-UPG-OCS</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SCWB</a>	Correction Workbench	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SDIN</a>	General Table Display	<a href="#">BC-UPG-TLS-TLA</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SE95</a>	Modification Browser	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SGEN</a>	SAP Load Generator	<a href="#">BC-UPG-TLS-TLA</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SGEN_OLD</a>	SAP Load Generator	<a href="#">BC-UPG-TLS-TLA</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SHXC</a>	Maintain HOTPACKEXC	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>
22	<a href="#">SHXC1</a>	Special Approvals Procedure	<a href="#">BC-UPG-NA</a>	<a href="#">SAP BASIS</a>



## BC-UPG - Upgrade - General

#	T-Code	Description	Module	Component
23	<a href="#">SNOTE</a>	Note Assistant	<a href="#">BC-UPG-NA</a>	<a href="#">SAP_BASIS</a>
24	<a href="#">SNOTE_DISPLAY</a>	Note Assistant	<a href="#">BC-UPG-NA</a>	<a href="#">SAP_BASIS</a>
25	<a href="#">SPAM</a>	Support Package Manager	<a href="#">BC-UPG-OCS</a>	<a href="#">SAP_BASIS</a>
26	<a href="#">SPAR</a>	Determine Storage Parameters	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP_BASIS</a>
27	<a href="#">SPAU</a>	Display Modified DE Objects	<a href="#">BC-UPG</a>	<a href="#">SAP_BASIS</a>
28	<a href="#">SPDD</a>	Display Modified DDIC Objects	<a href="#">BC-UPG</a>	<a href="#">SAP_BASIS</a>
29	<a href="#">SRT0</a>	Repository Switch: PUTTB Handling	<a href="#">BC-UPG</a>	<a href="#">SAP_BASIS</a>
30	<a href="#">UMIG_MONITOR</a>	Incremental Migration to Unicode	<a href="#">BC-UPG-TLS</a>	<a href="#">SAP_BASIS</a>

## SAP TCodes in Module

# BC-VMC

## Virtual Machine Container

## BC-VMC - Virtual Machine Container

#	T-Code	Description	Module	Component
1	<a href="#">SM52</a>	Virtual Machine Overview	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>
2	<a href="#">SM53</a>	VMC Monitoring and Administration	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>
3	<a href="#">VMCDBG</a>	VMC NewDebugger	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>
4	<a href="#">VMCDBG_AL T_CONTROL</a>	VMC Debugger: Alternative Controller	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>
5	<a href="#">VMCDBG_LA UNCH</a>	VMC NewDebugger with Port Selection	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>
6	<a href="#">VMCJDB</a>	VM Container Mini Debugger	<a href="#">BC-VMC</a>	<a href="#">SAP BASIS</a>

## SAP TCodes in Module

# BC-WD

## Web Dynpro

## BC-WD - Web Dynpro

#	T-Code	Description	Module	Component
1	<a href="#">ACF_WHITELIST_SETUP</a>	Install ACF Security List	<a href="#">BC-WD-ACF</a>	<a href="#">SAP_UI</a>
2	<a href="#">DOCMAP</a>	Doc_mapping	<a href="#">BC-WD</a>	<a href="#">SAP BASIS</a>
3	<a href="#">FPM_TEXT_TOOL</a>	Report: FPM_TEXT_TOOL Transaction	<a href="#">BC-WD-CMP-FPM</a>	<a href="#">SAP_UI</a>
4	<a href="#">FPM_WB</a>	FPM Workbench	<a href="#">BC-WD-CMP-FPM</a>	<a href="#">SAP_UI</a>
5	<a href="#">HELLO_WORLD</a>	Hello World	<a href="#">BC-WD-ABA-PB</a>	<a href="#">SAP_UI</a>
6	<a href="#">SALV_ATS_PARAMS</a>	Runtime Parameters for ATS	<a href="#">BC-WD-CMP-ATS</a>	<a href="#">SAP_UI</a>
7	<a href="#">SALV_CS_PARAMS</a>	Runtime Parameters for Table Paging	<a href="#">BC-WD-CMP-ALV-ABA</a>	<a href="#">SAP_UI</a>
8	<a href="#">SALV_PARAMS</a>	Runtime Parameters for any ALV Tool	<a href="#">BC-WD-CMP-ALV-ABA</a>	<a href="#">SAP_UI</a>
9	<a href="#">SALV_TRACE</a>	ALV Trace Tool	<a href="#">BC-WD-CMP-ALV-ABA</a>	<a href="#">SAP_UI</a>
10	<a href="#">SALV_WD_CUST</a>	ALV Settings for Web Dynpro	<a href="#">BC-WD-CMP-ALV-ABA</a>	<a href="#">SAP_UI</a>
11	<a href="#">SALV_WD_PARAMS</a>	Runtime Parameters for WD ALV	<a href="#">BC-WD-CMP-ALV-ABA</a>	<a href="#">SAP_UI</a>
12	<a href="#">SE58</a>	Web Dynpro Converter	<a href="#">BC-WD-ABA</a>	<a href="#">SAP_UI</a>
13	<a href="#">S_YI3_39000001</a>	(empty)	<a href="#">BC-WD-ACF</a>	<a href="#">SAP_UI</a>
14	<a href="#">S_YI3_390000038</a>	BCALV_GRID_EDIT	<a href="#">BC-WD-ABA-PB</a>	<a href="#">SAP_UI</a>
15	<a href="#">S_YI3_390000049</a>	SAP_TEST_HELLO_SP	<a href="#">BC-WD-ABA-PB</a>	<a href="#">SAP_UI</a>
16	<a href="#">WDR_ACF_GENERATE_CERT</a>	Generate Certificate for Whitelist	<a href="#">BC-WD-ACF</a>	<a href="#">SAP_UI</a>
17	<a href="#">WDR_ACF_ADMINISTRATION</a>	Administration of ACF Security List	<a href="#">BC-WD-ACF</a>	<a href="#">SAP_UI</a>
18	<a href="#">WDR_RECORDING_PLUGIN</a>	Web Dynpro: Recording Plug-In	<a href="#">BC-WD-ABA-RUN</a>	<a href="#">SAP_UI</a>
19	<a href="#">WDR_RECORDING_PLUGIN_COND</a>	Web Dynpro: Recording Plug-In Cond.	<a href="#">BC-WD-ABA-RUN</a>	<a href="#">SAP_UI</a>

## BC-WD - Web Dynpro

#	T-Code	Description	Module	Component
20	<a href="#">WDYID</a>	Display Web Dynpro Application	<a href="#">BC-WD-ABA-RUN</a>	<a href="#">SAP_UI</a>
21	<a href="#">WD_TRACE_TOOL</a>	Web Dynpro Trace Tool	<a href="#">BC-WD-ABA</a>	<a href="#">SAP_UI</a>
22	<a href="#">WRC_MACRO_S</a>	Recording of System Macros	<a href="#">BC-WD</a>	<a href="#">SAP_BASIS</a>
23	<a href="#">WRC_USER_MACROS</a>	Recording of User Macros	<a href="#">BC-WD</a>	<a href="#">SAP_BASIS</a>

## SAP TCodes in Module

# BC-XI

## Exchange Infrastructure

## BC-XI - Exchange Infrastructure

#	T-Code	Description	Module	Component
1	<a href="#">ESR_CHK_CL</a>	Esr Changelist Check	<a href="#">BC-XI-IBD</a>	<a href="#">SAP BASIS</a>
2	<a href="#">ESR_CHK_F7</a>	Esr F7 Checks	<a href="#">BC-XI-IBD</a>	<a href="#">SAP BASIS</a>
3	<a href="#">IDX5</a>	IDoc Adapter - Monitoring	<a href="#">BC-XI-IS</a>	<a href="#">SAP BASIS</a>
4	<a href="#">IDXP</a>	Monitor for Message Packages	<a href="#">BC-XI-IS</a>	<a href="#">SAP BASIS</a>
5	<a href="#">IDXPW</a>	IDoc Package Wizard	<a href="#">BC-XI-IS</a>	<a href="#">SAP BASIS</a>
6	<a href="#">SWF_BAM</a>	BAM: Administration	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
7	<a href="#">SWF_BAM_CUSTOMIZING</a>	Automatic BAM Customizing	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
8	<a href="#">SWF_BAM_TRACING</a>	Tracing for BAM	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
9	<a href="#">SWF_INB_ADMIN</a>	Administration Inbound Processing	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
10	<a href="#">SWF_INB_CONFIG</a>	Configuration Inbound Processing	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
11	<a href="#">SWF_INB_MONITOR</a>	Monitoring Inbound Processing	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
12	<a href="#">SWF_XI_ADMIN_BPE</a>	XI: Start/Stop BPE	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
13	<a href="#">SWF_XI_ADMIN_BPE_DISP</a>	XI: Display BPE Status	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
14	<a href="#">SWF_XI_ARCHIVE</a>	Display Archived Processes	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
15	<a href="#">SWF_XI_CUSTOMIZING</a>	Automatic BPM Customizing	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
16	<a href="#">SWF_XI_DISPATCH_SHOW</a>	Display Message Dispatcher	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
17	<a href="#">SWF_XI_DISPATCH_CLEANUP_SHOW</a>	Display Message Dispatcher Cleanup	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
18	<a href="#">SWF_XI_IPMON</a>	Integration Process Monitoring	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
19	<a href="#">SWF_XI_PROCESS_BUILDER</a>	Process Builder	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
20	<a href="#">SWF_XI_PROCESS_SELECTION</a>	Process Selection	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
21	<a href="#">SWF_XI_PROCESS_SELECTION_4</a>	Processes for One Message Type	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
22	<a href="#">SWF_XI_PROCESS_SELECTION_DEAD</a>	Processes with Missed Deadline	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
23	<a href="#">SWF_XI_PROCESS_SELECTION_DIAG</a>	Diagnosis Processes with Errors	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
24	<a href="#">SWF_XI_PROCESS_SELECTION_6</a>	Processes for a Message	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>



## BC-XI - Exchange Infrastructure

#	T-Code	Description	Module	Component
25	<a href="#">SWF_XI_SWP_C</a>	Continue Process After System Crash	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
26	<a href="#">SWF_XI_SWP_R</a>	Continue Process Following Error	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
27	<a href="#">SWF_XI_SWU_2</a>	RFC Monitor	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
28	<a href="#">SWF_XMP1</a>	XML Object Type Builder	<a href="#">BC-XI-IS-BPE</a>	<a href="#">SAP BASIS</a>
29	<a href="#">SXIDEMO</a>	PI Demo: Start of Application	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
30	<a href="#">SXIDEMO1</a>	PI Demo: Start of Application (ABAP)	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
31	<a href="#">SXIDEMO2</a>	PI Demo: Display Flight Data	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
32	<a href="#">SXIDEMO3</a>	PI Demo: Generate Flight Data	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
33	<a href="#">SXIDEMO4</a>	PI Demo: Send Booking Statistics	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
34	<a href="#">SXIPATT1</a>	PI Pattern: Program for Execution	<a href="#">BC-XI</a>	<a href="#">SAP BASIS</a>
35	<a href="#">SXIVALID_TEST</a>	XML Validation Test	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
36	<a href="#">SXI_CACHE</a>	Integration Directory Cache	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
37	<a href="#">SXI_CACHE_CONFIG</a>	Cache Refresh Configuration	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
38	<a href="#">SXI_CHECK_CACHE</a>	Check Settings of Runtime Cache	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
39	<a href="#">SXI_JOBMON</a>	Monitor for ABAP Background Jobs	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
40	<a href="#">SXI_MAPPING_TEST</a>	Test Environment for AII	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
41	<a href="#">SXI_MONITOR</a>	XI: Message Monitoring	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
42	<a href="#">SXI_MONITOR_EXTERNAL</a>	XI: Message Monitoring	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
43	<a href="#">SXI_READ_ARCHIVE</a>	Read from Archive (Using Archive)	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
44	<a href="#">SXI_READ_ARCHIVE_EXT</a>	Search for Archived XML Messages	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
45	<a href="#">SXI_READ_ARCHIVE_ID</a>	Search for Archived XML Messages	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
46	<a href="#">SXI_SHOW_MESSAGE</a>	Displays an XI Message	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
47	<a href="#">SXI_STAT</a>	Processing Statistics	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
48	<a href="#">SXI_SUPPORT</a>	Test Environment for XI	<a href="#">BC-XI-IBC</a>	<a href="#">SAP BASIS</a>
49	<a href="#">SXMB_ADM</a>	Integration Engine - Administration	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>

## BC-XI - Exchange Infrastructure

#	T-Code	Description	Module	Component
50	<a href="#">SXMB_ADMI N</a>	Integration Engine - All Functions	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
51	<a href="#">SXMB_ADM BPE</a>	Process Engine - Administration	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
52	<a href="#">SXMB_CHK_E NCKEY</a>	Check Use of key for DB encryption	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
53	<a href="#">SXMB_IFR</a>	Start Integration Builder	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
54	<a href="#">SXMB_ITFAC TION</a>	Interf. for Archv. and Ret. Periods	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
55	<a href="#">SXMB_MONI</a>	Integration Engine - Monitoring	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
56	<a href="#">SXMB_MONI BPE</a>	Process Engine - Monitoring	<a href="#">BC-XI-IS- WKB</a>	<a href="#">SAP_BASIS</a>
57	<a href="#">SXMSALRT</a>	XI Alert Configuration	<a href="#">BC-XI-IS- WKB</a>	<a href="#">SAP_BASIS</a>
58	<a href="#">SXMSFILTER</a>	Message Filter Maintenance	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
59	<a href="#">SXMSIF</a>	Sender/Receiver Definitions	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
60	<a href="#">SXMSJOBS</a>	Schedule Message Processing	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
61	<a href="#">SXMSJOBSCH EDULER</a>	Scheduler for Message Processing	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
62	<a href="#">SXMSQUEUE</a>	Conf. Queue Prioritization Filter	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
63	<a href="#">SXMS_ADMI ARCH</a>	Schedule Archiving Job	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
64	<a href="#">SXMS_ADMI DEL</a>	Schedule Delete Jobs	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
65	<a href="#">SXMS_ADMI IND</a>	Configuration XI Message Indexing	<a href="#">BC-XI-IS- WKB</a>	<a href="#">SAP_BASIS</a>
66	<a href="#">SXMS_BCM</a>	Package Configuration Types	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
67	<a href="#">SXMS_BCONF</a>	Package Configuration	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
68	<a href="#">SXMS_CONF PP</a>	Transfer of User ID Configuration	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
69	<a href="#">SXMS_CONF SWITCH</a>	Configure Delete Procedure	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>
70	<a href="#">SXMS_EOIO Q</a>	Number of EOIO Queues	<a href="#">BC-XI-IS- IEN</a>	<a href="#">SAP_BASIS</a>

## BC-XI - Exchange Infrastructure

#	T-Code	Description	Module	Component
71	<a href="#">SXMS IECONF</a>	Integration Engine Configuration	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
72	<a href="#">SXMS JOB_CREATE</a>	Creating Jobs	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
73	<a href="#">SXMS_LMS_CONFIG</a>	User-Defined Search: Config.	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
74	<a href="#">SXMS_MONI_DB</a>	Analysis of Persistence Layer	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
75	<a href="#">SXMS_MONI_IND</a>	Monitoring XI Message Indexing	<a href="#">BC-XI-IS-WKB</a>	<a href="#">SAP BASIS</a>
76	<a href="#">SXMS_MONI_JOB</a>	Job overview	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
77	<a href="#">SXMS_PIPEL</a>	Display Pipeline Definitions	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
78	<a href="#">SXMS_QREG</a>	XI Queue Registration	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
79	<a href="#">SXMS_SAMON</a>	Monitor for S/A Communication	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
80	<a href="#">SXMS_TRC</a>	XMS: Trace Display	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
81	<a href="#">SXMS_TRC_CONFIG</a>	Trace Configuration	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
82	<a href="#">SXMS_TRC_SELECT</a>	XMS: Trace Display with Selection	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
83	<a href="#">SXMS_TSTOOL</a>	Settings for Error Analysis	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
84	<a href="#">S_B6A_52000011</a>	RSXMB_RZ20_CALL	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
85	<a href="#">XMSPKSTATCONF</a>	Configuration of Package Statistics	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
86	<a href="#">XMSPKSTATMON</a>	Monitoring Package Statistics	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>
87	<a href="#">XMS_SARA</a>	Parameter Transaction for TA SARA	<a href="#">BC-XI-IS-IEN</a>	<a href="#">SAP BASIS</a>

