

The background of the image is a night sky filled with stars, with a prominent band of light representing the Milky Way galaxy. In the lower-left corner, there is a dark silhouette of a large, leafy tree. The overall color palette is dominated by deep blues and greens from the starry sky, with the text in white for high contrast.

**SAP TCodes**

**Occasional  
Platform User**

[www.SAP-TCodes.org](http://www.SAP-TCodes.org)

**This Book is Based on:**

**SAP ERP 6 EhP 7**

**SAP CRM 7 EhP 3 SR2**

**SAP SRM 7 EhP 3 SR2**

**SAP Solution Manager 7.1 SR1**

**SAP Basis 7.40 SP08**

# SAP TCodes

The Best Online SAP Transaction Code Analytics

Occasional Platform  
User

[www.SAP-TCodes.org](http://www.SAP-TCodes.org)

This book is based on [our](#) knowledge of SAP system, and it is constantly reviewed to avoid errors; well we cannot warrant full correctness of all content. Use the information and content on this book at your own risk.

Published by:

[book@sap-tcodes.org](mailto:book@sap-tcodes.org)

[www.SAP-TCodes.org](http://www.SAP-TCodes.org)

Generated at [Sun, 27 Sep 2020 02:10:27 +0000](#)

Copyright © 2020 [www.SAP-TCodes.org](http://www.SAP-TCodes.org)

This book is delivered under [MIT License](#), as bellow

Permission is hereby granted, free of charge, to any person obtaining a copy of this book and associated documentation files (the "Book"), to deal in the Book without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Book, and to permit persons to whom the Book is furnished to do so, subject to the following conditions:

The above copyleft notice and this permission notice shall be included in all copies or substantial portions of the Book.

THE BOOK IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPILEFT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE BOOK OR THE USE OR OTHER DEALINGS IN THE BOOK.

SAP and the SAP logo are registered trademarks of [SAP SE](#).

This book is **not** sponsored by, affiliated with, or approved by [SAP SE](#).

[SAP SE](#) is **not** the publisher of this book and is not responsible for it under any aspect of press law.

# Table of Content

<b>SAP TCodes in Module OPU - Occasional Platform User</b> .....	3
SAP TCodes in Module OPU-BSE - Gateway Business Suite Enablement .....	6
SAP TCodes in Module OPU-FND - Information Worker Foundation Framework .....	11
SAP TCodes in Module OPU-GW - OPU-GW (Gateway) .....	17

**SAP TCodes in Module**

**OPU-BSE**

**Gateway Business Suite Enablement**

## OPU-BSE - Gateway Business Suite Enablement

#	T-Code	Description	Module	Component
1	<a href="#">/IWBEP/01000001</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
2	<a href="#">/IWBEP/57000001</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
3	<a href="#">/IWBEP/57000002</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
4	<a href="#">/IWBEP/57000003</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
5	<a href="#">/IWBEP/57000004</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
6	<a href="#">/IWBEP/57000005</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
7	<a href="#">/IWBEP/57000006</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
8	<a href="#">/IWBEP/57000007</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
9	<a href="#">/IWBEP/57000008</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
10	<a href="#">/IWBEP/57000009</a>	(empty)	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWFND</a>
11	<a href="#">/IWBEP/92000002</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
12	<a href="#">/IWBEP/92000003</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
13	<a href="#">/IWBEP/92000004</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
14	<a href="#">/IWBEP/92000005</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
15	<a href="#">/IWBEP/92000006</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
16	<a href="#">/IWBEP/92000007</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
17	<a href="#">/IWBEP/92000009</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
18	<a href="#">/IWBEP/92000012</a>	IMG Activity	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
19	<a href="#">/IWBEP/92000013</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
20	<a href="#">/IWBEP/92000014</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
21	<a href="#">/IWBEP/92000015</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>

## OPU-BSE - Gateway Business Suite Enablement

#	T-Code	Description	Module	Component
22	<a href="#">/IWBEP/92000016</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
23	<a href="#">/IWBEP/92000017</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
24	<a href="#">/IWBEP/92000018</a>	IMG Activity	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
25	<a href="#">/IWBEP/92000019</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
26	<a href="#">/IWBEP/92000020</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
27	<a href="#">/IWBEP/92000021</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
28	<a href="#">/IWBEP/92000022</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
29	<a href="#">/IWBEP/92000023</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
30	<a href="#">/IWBEP/92000024</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
31	<a href="#">/IWBEP/92000025</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
32	<a href="#">/IWBEP/92000026</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
33	<a href="#">/IWBEP/97000002</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
34	<a href="#">/IWBEP/97000003</a>	(empty)	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWFND</a>
35	<a href="#">/IWBEP/97000004</a>	(empty)	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWFND</a>
36	<a href="#">/IWBEP/97000005</a>	(empty)	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWFND</a>
37	<a href="#">/IWBEP/97000007</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
38	<a href="#">/IWBEP/97000008</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
39	<a href="#">/IWBEP/97000009</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
40	<a href="#">/IWBEP/97000010</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
41	<a href="#">/IWBEP/97000011</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>
42	<a href="#">/IWBEP/99000001</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWFND</a>



## OPU-BSE - Gateway Business Suite Enablement

#	T-Code	Description	Module	Component
43	<a href="#">/IWBEP/99000002</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
44	<a href="#">/IWBEP/99000003</a>	(empty)	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
45	<a href="#">/IWBEP/ANA_SRV_GEN</a>	Analytics Service Generator	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
46	<a href="#">/IWBEP/BATCH_CONFIG</a>	Batch Parallelization	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
47	<a href="#">/IWBEP/CACHE_CLEANUP</a>	Cleanup of Model Cache	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
48	<a href="#">/IWBEP/CONFIG_CHECK</a>	Check Configuration of BEP	<a href="#">OPU-BSE-BEP</a>	<a href="#">SAP_GWF_ND</a>
49	<a href="#">/IWBEP/CONFIG_SERVICE</a>	Configuration for IWBEP services	<a href="#">OPU-BSE</a>	<a href="#">IW_BEP</a>
50	<a href="#">/IWBEP/ERROR_LOG</a>	GW Backend Error Log	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWF_ND</a>
51	<a href="#">/IWBEP/ERROR_LOG_E2E</a>	GW Backend Error Log - E2E	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWF_ND</a>
52	<a href="#">/IWBEP/IMPORT_MODEL</a>	Service Description File Importer	<a href="#">OPU-BSE-TLS</a>	<a href="#">SAP_GWF_ND</a>
53	<a href="#">/IWBEP/NOTIFICATION_MONITOR</a>	GW Backend Notification Monitor	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWF_ND</a>
54	<a href="#">/IWBEP/OSCI_SRV_GEN</a>	OData Srvc.(GW) Generator for OSCI	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
55	<a href="#">/IWBEP/REG_MODEL</a>	Maintain Model	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
56	<a href="#">/IWBEP/REG_SERVICE</a>	Maintain Service	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
57	<a href="#">/IWBEP/REG_VOCAN</a>	Maintain Vocabulary Annotations	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
58	<a href="#">/IWBEP/RFC_BOP_DEL</a>	OData Channel : Delete RFC BOP	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
59	<a href="#">/IWBEP/RFC_BOP_GEN</a>	OData Channel : Generate RFC BOP	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>
60	<a href="#">/IWBEP/SB</a>	Gateway Service Builder	<a href="#">OPU-BSE-SB</a>	<a href="#">SAP_GWF_ND</a>
61	<a href="#">/IWBEP/SBS</a>	Gateway Service Builder Setup	<a href="#">OPU-BSE-SB</a>	<a href="#">SAP_GWF_ND</a>
62	<a href="#">/IWBEP/TRACES</a>	GW Backend Traces	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWF_ND</a>
63	<a href="#">/IWBEP/UMNR_INT</a>	MGW Number Range Interval	<a href="#">OPU-BSE-SDE</a>	<a href="#">SAP_GWF_ND</a>

## OPU-BSE - Gateway Business Suite Enablement

#	T-Code	Description	Module	Component
64	<a href="#">/IWBEP/UR_C LEANUP</a>	User Request Clean Up	<a href="#">OPU-BSE- SDE</a>	<a href="#">SAP_GWF ND</a>
65	<a href="#">/IWBEP/VIEW LOG</a>	SAP NetWeaver Gateway Log Viewer	<a href="#">OPU-BSE</a>	<a href="#">SAP_GWF ND</a>
66	<a href="#">/IWBEP/WS_B OP_DEL</a>	OData Channel : Delete WS BOP	<a href="#">OPU-BSE- SDE</a>	<a href="#">SAP_GWF ND</a>
67	<a href="#">/IWBEP/WS_B OP_GEN</a>	OData Channel : Generate WS BOP	<a href="#">OPU-BSE- SDE</a>	<a href="#">SAP_GWF ND</a>
68	<a href="#">/IWWRK/9200 0001</a>	(empty)	<a href="#">OPU-BSE- WFM</a>	<a href="#">SAP_GWF ND</a>
69	<a href="#">/IWWRK/9200 0008</a>	(empty)	<a href="#">OPU-BSE- WFM</a>	<a href="#">SAP_GWF ND</a>
70	<a href="#">/IWWRK/9700 0006</a>	(empty)	<a href="#">OPU-BSE- WFM</a>	<a href="#">SAP_GWF ND</a>
71	<a href="#">/IWWRK/WF FILTER</a>	Handle Activation of WF item filter	<a href="#">OPU-BSE- WFM</a>	<a href="#">SAP_GWF ND</a>
72	<a href="#">SEGW</a>	Gateway Service Builder	<a href="#">OPU-BSE- SDE</a>	<a href="#">SAP_GWF ND</a>

## SAP TCodes in Module

# OPU-FND

## Information Worker Foundation Framework

## OPU-FND - Information Worker Foundation Framework

#	T-Code	Description	Module	Component
1	<a href="#">/IWFND/32000004</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
2	<a href="#">/IWFND/32000011</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
3	<a href="#">/IWFND/32000012</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
4	<a href="#">/IWFND/32000017</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
5	<a href="#">/IWFND/32000018</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
6	<a href="#">/IWFND/32000020</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
7	<a href="#">/IWFND/32000021</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
8	<a href="#">/IWFND/32000022</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
9	<a href="#">/IWFND/32000023</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
10	<a href="#">/IWFND/32000024</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
11	<a href="#">/IWFND/50000001</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
12	<a href="#">/IWFND/50000003</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
13	<a href="#">/IWFND/50000004</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
14	<a href="#">/IWFND/50000005</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
15	<a href="#">/IWFND/50000006</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
16	<a href="#">/IWFND/50000007</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
17	<a href="#">/IWFND/50000008</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
18	<a href="#">/IWFND/50000009</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
19	<a href="#">/IWFND/50000010</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
20	<a href="#">/IWFND/50000011</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
21	<a href="#">/IWFND/50000013</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>

## OPU-FND - Information Worker Foundation Framework

#	T-Code	Description	Module	Component
22	<a href="#">/IWFND/50000014</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
23	<a href="#">/IWFND/50000015</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
24	<a href="#">/IWFND/50000018</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
25	<a href="#">/IWFND/50000019</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
26	<a href="#">/IWFND/50000022</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
27	<a href="#">/IWFND/50000027</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
28	<a href="#">/IWFND/50000031</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
29	<a href="#">/IWFND/50000038</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
30	<a href="#">/IWFND/50000039</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
31	<a href="#">/IWFND/50000040</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
32	<a href="#">/IWFND/50000043</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
33	<a href="#">/IWFND/50000044</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
34	<a href="#">/IWFND/50000045</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
35	<a href="#">/IWFND/50000046</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
36	<a href="#">/IWFND/50000051</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
37	<a href="#">/IWFND/50000052</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
38	<a href="#">/IWFND/50000053</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
39	<a href="#">/IWFND/50000054</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
40	<a href="#">/IWFND/50000055</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
41	<a href="#">/IWFND/50000056</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
42	<a href="#">/IWFND/50000057</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>

## OPU-FND - Information Worker Foundation Framework

#	T-Code	Description	Module	Component
43	<a href="#">/IWFND/50000058</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
44	<a href="#">/IWFND/50000059</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
45	<a href="#">/IWFND/50000060</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
46	<a href="#">/IWFND/50000061</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
47	<a href="#">/IWFND/50000062</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
48	<a href="#">/IWFND/50000063</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
49	<a href="#">/IWFND/50000065</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
50	<a href="#">/IWFND/50000066</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
51	<a href="#">/IWFND/50000068</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
52	<a href="#">/IWFND/50000071</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
53	<a href="#">/IWFND/50000072</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
54	<a href="#">/IWFND/50000073</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
55	<a href="#">/IWFND/50000074</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
56	<a href="#">/IWFND/50000075</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
57	<a href="#">/IWFND/50000076</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
58	<a href="#">/IWFND/50000077</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
59	<a href="#">/IWFND/50000078</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
60	<a href="#">/IWFND/59000011</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
61	<a href="#">/IWFND/59000018</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
62	<a href="#">/IWFND/59000019</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
63	<a href="#">/IWFND/59000020</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>

## OPU-FND - Information Worker Foundation Framework

#	T-Code	Description	Module	Component
64	<a href="#">/IWFND/59000021</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
65	<a href="#">/IWFND/59000022</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
66	<a href="#">/IWFND/59000025</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
67	<a href="#">/IWFND/59000026</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
68	<a href="#">/IWFND/59000027</a>	(empty)	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
69	<a href="#">/IWFND/APPS_LOG</a>	Gateway Application Log Viewer	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
70	<a href="#">/IWFND/BULK_USER_MAP</a>	Transaction to Perform Bulk User Map	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
71	<a href="#">/IWFND/CACHE_CLEANUP</a>	Cleanup of Model Cache	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
72	<a href="#">/IWFND/CLEANUP</a>	Execute Cleanup	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
73	<a href="#">/IWFND/CLEANUP_JOBS</a>	Manage cleanup jobs	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
74	<a href="#">/IWFND/ERROR_LOG</a>	Gateway Error Log	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
75	<a href="#">/IWFND/ERROR_LOG_E2E</a>	Gateway Error Log - E2E	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
76	<a href="#">/IWFND/EXPLORER</a>	Service Explorer	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
77	<a href="#">/IWFND/GW_CLIENT</a>	Gateway Client	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
78	<a href="#">/IWFND/INIT_CCMS</a>	Initialize Gateway CCMS Context	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
79	<a href="#">/IWFND/IWF_ACTIVATE</a>	Activate / Deactivate Gateway	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
80	<a href="#">/IWFND/MED_ACTIVATE</a>	Activate/Deactivate Metadata Cache	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
81	<a href="#">/IWFND/MED_SA_ACTIV</a>	Activate system alias based caching	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
82	<a href="#">/IWFND/MOC_PARALLEL</a>	Parallelize Multi-Origin Composition	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
83	<a href="#">/IWFND/NOTIF_MONITOR</a>	Notification Monitor	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
84	<a href="#">/IWFND/SERVICE_TEST</a>	Service Explorer	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>

## OPU-FND - Information Worker Foundation Framework

#	T-Code	Description	Module	Component
85	<a href="#">/IWFND/TRACES</a>	Gateway Traces	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
86	<a href="#">/IWFND/VIEW_LOG</a>	Gateway Application Log Viewer	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
87	<a href="#">/IWFND/VIRUS_SCAN</a>	Configuration of Gateway Virus Scan	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>
88	<a href="#">/IWFND/WSS_SETUP</a>	Configure WS Message-Based	<a href="#">OPU-FND-CS</a>	<a href="#">SAP_GWFND</a>



## SAP TCodes in Module

**OPU-GW**

**OPU-GW (Gateway)**

## OPU-GW - OPU-GW (Gateway)

#	T-Code	Description	Module	Component
1	<a href="#">/IWFND/32000013</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
2	<a href="#">/IWFND/59000010</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
3	<a href="#">/IWFND/59000012</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
4	<a href="#">/IWFND/59000013</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
5	<a href="#">/IWFND/59000023</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
6	<a href="#">/IWFND/59000024</a>	(empty)	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
7	<a href="#">/IWFND/MAIN_T_SERVICE</a>	Activate and Maintain Services	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
8	<a href="#">/IWFND/NOTIF_CLEANUP</a>	Cleanup Notifications	<a href="#">OPU-GW-COR</a>	<a href="#">SAP_GWFND</a>
9	<a href="#">/IWFND/WF_WEBGUI</a>	WebGUI For Executing Workflow Item	<a href="#">OPU-GW-CNT</a>	<a href="#">SAP_GWFND</a>

